Author index with article titles

Ab, G., see Calkhoven, C. F.
Abadjieva, A., see Crabeel, M.
Abas, L., see Guppy, M.
Abdelal, A. T., see Yang, H.
Abdel-Ghany, A.-G., see Kieweg, V.
Abend, A., Illich, V., Rétey, J.: Further insights into the mechanism of action of methylmalonyl-CoA mutase by electron paramagnetic resonance studies 249: 180
AbouHaidar, M. G., see Kaloyanova, D.
Abousalham, A., Nari, J., Teissère, M., Ferté, N., Noat, G., Verger, R.: Study of fatty acid specificity of sunflower phospholipase D using detergent/phospholipid micelles 248: 374
Acevedo, A., see Krapp, A. R.
Adachi, H., Tsujimoto, M., Fukasawa, M., Sato, Y., Arai, H., Inoue, K., Nishimura, T.: cDNA cloning and expression of chicken aminopeptidase H, possessing endopeptidase as well as aminopeptidase activity 245: 283
Adams, G. M., see O'Gara, M.
Adar, R., see Siebert, H.-C.
Adar, R., Streicher, H., Rozenblatt, S., Sharon, N.: Synthesis of soybean agglutinin in bacterial and mammalian cells 249: 684
Addeo, F., see Ferranti, P.
Adjadj, E., Naudat, V., Quiniou, E., Wouters, D., Sautière, P., Craescu, C. T.: Solution structure of Lqh-8/6, a toxin-like peptide from a scorpion venom – Structural heterogeneity induced by proline *cis/trans* isomerization 246: 218
Adleff, V., see Marton, A.
Adomat, J., see Weber, I. T.
Aebi, U., see Sasse, B.
Aerts, J. M. F. G., see Renkema, G. H.
Agostinis, P., see Ruzzene, M.
Agou, F., Mirande, M.: Aspartyl-tRNA synthetase from rat – *In vitro* functional analysis of its assembly into the multisynthetase complex 243: 259
Aho, S., Rouda, S., Kennedy, S. H., Qin, H., Tan, E. M. L.: Regulation of human interstitial collagenase (matrix metalloproteinase-1) promoter activity by fibroblast growth factor 247: 503
Ainbinder, E., Bergelson, S., Pinkus, R., Daniel, V.: Regulatory mechanisms involved in activator-protein-1 (AP-1)-mediated activation of glutathione-*S*-transferase gene expression by chemical agents 243: 49
Aivasidis, A., see Daussmann, T.
Akagi, R., see Shibata, N.
Akatsuka, H., see Kotera, J.
Åkerström, B., see Berggård, T.
Akhmanova, A., Miedema, K., Kremer, H., Hennig, W.: Two types of polyadenylated mRNAs are synthesized from *Drosophila* replication-dependent histone genes 244: 294
Akita, Y., see Mizuno, K.
Alamillo, J. M., see Romero, A.
Al-Babili, S., see Bonk, M.
Albert, M. J., see Kjellberg, A.
Albouy, D., Joliot, P., Robert, B., Nitschke, W.: Electron transfer towards the RCI-type photosystem in the green sulphur bacterium *Chlorobium limicola* forma *thiosulphatophilum* studied by time-resolved optical spectroscopy *in vivo* 249: 630
Albouz-Abo, S., Wilson, J. C., Bernard, C. C. A., von Itzstein, M.: A conformational study of the human and rat encephalitogenic myelin oligodendrocyte glycoprotein peptides 35–55 246: 59
Albracht, S. P. J., see Chevallet, M.
Albracht, S. P. J., see Sorgenfrei, O.
Albracht, S. S. P., see Boll, M.
Aldred, A. R., Prapunpoj, P., Schreiber, G.: Evolution of shorter and more hydrophilic transthyretin N-termini by stepwise conversion of exon 2 into intron 1 sequences (shifting the 3′ splice site of intron 1) 246: 401
Alemany, C., see Noé, V.
Alessandri, N., see Cotton, J.
Alexandrov, A., see Chakarov, S.
Alexandrov, S. L., see Zamolodchikova, T. S.
Alhonen, L., see Korhonen, V.-P.
Allen, P. G., see Fujita, H.
Alonso, J. C., see Grasser, K. D.
Aloria, K., see Pérez, M.
Alouani, S., see Coulin, F.
Altendorf, K., see Etzold, C.
Altman, A., see Williams, S.
Altona, C., see Overmars, F. J. J.
Alvarez, J. A., Gelpí, J. L., Johnsen, K., Bernard, N., Delcour, J., Clarke, A. R., Holbrook, J. J., Cortés, A.: D-2-Hydroxy-4-methylvalerate dehydrogenase from *Lactobacillus delbrueckii* subsp. *bulgaricus* – I. Kinetic mechanism and pH dependence of kinetic parameters, coenzyme binding and substrate inhibition 244: 203
Alvarez, J. A., see Bernard, N.
Alves, J., see Windolph, S.
Alzuet, G., Bubacco, L., Casella, L., Rocco, G. P., Salvato, B., Beltramini, M.: The binding of azide to copper-containing and cobalt-containing forms of hemocyanin from the mediterranean crab *Carcinus aestuarii* 247: 688
Amano, T., see Hisabori, T.
Ambrosius, D., see Gadda, G.
Amler, E., see Brinkmann, K.
Ammermann, D., see Palmedo, G.
Amons, R., see Liang, P.
Amoresano, A., see Minchiotti, L.
Anan, T., see Mori, S.
Anderson, C. W., see Esposito, F.
Anderson, L. A., Palmer, T., Price, N. C., Bornemann, S., Boxer, D. H., Pau, R. N.: Characterisation of the molybdenum-responsive ModE regulatory protein and its binding to the promoter region of the *modABCD* (molybdenum transport) operon of *Escherichia coli* 246: 119
Andre, F., see Delaforge, M.
Andreasen, P. A., see Egelund, R.
Andreasen, P. A., see Kasza, A.
Andreasen, P. A., see Martensen, P. M.
Andreasson, E., see Taipalensuu, J.
Andreesen, J. R., see Becker, D.
Andrew, P. J., see Harant, H.
Angel, P., see Vallon, R.
Angrand, M., Briolay, A., Ronzon, F., Roux, B.: Detergent-mediated reconstitution of a glycosyl-phosphatidylinositol–protein into liposomes 250: 168
Angrand, P.-O., see Ringrose, L.
Anjard, C., see Etchebehere, L. C.
Antonini, G., Pitari, G., Caccuri, A. M., Ricci, G., Boschi, D., Fruttero, R., Gasco, A., Ascenzi, P.: Inhibition of human placenta glutathione transferase P1-1 by the antibiotic calvatic acid and its diazocyanide analogue – Evidence for multiple catalytic intermediates 245: 663
Antonini, G., see Giuffrè, A.
Antranikian, G., see Chiaraluce, R.
Aoki, K., see Omichi, K.
Aoufouchi, S., Patrick, T., Lindsay, H. D., Shall, S., Ford, C. C.: Post-translational activation of non-homologous DNA end-joining in *Xenopus* oocyte extracts 247: 518
Aoyagi, Y., see Watanabe, M.
Apeler, H., Gottschalk, U., Guntermann, D., Hansen, J., Mässen, J., Schmidt, E., Schneider, K.-H., Schneidereit, M., Rübsamen-Waigmann, H.: Expression of natural and synthetic genes encoding herpes simplex virus 1 protease in *Escherichia coli* and purification of the protein 247: 890
Appel, H., see Müller, A.
Appella, E., see Esposito, F.
Aragón, J. J., see Estévez, A. M.
Arai, H., see Adachi, H.
Arai, M., Imai, H., Metori, A., Nakagawa, Y.: Preferential esterification of endogenously formed 5-hydroxyeicosatetraenoic acid to phospholipids in activated polymorphonuclear leukocytes 244: 513
Arakaki, N., see Ohnishi, T.
Araki, T., see Mizuno, K.
Arand, M., see Müller, F.
Arango, R., see Siebert, H.-C.
Arcari, P., see Masullo, M.
Arends, S., Schön, A.: Partial purification and characterization of nuclear ribonuclease P from wheat 244: 635
Arfman, N., Hektor, H. J., Bystrykh, L. V., Govorukhina, N. I., Dijkhuizen, L., Frank, J.: Properties of an NAD(H)-containing methanol dehydrogenase and its activator protein from *Bacillus methanolicus* 244: 426
Arimoto, I., see Doi, T.
Ariño, J., see Balcells, L.
Armah, C. N., see Guse, A. H.
Armengaud, J., Timmis, K. N.: Molecular characterization of Fdx1, a putidaredoxin-type [2Fe-2S] ferredoxin able to transfer electrons to the dioxin dioxygenase of *Sphingomonas* sp. RW1 247: 833
Arming, S., Strobl, B., Wechselberger, C., Kreil, G.: *In vitro* mutagenesis of PH-20 hyaluronidase from human sperm 247: 810
Arnold, D., Keilholz, W., Schild, H., Dumrese, T., Stevanović, S., Rammensee, H.-G.: Substrate specificity of cathepsins D and E determined by N-terminal and C-terminal sequencing of peptide pools 249: 171

Arnold, S., Kadenbach, B.: *Priority paper.* Cell respiration is controlled by ATP, an allosteric inhibitor of cytochrome-*c* oxidase 249: 350
Arnold, S., Lee, I., Kim, M., Song, E., Linder, D., Lottspeich, F., Kadenbach, B.: The subunit structure of cytochrome-*c* oxidase from tuna heart and liver 248: 99
Aro, E.-M., see Kettunen, R.
Aro, N., see Nakari-Setälä, T.
Arocas, V., Castro, H. C., Zingali, R. B., Guillin, M.-C., Jandrot-Perrus, M., Bon, C., Wisner, A.: Molecular cloning and expression of bothrojaracin, a potent thrombin inhibitor from snake venom 248: 550
Arosio, P., see Tamborini, E.
Arró, M., see Kribii, R.
Arselin, G., see Spannagel, C.
Asahi, M., see Tsubokawa, M.
Asai, K., see Sano, H.
Asai, Y., see Urano, S.
Asano, N., Kato, A., Miyauchi, M., Kizu, H., Tomimori, T., Matsui, K., Nash, R. J., Molyneux, R. J.: Specific α-galactosidase inhibitors, *N*-methylcalystegines – Structure/activity relationships of calystegines from *Lycium chinense* 248: 296
Ascenzi, P., see Antonini, G.
Ashamu, G. A., see Guse, A. H.
Ashford, D. A., see Costa, J.
Ashikari, T., see Fujiwara, H.
Asmis, R.: Physical partitioning is the main mechanism of α-tocopherol and cholesterol transfer between lipoproteins and P388D_1 macrophage-like cells 250: 600
Aspinall, G. O., Monteiro, M. A., Shaver, R. T., Kurjanczyk, L. A., Penner, J. L.: Lipopolysaccharides of *Helicobacter pylori* serogroups O:3 and O:6 – Structures of a class of lipopolysaccharides with reference to the location of oligomeric units of D-*glycero*-α-D-*manno*-heptose residues 248: 592
Assaraf, Y. G., see Eytan, G. D.
Assemat, K., see Etchebehere, L. C.
Assmann, K. J. M., see Groffen, A. J. A.
Atamna, H., Ginsburg, H.: The malaria parasite supplies glutathione to its host cell – Investigation of glutathione transport and metabolism in human erythrocytes infected with *Plasmodium falciparum* 250: 670
Atkinson, S. J., see Butler, G. S.
Atkinson, S., see d'Ortho, M.-P.
Atomi, H., see Kawachi, H.
Atomi, H., see Umemura, K.
Aubagnac, J.-L., see Delaforge, M.
Aubry, J.-P., see Ulmanen, I.
Augusteyn, R. C., see Stevens, A.
Augustyns, K., see Goossens, F.
Aumelas, A., see Carnazzi, E.
Austen, K. F., see Penrose, J. F.
Autiero, M., Gaubin, M., Mani, J.-C., Castejon, C., Martin, M., El Marhomy, S., Guardiola, J., Piatier-Tonneau, D.: Surface plasmon resonance analysis of gp17, a natural CD4 ligand from human seminal plasma inhibiting human immunodeficiency virus type-1 gp120-mediated syncytium formation 245: 208
Avella, M., see Bravo, E.
Avidan, O., see Rubinek, T.
Avidan, O., see Taube, R.
Avila, J., see Pérez, M.
Avilan, L., Gontero, B., Lebreton, S., Ricard, J.: Information transfer in multienzyme complexes – 2. The role of Arg64 of *Chlamydomonas reinhardtii* phosphoribulokinase in the information transfer between glyceraldehyde-3-phosphate dehydrogenase and phosphoribulokinase 250: 296
Avilan, L., Gontero, B., Lebreton, S., Ricard, J.: Memory and imprinting effects in multienzyme complexes – I. Isolation, dissociation, and reassociation of a phosphoribulokinase–glyceraldehyde-3-phosphate dehydrogenase complex from *Chlamydomonas reinhardtii* chloroplasts 246: 78
Avilan, L., see Lebreton, S.
Avilan, L., see Lebreton, S.
Awasthi, Y. C., see Bandorowicz-Pikuła, J.
Axén, A., Carlsson, A., Engström, Å., Bennich, H.: Gloverin, an antibacterial protein from the immune hemolymph of *Hyalophora* pupae 247: 614
Azevedo, R. A., see Gaziola, S. A.
Azuma, T., see Fujita, H.
Azzi, A., see Clément, S.

Babic, S., Hunter, C. N., Rakhlin, N. J., Simons, R. W., Phillips-Jones, M. K.: Molecular characterisation of the *pif*C gene encoding translation initiation factor 3, which is required for normal photosynthetic complex formation in *Rhodobacter sphaeroides* NCIB 8253 249: 564
Babu, K. R., Bhakuni, V.: Ionic-strength-dependent transition of hen egg-white lysozyme at low pH to a compact state and its aggregation on thermal denaturation 245: 781
Bacher, A., see Berglechner, F.
Bachmann, E., see Krogh, T. N.
Bachmeier, M., Löffler, G.: The effect of platelet-derived growth factor and adipogenic hormones on the expression of CCAAT/enhancer-binding proteins in 3T3-L1 cells in serum-free conditions 243: 128
Backer, J. M., Wjasow, C., Zhang, Y.: *In vitro* binding and phosphorylation of insulin receptor substrate 1 by the insulin receptor – Role of interactions mediated by the phosphotyrosine-binding domain and the pleckstrin-homology domain 245: 91
Badet, B., see Leriche, C.
Badet-Denisot, M.-A., see Leriche, C.
Baetens, M., see Sanchez, R.
Baeuerle, P. A., see Müller, J. M.
Bagiyan, F. G., Eneyskaya, E. V., Kulminskaya, A. A., Savel'ev, A. N., Shabalin, K. A., Neustroev, K. N.: The action of α-mannosidase from *Oerskovia* sp. on the mannose-rich O-linked sugar chains of glycoproteins 249: 286
Bagossi, P., see Tözsér, J.
Bahk, J. D., see Seo, H. S.
Bailey, J. E., see Krömer, W. J.
Baker, D. A., see Li, J.-L.
Baker, J. R., see Riddick, C. A.
Bakhanashvili, M., see Rubinek, T.
Bal, H. P., Batra, J. K.: Human pancreatic ribonuclease – Deletion of the carboxyl-terminal EDST extension enhances ribonuclease activity and thermostability 245: 465
Balakirev, M. Y., Khramtsov, V. V., Zimmer, G.: Modulation of the mitochondrial permeability transition by nitric oxide 246: 710
Balasubramanian, D., see Sharma, Y.
Balboni, G., see Crescenzi, O.
Balcarová, Z., see Žaludová, R.
Balcells, L., Gómez, N., Casamayor, A., Clotet, J., Ariño, J.: Regulation of salt tolerance in fission yeast by a protein-phosphatase-Z–like Ser/Thr protein phosphatase 250: 476
Balcells, L., see Kribii, R.
Baldan, B., see Dainese, P.
Baldasaro, M. H., see Penrose, J. F.
Ballagi, A. E., see Ishisaki, A.
Ballensiefen, W., Schmitt, H. D.: Periplasmic Bar1 protease of *Saccharomyces cerevisiae* is active before reaching its extracellular destination 247: 142
Ballet, F., see Lerche, C.
Balny, C., see Kunugi, S.
Balzer, H.-J., see Giritch, A.
Bancel, F., Bec, N., Ebel, C., Lange, R.: A central role for water in the control of the spin state of cytochrome $P\text{-}450_{scc}$ 250: 276
Banci, L., Bertini, I., Ferroni, F., Rosato, A.: Solution structure of reduced microsomal rat cytochrome b_5 249: 270
Banci, L., Gori-Savellini, G., Turano, P.: A molecular dynamics study in explicit water of the reduced and oxidized forms of yeast iso-1-cytochrome *c* – Solvation and dynamic properties of the two oxidation states 249: 716
Banci, L., see Bujons, J.
Bandorowicz-Pikuła, J., Wrzosek, A., Pikuła, S., Awasthi, Y. C.: Fluorescence spectroscopic studies on interactions between liver annexin VI and nucleotides – A possible role for a tryptophan residue 248: 238
Bane, S., see Dumortier, C.
Banerjee, A., Engelborghs, Y., D'Hoore, A., Fitzgerald, T. J.: Interactions of a bicyclic analog of colchicine with β-tubulin isoforms $\alpha\beta_{II}$, $\alpha\beta_{III}$ and $\alpha\beta_{IV}$ 246: 420
Bannon, G. A., see Burks, A. W.
Bannwarth, S., see Giordanengo, V.
Banting, G., see Benharouga, M.
Barber, J., see Dalla Chiesa, M.
Barber, J., see Hankamer, B.
Barberis, C., see Carnazzi, E.
Barbouche, R., see Marrakchi, N.
Barceló, F., Pons, J., Petitpierre, E., Barjau, I., Portugal, J.: Polymorphic curvature of satellite DNA in three subspecies of the beetle *Pimelia sparsa* 244: 318
Barciszewska, M., see Wyszko, E.
Barile, M., Brizio, C., De Virgilio, C., Delfine, S., Quagliariello, E., Passarella, S.: Flavin adenine dinucleotide and flavin mononucleotide metabolism in rat liver – The occurrence of FAD pyrophosphatase and FMN phosphohydrolase in isolated mitochondria 249: 777
Barillas-Mury, C., see Charlesworth, A.
Barjau, I., see Barceló, F.
Barnham, K. J., see Berners-Price, S. J.
Barral-Netto, M., see Grangeiro, T. B.
Barrande, C., see Erregragui, K.

Barrasa, M. I., Tercero, J. A., Jimenez, A.: The aminonucleoside antibiotic A201A is inactivated by a phosphotransferase activity from *Streptomyces capreolus* NRRL 3817, the producing organism – Isolation and molecular characterization of the relevant encoding gene and its DNA flanking regions 245: 54
Barray, M., see Mousseron-Grall, S.
Barre, A., see Van Damme, E. J. M.
Barrett, J., Saghir, N., Timanova, A., Clarke, K., Brophy, P. M.: Characterisation and properties of an intracellular lipid-binding protein from the tapeworm *Moniezia expansa* 250: 269
Barsacchi, G., see Marusic, L.
Bartegi, A., Roustan, C., Chavanieu, A., Kassab, R., Fattoum, A.: Interaction of F-actin with synthetic peptides spanning the loop region of human cardiac β-myosin heavy chain containing Arg403 250: 484
Bartfai, T., see Berthold, M.
Barth, P., see Potier, N.
Bar-Yaacov, M., see Zor, T.
Basu, H. S., Smirnov, I. V., Peng, H. F., Tiffany, K., Jackson, V.: Effects of spermine and its cytotoxic analogs on nucleosome formation on topologically stressed DNA *in vitro* 243: 247
BasuSarkar, P., Chandra, S., Bhattacharyya, B.: The colchicine-binding and pyrene-excimer-formation activities of tubulin involve a common cysteine residue in the β subunit 244: 378
Batra, J. K., see Bal, H. P.
Battistini, A., see Coccia, E. M.
Batty, I. H., see McDowell, H. E.
Bauch, M., see Prasch, T.
Baudet-Nessler, S., see Camus, C.
Baudier, J., see Delphin, C.
Baudin, V., see Kiger, L.
Baudouin, E., Charpenteau, M., Roby, D., Marco, Y., Ranjeva, R., Ranty, B.: Functional expression of a tobacco gene related to the serine hydrolase family – Esterase activity towards short-chain dinitrophenyl acylesters 248: 700
Bauer, J., see Bauer, M. K. A.
Bauer, M. K. A., Lieb, K., Schulze-Osthoff, K., Berger, M., Gebicke-Haerter, P. J., Bauer, J., Fiebich, B. L.: Expression and regulation of cyclooxygenase-2 in rat microglia 243: 726
Bauer, P. I., see Marton, A.
Bauer, R., see Danielsen, E.
Bauer, U.-M., Schneider-Hirsch, S., Reinhardt, S., Pauly, T., Maus, A., Wang, F., Heiermann, R., Rentrop, M., Maelicke, A.: Neuronal cell nuclear factor – A nuclear receptor possibly involved in the control of neurogenesis and neuronal differentiation 249: 826
Baumann, G., see Gram, H.
Bäumlein, H., see Giritch, A.
Bause, E., see Bieberich, E.
Beaugé, L., see Roberts, G.
Beauvais, A., see Fontaine, T.
Bec, N., see Bancel, F.
Bechet, J.-J., Nozais, M.: Kinetics of folding of the myosin rod 244: 251
Beck, K., Gruber, T. M., Ridgway, C. C., Hughes, W., Sui, L.-m., Pétra, P. H.: Secondary structure and shape of plasma sex steroid-binding protein – Comparison with domain G of laminin results in a structural model of plasma sex steroid-binding protein 247: 339
Becker, C., Senyuk, V. I., Shutov, A. D., Nong, V. H., Fischer, J., Horstmann, C., Müntz, K.: Proteinase A, a storage-globulin-degrading endopeptidase of vetch (*Vicia sativa* L.) seeds, is not involved in early steps of storage-protein mobilization 248: 304
Becker, D., Schräder, T., Andreesen, J. R.: Two-component flavin-dependent pyrrole-2-carboxylate monooxygenase from *Rhodococcus* sp. 249: 739
Becker, I., see Ostoa-Saloma, P.
Becker, K., see Nordhoff, A.
Becker, W.-M., see Gehlhar, K.
Beck-Sickinger, A. G., see Rist, B.
Been, M. D., Wickham, G. S.: *Review.* Self-cleaving ribozymes of hepatitis delta virus RNA 247: 741
Beetham, J. K., see Müller, F.
Beglova, N., Fischer, D., Hengge-Aronis, R., Gehring, K.: ^{1}H, ^{15}N and ^{13}C NMR assignments, secondary structure and overall topology of the *Escherichia coli* GlgS protein 246: 301
Behrendt, N., see Høyer-Hansen, G.
Beil, S., Happe, B., Timmis, K. N., Pieper, D. H.: Genetic and biochemical characterization of the broad spectrum chlorobenzene dioxygenase from *Burkholderia* sp. strain PS12 – Dechlorination of 1,2,4,5-tetrachlorobenzene 247: 190
Beinert, H.: *Review.* Copper A of cytochrome *c* oxidase, a novel, long-embattled, biological electron-transfer site 245: 521
Beleznay, Z., Zachowski, A., Devaux, P. F., Ott, P.: Characterization of the correlation between ATP-dependent aminophospholipid translocation and Mg^{2+}-ATPase activity in red blood cell membranes 243: 58
Bell, E., see McDevitt, D.
Bellingham, J., Wilkie, S. E., Morris, A. G., Bowmaker, J. K., Hunt, D. M.: Characterisation of the ultraviolet-sensitive opsin gene in the honey bee, *Apis mellifera* 243: 775
Bellotti, V., see Stoppini, M.
Beltramini, M., see Alzuet, G.
Benech, H., see Delaforge, M.
Benelli, B., see Bernhard, M.
Beneš, H., see Massey, H. C. Jr
Beneš, H., see Zakharkin, S. O.
Benharouga, M., Fritsch, J., Banting, G., Edelman, A.: Properties of chloride-conductive pathways in rat kidney cortical and outer-medulla brush-border membranes – Inhibition by anti-(cystic fibrosis transmembrane regulator) mAbs 246: 367
Bennich, H., see Axén, A.
Bento, I., see Costa, J.
Benveniste, P., see Bouvier-Navé, P.
Benz, R., see Saxena, K.
Berchtold, H., see Lange-Savage, G.
Berden, J. A., see Boumans, H.
Berendt, A. R., see Daviet, L.
Berg, A., Vervoort, J., de Kok, A.: Three-dimensional structure in solution of the N-terminal lipoyl domain of the pyruvate dehydrogenase complex from *Azotobacter vinelandii* 244: 352
Berg, M., Hilbi, H., Dimroth, P.: Sequence of a gene cluster from *Malonomonas rubra* encoding components of the malonate decarboxylase Na^{+} pump and evidence for their function 245: 103
Berg, T., see Tollersrud, O. K.
Bergelson, S., see Ainbinder, E.
Berger, M., see Bauer, M. K. A.
Bergeron, M.-J., Leclerc, S., Laniel, M.-A., Poirier, G. G., Guérin, S. L.: Transcriptional regulation of the rat poly(ADP-ribose) polymerase gene by Sp1 250: 342
Berggård, T., Thelin, N., Falkenberg, C., Enghild, J. J., Åkerström, B.: Prothrombin, albumin and immunoglobulin A form covalent complexes with α_1-microglobulin in human plasma 245: 676
Berglechner, F., Richter, G., Fischer, M., Bacher, A., Gschwind, R. M., Huenges, M., Gemmecker, G., Kessler, H.: Studies on the NusB protein of *Escherichia coli* – Expression and determination of secondary-structure elements by multinuclear NMR spectroscopy 248: 338
Berglund, L., see Larsen, L. B.
Berglund, T., see Kalbin, G.
Bergman, T., see Chen, Z.-w.
Bergsma, J. C. T., see Van Dijken, P.
Bernard, C. C. A., see Albouz-Abo, S.
Bernard, N., Johnsen, K., Gelpi, J. L., Alvarez, J. A., Ferain, T., Garmyn, D., Hols, P., Cortes, A., Clarke, A. R., Holbrook, J. J., Delcour, J.: D-2-Hydroxy-4-methylvalerate dehydrogenase from *Lactobacillus delbrueckii* subsp. *bulgaricus* – II. Mutagenic analysis of catalytically important residues 244: 213
Bernard, N., see Alvarez, J. A.
Bernasconi, L., see Ulmanen, I.
Berners-Price, S. J., Corazza, A., Guo, Z., Barnham, K. J., Sadler, P. J., Ohyama, Y., Leng, M., Locker, D.: Structural transitions of a GG-platinated DNA duplex induced by pH, temperature and box A of high-mobility-group protein 1 243: 782
Berners-Price, S. J., see Reeder, F.
Bernhard, M., Benelli, B., Hochkoeppler, A., Zannoni, D., Friedrich, B.: Functional and structural role of the cytochrome *b* subunit of the membrane-bound hydrogenase complex of *Alcaligenes eutrophus* H16 248: 179
Bernhardt, R., see Uhlmann, H.
Bernheiden, M., see Stelter, F.
Bernstein, H. D., see Newitt, J. A.
Berrebi-Bertrand, I., Lahouratate, P., Lahouratate, V., Camelin, J. C., Guibert, J., Bril, A.: Mechanism of action of sarcoplasmic reticulum calcium-uptake activators – Discrimination between sarco(endo)plasmic reticulum Ca^{2+} ATPase and phospholamban interaction 247: 801
Berry, C., see Moon, R. P.
Berthold, M., Kahl, U., Juréus, A., Kask, K., Nordvall, G., Langel, Ü., Bartfai, T.: Mutagenesis and ligand modification studies on galanin binding to its GTP-binding-protein-coupled receptor GalR1 249: 601

Berthoud, V. M., Beyer, E. C., Kurata, W. E., Lau, A. F., Lampe, P. D.: The gap-junction protein connexin 56 is phosphorylated in the intracellular loop and the carboxy-terminal region 244: 89
Bertin, P., see Laurent-Winter, C.
Bertini, I., see Banci, L.
Berzunza, M., see Ostoa-Saloma, P.
Besson, F., see Raimbault, C.
Bettencourt, R., Lanz-Mendoza, H., Lindquist, K. R., Faye, I.: Cell adhesion properties of hemolin, an insect immune protein in the Ig superfamily 250: 630
Betz, M., Huxley, P., Davies, S. J., Mushtaq, Y., Pieper, M., Tschesche, H., Bode, W., Gomis-Rüth, F. X.: 1.8-Å crystal structure of the catalytic domain of human neutrophil collagenase (matrix metalloproteinase-8) complexed with a peptidomimetic hydroxamate primed-side inhibitor with a distinct selectivity profile 247: 356
Beutler, J. A., see O'Keefe, B. R.
Bewersdorf, U., see Kramer, W.
Beyer, E. C., see Berthoud, V. M.
Beyer, P., see Bonk, M.
Beynon, L. M., Richards, J. C., Perry, M. B.: Identification of the common antigenic determinant shared by *Streptococcus pneumoniae* serotypes 35A and 20 capsular polysaccharides – Structural analysis of the *Streptococcus pneumoniae* serotype 35A capsular polysaccharide 250: 163
Beyreuther, K., see Paliga, K.
Bhaduri, S., see Chowdhury, B.
Bhakdi, S., see Zitzer, A.
Bhakuni, V., see Babu, K. R.
Bhambra, A., see Lloyd, J. S.
Bhaskar, B., see Jagath, J. R.
Bhattacharyya, B., see BasuSarkar, P.
Bhattacharyya., D., see Dutta, S.
Bhattacharyya, D., Sen, P. C.: Purification and functional characterization of a low-molecular-mass Na^+, K^+-ATPase inhibitor protein from rat brain cytosol 244: 829
Bialek, C., see Vilardaga, J.-P.
Bieberich, E., Treml, K., Völker, C., Rolfs, A., Kalz-Füller, B., Bause, E.: Man_9-mannosidase from pig liver is a type-II membrane protein that resides in the endoplasmic reticulum – cDNA cloning and expression of the enzyme in COS 1 cells 246: 681
Biellmann, J.-F., see Potier, N.
Bienvenüe, A., see Sainte-Marie, J.
Bierbaum, G., see Brötz, H.
Biermann, C., see Zitzer, A.
Biermann, J., see de Vet, E. C. J. M.
Bigby, T. D., see Riddick, C. A.
Bilfinger, T. V., see Chopin, V.
Bill, E., see Müh, U.
Billaut-Mulot, O., see Schöneck, R.
Biller, A., see Lindigkeit, R.
Billiau, A., see Froyen, G.
Billiau, A., see Masure, S.
Binder, B. R., see Ecke, S.
Birikh, K. R., Heaton, P. A., Eckstein, F.: *Review*. The structure, function and application of the hammerhead ribozyme 245: 1
Birkenkamp-Demtröder, K., see Golz, S.
Bischoff, R., see Roecklin, D.
Bismuto, E., Irace, G., D'Auria, S., Rossi, M., Nucci, R.: Multitryptophan-fluorescence-emission decay of β-glycosidase from the extremely thermophilic archaeon *Sulfolobus solfataricus* 244: 53
Black, C. B., Cowan, J. A.: Inert chromium and cobalt complexes as probes of magnesium-dependent enzymes – Evaluation of the mechanistic role of the essential metal cofactor in *Escherichia coli* exonuclease III 243: 684
Black, S. D., Gowda, K., Chittenden, K., Walker, K. P. III, Zwieb, C.: Identification of an RNA-binding-loop in the N-terminal region of signal-recognition-particle protein SRP19 245: 564
Blackledge, M. J., see Mittard, V.
Blackwood, L., see Debnam, P. M.
Blanc, E., Hassani, O., Meunier, S., Mansuelle, P., Sampieri, F., Rochat, H., Darbon, H.: ^{1}H-NMR-derived secondary structure and overall fold of a natural anatoxin from the scorpion *Androctonus australis hector* 247: 1118
Blanchet, A.-M., see Rocher, C.
Blanco, J., see Marié, I.
Blaner, W. S., see Lansink, M.
Blanquet, S., see Schmitt, E.
Bläsing, O. E., see Svensson, P.
Blée, E., see Müller, F.
Blomenröhr, M., see Tensen, C.
Blommaart, E. F. C., Krause, U., Schellens, J. P. M., Vreeling-Sindelárová, H., Meijer, A. J.: The phosphatidylinositol 3-kinase inhibitors wortmannin and LY294002 inhibit autophagy in isolated rat hepatocytes 243: 240
Blow, J. J., see Meijer, L.
Blume-Jensen, P., see Kozawa, O.
Blumenthal, R. M., see O'Gara, M.
Bocchini, V., see Masullo, M.
Bock, A.-K., see Glasemacher, J.
Bock, K., see Kramer, W.
Bock, K., see Vinogradov, E. V.
Böddecker, T., see Stahmann, K.-P.
Bode, L., see Stoyloff, R.
Bode, W., see Betz, M.
Boekema, E., see Hankamer, B.
Boese, A., see Fackler, O. T.
Bogerd, J., see Tensen, C.
Bogsch, E. G., see Brink, S.
Böhm, G. A., see König, A.
Boisen, A., see Larsen, L. B.
Boles, E., see Reifenberger, E.
Bolgiano, B., see Crane, D. T.
Boll, M., Albracht, S. S. P., Fuchs, G.: Benzoyl-CoA reductase (dearomatizing), a key enzyme of anaerobic aromatic metabolism – A study of adenosinetriphosphatase activity, ATP stoichiometry of the reaction and EPR properties of the enzyme 244: 840
Bolla, J.-M., see Zhuang, J.
Bollen, A., see Vilardaga, J.-P.
Bollen, M., see Wera, S.
Bon, C., see Arocas, V.
Bon, C., see Marrakchi, N.
Bonaldo, P., see Braghetta, P.
Bonaventure, J., see Rossi, A.
Bond, M. D., see Strydom, D. J.
Bongaerts, J., see Tran, Q. H.
Bonk, M., Hoffmann, B., Von Lintig, J., Schledz, M., Al-Babili, S., Hobeika, E., Kleinig, H., Beyer, P.: Chloroplast import of four carotenoid biosynthetic enzymes *in vitro* reveals differential fates prior to membrane binding and oligomeric assembly 247: 942
Bonnefoy, E.: The ribosomal S16 protein of *Escherichia coli* displaying a DNA-nicking activity binds to cruciform DNA 247: 852
Bonomi, F., see Uhlmann, H.
Bonura, A., see Montana, G.
Boot, R. G., see Renkema, G. H.
Booth, P. J., Farooq, A.: Intermediates in the assembly of bacteriorhodopsin investigated by time-resolved absorption spectroscopy 246: 674
Boppré, M., see Lindigkeit, R.
Borgmeyer, U.: Dimeric binding of the mouse germ cell nuclear factor 244: 120
Borgne, A., see Meijer, L.
Borloo, M., see Goossens, F.
Born, I., see Schutkowski, M.
Bornemann, S., see Anderson, L. A.
Boronat, A., see Kribii, R.
Börsch-Haubold, A. G., Kramer, R. M., Watson, S. P.: Phosphorylation and activation of cytosolic phospholipase A_2 by 38-kDa mitogen-activated protein kinase in collagen-stimulated human platelets 245: 751
Bos, P., see De Jong, G. A. H.
Bosbach, S., see Hemmerich, P.
Boschi, D., see Antonini, G.
Bosco, M., see Vetere, A.
Boscoboinik, D., see Clément, S.
Bose, S. K., see Chowdhury, B.
Bosshard, H. R., see Dürr, E.
Botham, K. M., see Bravo, E.
Bott, M., Pfister, K., Burda, P., Kalbermatter, O., Woehlke, G., Dimroth, P.: Methylmalonyl-CoA decarboxylase from *Propionigenium modestum* – Cloning and sequencing of the structural genes and purification of the enzyme complex 250: 590
Böttcher, B., see Menéndez, C.
Bouchard, B., see Loir, B.
Bouche, G., see Colin, S.
Bouchon, B., see Roecklin, D.
Bouet, F., see Cotton, J.
Bouet, F., see Tran-Dinh, S.
Bouin, A.-P., see Fuchs, A.
Boulanger, Y., see Labelle, M.
Boumans, H., Berden, J. A., Grivell, L. A.: The role of subunit VIII in the structural stability of the bc_1 complex from *Saccharomyces cerevisiae* studied using hybrid complexes 249: 762
Bourgeois, P., Harlin, J.-C., Renouf, S., Goutal, I., Fairand, A., Husson, A.: Regulation of argininosuccinate synthetase mRNA level in rat foetal hepatocytes 249: 669
Bourrillon, R., see Goulut-Chassaing, C.
Bouvier-Navé, P., Husselstein, T., Desprez, T., Benveniste, P.: Identification of cDNAs encoding sterol methyl-transferases involved in the second methylation step of plant sterol biosynthesis 246: 518
Bovee-Geurts, P. H. M., see DeLange, F.
Bowie, J. H., see Wong, H.
Bowmaker, J. K., see Bellingham, J.
Bownes, M., see Soller, M.
Boxer, D. H., see Anderson, L. A.
Boxer, D. H., see Eaves, D. J.
Boyd, M. R., see O'Keefe, B. R.
Brabec, V., see Žaludová, R.

Brabetz, W., Brade, H.: Molecular cloning, sequence analysis and functional characterization of the gene *kdsA*, encoding 3-deoxy-D-*manno*-2-octulosonate-8-phosphate synthase of *Chlamydia psittaci* 6BC 244: 66
Brabetz, W., Müller-Loennies, S., Holst, O., Brade, H.: Deletion of the heptosyltransferase genes *rfaC* and *rfaF* in *Escherichia coli* K-12 results in an Re-type lipopolysaccharide with a high degree of 2-aminoethanol phosphate substitution 247: 716
Brade, H., see Brabetz, W.
Brade, H., see Brabetz, W.
Brade, H., see El-Samalouti, V. T.
Brade, H., see Haseley, S. R.
Brade, H., see Vinogradov, E. V.
Brade, L., see El-Samalouti, V. T.
Brade, L., see Haseley, S. R.
Brade, L., see Vinogradov, E. V.
Bradley, M., see Marsh, I. R.
Braghetta, P., Vitale, P., Piccolo, S., Bonaldo, P., Fabbro, C., Girotto, D., Volpin, D., Bressan, G. M.: Tissue-specific expression of promoter regions of the α1(VI) collagen gene in cell cultures and transgenic mice 247: 200
Braibant, M., see Peirs, P.
Brailly, H., see Kalai, M.
Brakenhoff, J. P. J., see Kalai, M.
Bramhall, E. A., Cross, R. L., Rospert, S., Steede, N. K., Landry, S. J.: Identification of amino acid residues at nucleotide-binding sites of chaperonin GroEL/GroES and cpn10 by photoaffinity labeling with 2-azido-adenosine 5′-triphosphate 244: 627
Brancaccio, A., Schulthess, T., Gesemann, M., Engel, J.: The N-terminal region of α-dystroglycan is an autonomous globular domain 246: 166
Brand, K., see Netzker, R.
Brandazza, A., see Corti, A.
Brandazza, A., see Tamborini, E.
Brandsch, R., see Menéndez, C.
Brandt, W. F., Schwager, S. U. L., Rodrigues, J. A., Busslinger, M.: Isolation and amino acid sequence analysis reveal an ancient evolutionary origin of the cleavage stage (CS) histones of the sea urchin 247: 784
Brass, J., see Čeřovský, V.
Brasseur, G., Tron, P., Dujardin, G., Slonimski, P. P., Brivet-Chevillotte, P.: The nuclear *ABC1* gene is essential for the correct conformation and functioning of the cytochrome bc_1 complex and the neighbouring complexes II and IV in the mitochondrial respiratory chain 246: 103
Brasseur, R., see Peelman, F.
Brasseur, R., see Pillot, T.
Bratincsák, A., see Marton, A.
Braun, V., see Hundsberger, T.
Bravo, E., Flora, L., Cantafora, A., De Luca, V., Tripodi, M., Avella, M., Mayes, P. A., Botham, K. M.: Comparison of the uptake and processing of cholesterol from chylomicrons of different fatty acid composition in rats fed high-fat and low-fat diets 246: 92
Breithardt, G., see Schmidt, A.
Breitkreutz, A., see Hung, W.
Brenneke, B., see Nimtz, M.
Bressan, G. M., see Braghetta, P.
Breukink, E., see van Kraaij, C.
Breunig, K. D., see Weirich, J.
Brézillon, C., see Kroon, P. A.
Bril, A., see Berrebi-Bertrand, I.
Brillard-Bourdet, M., see El Moujahed, A.
Brink, S., Bogsch, E. G., Mant, A., Robinson, C.: Unusual characteristics of amino-terminal and hydrophobic domains in nuclear-encoded thylakoid signal peptides 245: 340
Brinkmann, J., see van Peij, N. N. M. E.
Brinkmann, K., Linnertz, H., Amler, E., Lanz, E., Herman, P., Schoner, W.: Fluoresceinylethylenediamine-ouabain detects an acidic environment in the cardiac glycoside binding site of Na^+/K^+-ATPase 249: 301
Briolay, A., see Angrand, M.
Brischwein, K., Engelcke, M., Riedinger, H.-J., Probst, H.: Role of ribonucleotide reductase and deoxynucleotide pools in the oxygen-dependent control of DNA replication in Ehrlich ascites cells 244: 286
Britsch, L., see Lukačin, R.
Brivet-Chevillotte, P., see Brasseur, G.
Brizio, C., see Barile, M.
Brocca, P., see Chigorno, V.
Brockmann, D., see Kirch, H.-C.
Brodbeck, U., see Lierheimer, R.
Bronnenmeier, K., see Reichenbecher, M.
Brophy, P. M., see Barrett, J.
Bross, P., see Kieweg, V.
Brossmer, R., see Kopitz, J.
Brötz, H., Bierbaum, G., Reynolds, P. E., Sahl, H.-G.: The lantibiotic mersacidin inhibits peptidoglycan biosynthesis at the level of transglycosylation 246: 193
Brown, J. C., Sasaki, T., Göhring, W., Yamada, Y., Timpl, R.: The C-terminal domain V of perlecan promotes β1 integrin-mediated cell adhesion, binds heparin, nidogen and fibulin-2 and can be modified by glycosaminoglycans 250: 39
Brown, L. R., see Ottleben, H.
Brown, N. F., see McGarry, J. D.
Bruce, B. D., Churchich, J.: Characterization of the molecular-chaperone function of the heat-shock-cognate-70–interacting protein 245: 738
Bruggeman, Y. E., Honegger, A., Kreuwel, H., Visser, A. J. W. G., Laane, C., Schots, A., Hilhorst, R.: Regulation of the flavin redox potential by flavin-binding antibodies 249: 393
Bruix, M., Muñoz, V., Campos-Olivas, R., del Bosque, J. R., Serrano, L., Rico, M.: Characterisation of the isolated Che Y C-terminal fragment (79–129) – Exploring the structure/stability/folding relationships of the α/β parallel protein Che Y 243: 384
Brunati, A. M., see Ruzzene, M.
Brunori, M., see Giuffrè, A.
Brunori, M., see van Pouderoyen, G.
Bubacco, L., see Alzuet, G.
Bubeck, P., see Hüttelmaier, S.
Buc, J., see Giordani, R.
Buc-Calderon, P., see Tinton, S.
Buch, M., see Lindigkeit, R.
Buchet, R., see de La Fournière-Bessueille, L.
Buchet, R., see Raimbault, C.
Buck, F., see Franke, I.
Buckel, T., see Poppe, L.
Buckel, W., see Müh, U.
Buddecke, E., see Schmidt, A.
Budt, K.-H., see Lange-Savage, G.
Bufe, A., see Gehlhar, K.
Bujons, J., Dikiy, A., Ferrer, J. C., Banci, L., Mauk, A. G.: Charge reversal of a critical active-site residue of cytochrome-*c* peroxidase – Characterization of the Arg48→Glu variant 243: 72
Büllesbach, E. E., see Fullbright, G.
Bunai, K., see Takamatsu, H.
Bun-Ya, M., Maebuchi, M., Hashimoto, T., Yokota, S., Kamiryo, T.: A second isoform of 3-ketoacyl-CoA thiolase found in *Caenorhabditis elegans*, which is similar to sterol carrier protein x but lacks the sequence of sterol carrier protein 2 245: 252
Bur, D., see Moon, R. P.
Burchert, M., see Siebert, H.-C.
Burda, P., see Bott, M.
Bürkle, A., see van Gool, L.
Burks, A. W., Shin, D., Cockrell, G., Stanley, J. S., Helm, R. M., Bannon, G. A.: Mapping and mutational analysis of the IgE-binding epitopes on Ara h 1, a legume vicilin protein and a major allergen in peanut hypersensitivity 245: 334
Burmester, T., Scheller, K.: Conservation of hexamerin endocytosis in Diptera 244: 706
Burmester, T., Scheller, K.: Developmentally controlled cleavage of the *Calliphora* arylphorin receptor and posttranslational action of the steroid hormone 20-hydroxyecysone 247: 695
Burmester, T., see Mousseron-Grall, S.
Buro, M. D., see Ingrosso, D.
Busch, H., see Valdez, B. C.
Busfield, S. J., see Callus, B. A.
Busfield, S. J., Tilbrook, P. A., Callus, B. A., Spadaccini, A., Kuhn, L., Klinken, S. P.: Complex regulation of transferrin receptors during erythropoietin-induced differentiation of J2E erythroid cells – Elevated transcription and mRNA stabilisation produce only a modest rise in protein content 249: 77
Busslinger, M., see Brandt, W. F.
Butler, G. S., Will, H., Atkinson, S. J., Murphy, G.: Membrane-type-2 matrix metalloproteinase can initiate the processing of progelatinase A and is regulated by the tissue inhibitors of metalloproteinases 244: 653
Butler, G., see d'Ortho, M.-P.
Butt, J. N., Filipiak, M., Hagen, W. R.: Direct electrochemistry of *Megasphaera elsdenii* iron hydrogenase – Definition of the enzyme's catalytic operating potential and quantitation of the catalytic behaviour over a continuous potential range 245: 116
Buxton, F. P., see van den Hombergh, J. P. T. W.
Bystrykh, L. V., Govorukhina, N. I., Dijkhuizen, L., Duine, J. A.: Tetrazolium-dye-linked alcohol dehydrogenase of the methylotrophic actinomycete *Amycolatopsis methanolica* is a three-component complex 247: 280
Bystrykh, L. V., see Arfman, N.
Bzowska, A., see Wielgus-Kutrowska, B.

Caccuri, A. M., see Antonini, G.
Caceres-Cortes, J., Sugiyama, H., Ikudome, K., Saito, I., Wang, A. H.-J.: Structures of cobalt(III)-pepleomycin and cobalt(III)-deglycopepleomycin (green forms) determined by NMR studies 244: 818

Cahill, M. A., see Müller, J. M.
Cai, S.-J., see Motamedi, H.
Cairns, S. S., see Stringfellow, J. M.
Calderwood, D. A., see Davies, D.
Calkhoven, C. F., Snippe, L., Ab, G.: Differential stimulation by CCAAT/enhancer-binding protein α isoforms of the estrogen-activated promoter of the very-low-density apolipoprotein II gene 249: 113
Callus, B. A., Busfield, S. J., Rossi, E., Tilbrook, P. A., Chappell, D., Morgan, E. H., Klinken, S. P.: Haemoglobin synthesis in erythropoietin-stimulated J2E cells does not require increased numbers of transferrin receptors 250: 459
Callus, B. A., see Busfield, S. J.
Calvete, J. J., see Gasset, M.
Calvete, J. J., see Grangeiro, T. B.
Camara, B., see Ramos-Valdivia, A. C.
Camelin, J. C., see Berrebi-Bertrand, I.
Cammack, R., see Gallagher, S. C.
Campbell, K. S., see Turowski, P.
Campos-Olivas, R., see Bruix, M.
Camus, C., Geymonat, M., Garreau, H., Baudet-Nessler, S., Jacquet, M.: Dimerization of Cdc25p, the guanine-nucleotide exchange factor for Ras from *Saccharomyces cerevisiae*, and its interaction with Sdc25p 247: 703
Cantafora, A., see Bravo, E.
Cantatore, P., see Roberti, M.
Canters, G. W., see Danielsen, E.
Canters, G. W., see van Pouderoyen, G.
Cantley, L. C., see Ruzzene, M.
Cantz, M., see Kopitz, J.
Cao, Y.-J., Kojro, E., Gimpl, G., Jasionowski, M., Kasprzykowski, F., Lankiewicz, L., Fahrenholz, F.: Photoaffinity labeling analysis of the interaction of pituitary adenylate-cyclase-activating polypeptide (PACAP) with the PACAP type I receptor 244: 400
Caparros-Ruiz, D., Lahmy, S., Piersanti, S., Echeverría, M.: Two ribosomal DNA-binding factors interact with a cluster of motifs on the 5′ external transcribed spacer, upstream from the primary pre-rRNA processing site in a higher plant 247: 981
Cappellini, P., Turina, P., Fregni, V., Melandri, B. A.: Sulfite stimulates the ATP hydrolysis activity of but not proton translocation by the ATP synthase of *Rhodobacter capsulatus* and interferes with its activation by $\Delta\tilde{\mu}_{H^+}$ 248: 496
Carafoli, E., see Dainese, P.
Carafoli, E., see Krömer, W. J.
Caragol, I., see Noé, V.
Cardellina, J. H. II, see O'Keefe, B. R.
Cárdenas, M. L., see Giordani, R.
Carling, D., see Hardie, D. G.
Carlsson, A., see Axén, A.
Carmeliet, P., see Ny, A.
Carnazzi, E., Aumelas, A., Phalipou, S., Mouillac, B., Guillon, G., Barberis, C., Seyer, R.: Efficient photoaffinity labeling of the rat V_{1a} vasopressin receptor using a linear azidopeptidic antagonist 247: 906
Carr, I. M., Markham, A. F., Coletta, P. L.: Identification and characterisation of a sequence related to human sorbitol dehydrogenase 245: 760
Carrasco, L., see Echarri, A.
Carrey, E. A., see Irvine, H. S.
Carrillo, N., see Krapp, A. R.
Carrodeguas, J. A., Vallejo, C. G.: Mitochondrial transcription initiation in the crustacean *Artemia franciscana* 250: 514
Carroll, J., Ellar, D. J.: Analysis of the large aqueous pores produced by a *Bacillus thuringiensis* protein insecticide in *Manduca sexta* midgut-brush-border-membrane vesicles 245: 797
Carrondo, A. M., see Costa, J.
Carsol, M. A., Pouliquen-Sonaglia, I., Lesgards, G., Marchis-Mouren, G., Puigserver, A., Santimone, M.: A new kinetic model for the mode of action of soluble and membrane-immobilized glutathione peroxidase from bovine erythrocytes – Effects of selenium 247: 248
Carter, N. M., see Göthel, S. F.
Carver, J. A., see Wong, H.
Casabianca, A., see Crinelli, R.
Casamayor, A., see Balcells, L.
Casella, L., see Alzuet, G.
Cass, M. M. J., see Mikolajczyk, S. D.
Casset, F., Imberty, A., Pérez, S., Etzler, M. E., Paulsen, H., Peters, T.: Transferred nuclear Overhauser enhancement (NOE) and rotating-frame NOE experiments reflect the size of the bound segment of the Forssman pentasaccharide in the binding site of *Dolichos biflorus* lectin 244: 242
Castañeda, O., see Cotton, J.
Castejon, C., see Autiero, M.
Castleberry, A. B., see Massey, H. C. Jr
Castro, H. C., see Arocas, V.
Cavada, B. S., see Grangeiro, T. B.
Cavallini, B., see Roecklin, D.
Cavelier, F., see Delaforge, M.
Caveney, S., see Donly, B. C.
Cawley, J. C., see Slupsky, J. R.
Cedzynski, M., see Knirel, Y. A.
Celis, J. E., see Pedersen, S.
Cérantola, S., Montrozier, H.: Structural elucidation of two polysaccharides present in the lipopolysaccharide of a clinical isolate of *Burkholderia cepacia* 246: 360
Cerini, C., Semeriva, M., Gratecos, D.: Evolution of the aminoacyl-tRNA synthetase family and the organization of the *Drosophila* glutamyl-prolyl-tRNA synthetase gene – Intron/exon structure of the gene, control of expression of the two mRNAs, selective advantage of the multienzyme complex 244: 176
Čeřovský, V., Wünsch, E., Brass, J.: Enzymatic semisynthesis of dicarba analogs of calcitonin 247: 231
Certa, U., see Moon, R. P.
Cesati, R., see Minchiotti, L.
Cescutti, P., see Vetere, A.
Cestèle, S., Kopeyan, C., Oughideni, R., Mansuelle, P., Granier, C., Rochat, H.: Biochemical and pharmacological characterization of a depressant insect toxin from the venom of the scorpion *Buthacus arenicola* 243: 93
Cetta, G., see Rossi, A.
Chagas, J. R., see El Moujahed, A.
Chakarov, S., Stoilov, P., Alexandrov, A., Russev, G.: Repair pattern in the β-globin gene cluster of human fibroblasts after ultraviolet irradiation 248: 669
Chakrabartty, A., see McLaurin, J.
Chambaz, E., see Delphin, C.
Chambert, R., see Haddaoui, El A.
Champion, S., see Faure, E.
Chan, L., see Kasza, A.
Chan, L., see Martensen, P. M.
Chan, S.-L., Miao, M., Fletcher, G. L., Hew, C. L.: The role of CCAAT/enhancer-binding protein α and a protein that binds to the activator-protein-1 site in the regulation of liver-specific expression of the winter flounder antifreeze protein gene 247: 44
Chandani, S., see Sharma, Y.
Chandra, S., see BasuSarkar, P.
Chang, D.-K., Chien, W.-J., Cheng, S.-F.: The FLG motif in the N-terminal region of glucoprotein 41 of human immunodeficiency virus type 1 adopts a type-I β turn in aqueous solution and serves as the initiaion site for helix formation 247: 896
Chang, M. D.-T., see Chen, K.-D.
Chang, S.-C., see Le, H.
Chang, S.-F., Scharf, J.-G., Will, H.: Structural and functional analysis of the promoter of the hepatic lipase gene 247: 148
Chap, R., see Tawfik, D. S.
Chapel, A., see Delphin, C.
Chapman, K. E., see Seckl, J. R.
Chappell, D., see Callus, B. A.
Charbonnier, J.-B., see Gigant, B.
Charles, J.-F., see Silva-Filha, M. H.
Charlesworth, A., Georgieva, T., Gospodov, I., Law, J. H., Dunkov, B. C., Ralcheva, N., Barillas-Mury, C., Ralchev, K., Kafatos, F. C.: Isolation and properties of *Drosophila melanogaster* ferritin – Molecular cloning of a cDNA that encodes one subunit, and localization of the gene on the third chromosome 247: 470
Charpenteau, M., see Baudouin, E.
Chasin, L. A., see Noé, V.
Chatail, F., see Icard-Liepkalns, C.
Chatterji, D., Gopal, V.
Chatterji, D., see Mukherjee, K.
Chavanieu, A., see Bartegi, A.
Checa, S. K., Viale, A. M.: The 70-kDa heat-shock protein/DnaK chaperone system is required for the productive folding of ribulose-bisphosphate carboxylase subunits in *Escherichia coli* 248: 848
Chen, C., see Noé, V.
Chen, J.-J., see Xu, Z.
Chen, K.-D., Hung, J.-J., Huang, H.-L., Chang, M. D.-T., Lai, Y.-K.: Rapid induction of the Grp78 gene by cooperative actions of okadaic acid and heat-shock in 9L rat brain tumor cells – Involvement of a cAMP responsive element-like promoter sequence and a protein kinase A signaling pathway 248: 120
Chen, M. X., see Johnson, D.
Chen, R., Greer, A. F., Dean, A. M.: Structural constraints in protein engineering – The coenzyme specificity of *Escherichia coli* isocitrate dehydrogenase 250: 578
Chen, Y. H., see Johnson, D.
Chen, Y., Wu, J.-W., Xu, G.-J., Tsou, C.-L., Wang, Z.-X.: Inactivation kinetics of the reduced spinach chloroplast fructose-1,6-bisphosphatase by subtilisin 248: 925
Chen, Z.-w., Bergman, T., Östenson, C.-G., Efendic, S., Mutt, V., Jörnvall, H.: Characterization of dopuin, a polypeptide with special residue distributions 249: 518
Cheng, F., see Moses, J.

Cheng, S.-F., see Chang, D.-K.
Cheng, X., see O'Gara, M.
Cheng, Y.-S. E., see Tözsér, J.
Cheron, G., see Lacroix, D.
Chevalier, N., see Michels, P. A. M.
Chevallet, M., Dupuis, A., Lunardi, J., van Belzen, R., Albracht, S. P. J., Issartel, J.-P.: The NuoI subunit of the *Rhodobacter capsulatus* respiratory complex I (equivalent to the bovine TYKY subunit) is required for proper assembly of the membraneous and peripheral domains of the enzyme 250: 451
Chianese, L., see Ferranti, P.
Chiaraluce, R., Schwerdtfeger, R. M., Scandurra, R., Antranikian, G., Consalvi, V.: Acid-induced disassembly of glutamate dehydrogenase from the hyperthermophilic archaeon *Pyrococcus furiosus* occurs below pH 2.0 247: 224
Chibazakura, T., Watanabe, F., Kitajima, S., Tsukada, K., Yasukochi, Y., Teraoka, H.: Phosphorylation of human general transcription factors TATA-binding protein and transcription factor IIB by DNA-dependent protein kinase – Synergistic stimulation of RNA polymerase II basal transcription *in vitro* 247: 1166
Chien, W.-J., see Chang, D.-K.
Chigorno, V., Riva, C., Valsecchi, M., Nicolini, M., Brocca, P., Sonnino, S.: Metabolic processing of gangliosides by human fibroblasts in culture – Formation and recycling of separate pools of sphingosine 250: 661
Chihara, C., see Mousseron-Grall, S.
Chinzei, Y., see Yuda, M.
Chiricǎ, L. C., Elleby, B., Johnsson, B.-H., Lindskog, S.: The complete sequence, expression in *Escherichia coli*, purification and some properties of carbonic anhydrase from *Neisseria gonorrhoeae* 244: 755
Chittenden, K., see Black, S. D.
Cho, M. J., see Seo, H. S.
Cho, S.-W., see Hong, J. W.
Choe, J., see Gwack, Y.
Choi, C. H., see Seo, H. S.
Choi, S. Y., see Hong, J. W.
Chong, J. P. J., see Meijer, L.
Chopin, V., Bilfinger, T. V., Stefano, G. B., Matias, I., Salzet, M.: Amino-acid-sequence determination and biological activity of cytin, a naturally occurring specific chymotrypsin inhibitor from the leech *Theromyzon tessulatum* 249: 733
Chottard, J.-C., see Reeder, F.
Chou, C.-C., see Wiekowski, M.
Chowdhury, B., Bose, S. K., Bhaduri, S., Bose, S. K.: Isolation and properties of an ATP transporter from a strain of *Aspergillus niger* 247: 673
Christensen, A., see Kasza, A.
Christensen, A., see Martensen, P. M.
Christensen, T., Stoffer, B. B., Svensson, B., Christensen, U.: Some details of the reaction mechanism of glucoamylase from *Aspergillus niger* – Kinetic and structural studies on Trp52→Phe and Trp317→Phe mutants 250: 638
Christensen, U., see Christensen, T.
Christiansen, J., see Pedersen, S.
Christie, G., see McDowell, H. E.
Christoph, A., see Golz, S.
Chuang, T. T., Pompili, E., Paolucci, L., Sallese, M., De Gioia, L., Salmona, M., De Blasi, A.: Identification of a short sequence highly divergent between β-adrenergic-receptor kinases 1 and 2 that determines the affinity of binding to $\beta\gamma$ subunits of heterotrimeric guanine-nucleotide-binding regulatory proteins 245: 533
Chung, C. H., see Seol, J. H.
Chung, T., see Kiss, Z.
Churchich, J. E., see Li, W.
Churchich, J., see Bruce, B. D.
Churchich, J., see Rees-Milton, K.
Cigna, G., see van Pouderoyen, G.
Cimino, F., see Esposito, F.
Ciriacy, M., see Reifenberger, E.
Citores, L., see Van Damme, E. J. M.
Ciudad, C. J., see Noé, V.
Ciurli, S., see Van Driessche, G.
Cladera, J., Rigaud, J.-L., Villaverde, J., Duñach, M.: Liposome solubilization and membrane protein reconstitution using Chaps and Chapso 243: 798
Cladera, J., see Villaverde, J.
Claeyssens, M., see Maras, M.
Clark, B. F. C., see Rattenborg, T.
Clarke, A. R., see Alvarez, J. A.
Clarke, A. R., see Bernard, N.
Clarke, K., see Barrett, J.
Clark-Lewis, I., see Coulin, F.
Claudon, M., see Rocher, C.
Claus, P., see Wiśniewski, J. R.
Clegg, J. S., see Liang, P.
Clement, C. Y., see Houng, A. K.
Clément, S., Tasinato, A., Boscoboinik, D., Azzi, A.: The effect of α-tocopherol on the synthesis, phosphorylation and activity of protein kinase C in smooth muscle cells after phorbol 12-myristate 13-acetate down-regulation 246: 745
Clotet, J., see Balcells, L.
Clottes, E., see Raimbault, C.
Coccia, E. M., Perrotti, E., Stellacci, E., Orsatti, R., Del Russo, N., Marziali, G., Testa, U., Battistini, A.: Regulation of expression of ferritin H-chain and transferrin receptor by protoporphyrin IX 250: 764
Cockrell, G., see Burks, A. W.
Cohen, P., see Johnson, D.
Cohen, P., see Thomas, G.
Cohen, P. T. W., see Johnson, D.
Coletta, P. L., see Carr, I. M.
Cölfen, H., see Wilson, E. K.
Colin, S., Mascarelli, F., Jeanny, J.-C., Vienet, R., Bouche, G., Courtois, Y., Labarre, J.: Comparative study *in vivo* and *in vitro* of uniformly ^{14}C-labelled and ^{125}I-labelled recombinant fibroblast growth factor 2 249: 473
Collen, D., see Holvoet, P.
Collen, D., see Lasters, I.
Colman, R. W., see Selim, T. E.
Consalvi, V., see Chiaraluce, R.
Content, J., see Kalai, M.
Content, J., see Peirs, P.
Conti, M., see El Bawab, S.
Contreras, R., see Maras, M.
Contreras, R., see Maras, M.
Contreras, R., see Martinet, W.
Conzelmann, E., see Schmitz, W.
Cooper, R. A., see Stringfellow, J. M.
Corazza, A., see Berners-Price, S. J.
Corazza, A., see Reeder, F.
Corcos, L., see Lerche, C.
Corder, A. B., see Shapiro, A. B.
Corlu, A., see Fardel, O.
Cornish, A., see Stringfellow, J. M.
Cornish-Bowden, A., see Giordani, R.
Corsiero, D., see Kramer, W.
Cortés, A., see Alvarez, J. A.
Cortes, A., see Bernard, N.
Corthésy, B., see Cottet, S.
Corti, A., Perez Sanchez, L., Gasparri, A., Curnis, F., Longhi, R., Brandazza, A., Siccardi, A. G., Sidoli, A.: Production and structure characterisation of recombinant chromogranin A N-terminal fragments (vasostatins) – Evidence of dimer–monomer equilibria 248: 692
Costa, C., see Devreese, B.
Costa, H. S., see Turner, D. L.
Costa, J., Ashford, D. A., Nimtz, M., Bento, I., Frazão, C., Esteves, C. L., Faro, C. J., Kervinen, J., Pires, E., Veríssimo, P., Wlodawer, A., Carrondo, A. M.: The glycosylation of the aspartic proteinases from barley (*Hordeum vulgare* L.) and cardoon (*Cynara cardunculus* L.) 243: 695
Costell, M., Mann, K., Yamada, Y., Timpl, R.: Characterization of recombinant perlecan domain I and its substitution by glycosaminoglycans and oligosaccharides 243: 115
Cottet, S., Corthésy, B.: Cellular processing limits the heterologous expression of secretory component in mammalian cells 246: 23
Cotticelli, M. G., see Ingrosso, D.
Cotton, J., Crest, M., Bouet, F., Alessandri, N., Gola, M., Forest, E., Karlsson, E., Castañeda, O., Harvey, A. L., Vita, C., Ménez, A.: A potassium-channel toxin from the sea anemone *Bunodosoma granulifera*, an inhibitor for Kv1 channels – Revision of the amino acid sequence, disulfide-bridge assignment, chemical synthesis, and biological activity 244: 192
Coulin, F., Power, C. A., Alouani, S., Peitsch, M. C., Schroeder, J.-M., Moshizuki, M., Clark-Lewis, I., Wells, T. N. C.: Characterisation of macrophage inflammatory protein-5/human CC cytokine-2, a member of the macrophage-inflammatory-protein family of chemokines 248: 507
Courtois, Y., see Colin, S.
Coutinho, I. B., see Turner, D. L.
Couture, C., see Williams, S.
Couture, C., Williams, S., Gauthier, N., Tailor, P., Mustelin, T.: Role of Tyr518 and Tyr519 in the regulation of catalytic activity and substrate phosphorylation by Syk protein-tyrosine kinase 246: 447
Cowan, J. A., see Black, C. B.
Cowan, J. A., see Rochel, N.
Crabeel, M., Abadjieva, A., Hilven, P., Desimpelaere, J., Soetens, O.: Characterization of the *Saccharomyces cerevisiae ARG7* gene encoding ornithine acetyltransferase, an enzyme also endowed with acetylglutamate synthase activity 250: 232
Craescu, C. T., see Adjadj, E.
Craig, A. G., see Daviet, L.

Crane, D. T., Bolgiano, B., Jones, C.: Comparison of the diphtheria mutant toxin, CRM197, with a *Haemophilus influenzae* type-*b* polysaccharide-CRM197 conjugate by optical spectroscopy 246: 320
Creighton, D. J., see Shih, M. J.
Crescenzi, O., Fraternali, F., Picone, D., Tancredi, T., Balboni, G., Guerrini, R., Lazarus, L. H., Salvadori, S., Temussi, P. A.: Design and solution structure of a partially rigid opioid antagonist lacking the basic center – Models of antagonism 247: 66
Crest, M., see Cotton, J.
Cresteil, T., see Lacroix, D.
Crilly, K. S., see Kiss, Z.
Crinelli, R., Fraternale, A., Casabianca, A., Magnani, M.: Up-regulation of the ubiquitin-conjugating and proteolytic systems in murine acquired immunodeficiency syndrome 247: 91
Critchley, D. R., see Moiseeva, E. P.
Croes, H. J. E., see Eldering, J. A.
Cronin, C. N.: cDNA cloning, recombinant expression, and site-directed mutagenesis of bovine liver carnitine octanoyltransferase – Arg505 binds the carboxylate group of carnitine 247: 1029
Cross, R. L., see Bramhall, E. A.
Crotte, C., see Mas, E.
Croyle, M. L., Woo, A. L., Lingrel, J. B.: Extensive random mutagenesis analysis of the Na^+/K^+-ATPase α subunit identifies known and previously unidentified amino acid residues that alter ouabain sensitivity – Implications for ouabain binding 248: 488
Cuccovillo, F., see Esposito, F.
Cung, M. T., see Lecouvey, M.
Cunningham, A.-M., see Gilbert, M.
Cunningham, D. F., O'Connor, B.: Identification and initial characterisation of a *N*-benzyloxycarbonyl-prolyl-prolinal (Z-Pro-prolinal)-insensitive 7-(*N*-benzyloxycarbonyl-glycyl-prolyl-amido)-4-methylcoumarin (Z-Gly-Pro-NH-Mec)-hydrolysing peptidase in bovine serum 244: 900
Curley, G. P., see Roche, L.
Curnis, F., see Corti, A.
Curstedt, T., see Johansson, J.
Cutruzzolà, F., see van Pouderoyen, G.
Cuvelier, A., see Monet-Kuntz, C.
Cziepluch, C., see van Gool, L.

da Silva, C. P., see Guse, A. H.
Da, U., see Zamolodchikova, T. S.
Dacheux, J.-L., see Peloille, S.
Daffé, M., see Quémard, A.
Dagorn, J.-C., see Rechreche, H.
Dahlbäck, B., see Nyberg, P.
Dahlbäck, B., see Thorelli, E.
Dahlems, U. M., see Hülseweh, B.
Dahlqvist, I., see Stenberg, Y.
Daikuhara, Y., see Ohnishi, T.
Dainese Hatt, P., Quadroni, M., Staudenmann, W., James, P.: Concentration of, and SDS removal from proteins isolated from multiple two-dimensional electrophoresis gels 246: 336
Dainese, P., James, P., Baldan, B., Carafoli, E.: Subcellular and tissue distribution, partial purification, and sequencing of calmodulin-stimulated Ca^{2+}-transporting ATPases from barley (*Hordeum vulgare* L.) and tobacco (*Nicotiana tabacum*) 244: 31
Dairi, T., see Liu, J.-Q.
Dąbrowska, R., see Kołakowski, J.
Dalla Chiesa, M., Friso, G., Deák, Z., Vass, I., Barber, J., Nixon, P. J.: Reduced turnover of the D1 polypeptide and photoactivation of electron transfer in novel herbicide resistant mutants of *Synechocystis* sp. PCC 6803 248: 731
Dalton, H., see Gallagher, S. C.
Dalton, H., see Lloyd, J. S.
Dalton, J. P., see Roche, L.
Danchin, A., see Laurent-Winter, C.
Danckwerts, L. S., see Wright, L. C.
D'Angelo, S., see Ingrosso, D.
Daniel, C., see Erregragui, K.
Daniel, V., see Ainbinder, E.
Danielsen, E., Kroes, S. J., Canters, G. W., Bauer, R., Hemmingsen, L., Singh, K., Messerschmidt, A.: Coordination geometries for monovalent and divalent metal ions in [His121]azurin – Studies using perturbed angular correlations of γ-rays from ^{111}Ag and ^{111m}Cd 250: 249
Danloy, S., see Holvoet, P.
Danø, K., see Høyer-Hansen, G.
Danson, M. J., Jolley, K. A.
Danson, M. J., see Gerike, U.
Danzin, C., see Mackay, E. A.
Darbon, H., see Blanc, E.
Datta, A., see Jagath, J. R.
Daubos, P., see Lelièvre, D.
D'Auria, S., see Bismuto, E.
Daussmann, T., Aivasidis, A., Wandrey, C.: Purification and characterization of an alcohol: *N*,*N*-dimethyl-4-nitrosoaniline oxidoreductase from the methanogen *Methanosarcina barkeri* DSM 804 strain Fusaro 248: 889
Daval, S., see Fardel, O.
Davies, D., Tuckwell, D. S., Calderwood, D. A., Weston, S. A., Takigawa, M., Humphries, M. J.: Molecular characterisation of integrin–procollagen C-propeptide interactions 246: 274
Davies, S. J., see Betz, M.
Daviet, L., Craig, A. G., McGregor, L., Pinches, R., Wild, T. F., Berendt, A. R., Newbold, C. I., McGregor, J. L.: Characterization of two vaccinia CD36 recombinant-virus-generated monoclonal antibodies (10/5, 13/10) – Effects on malarial cytoadherence and platelet functions 243: 344
Davoust, D., see Oulyadi, H.
De Blasi, A., see Chuang, T. T.
de Boer, P. A. J., see Lie-Venema, H.
De Bruyn, A., see Maras, M.
de Diego, T., see Lozano, P.
De Geest, N., see Gielens, C.
De Gioia, L., see Chuang, T. T.
de Graaff, L. H., see van Peij, N. N. M. E.
De Jong, G. A. H., Hazeu, W., Bos, P., Kuenen, J. G.: Isolation of the tetrathionate hydrolase from *Thiobacillus acidophilus* 243: 678
de Kok, A., see Berg, A.
de Kok, A., see Hengeveld, A. F.
de Koning, H. P., Jarvis, S. M.: Hypoxanthine uptake through a purine-selective nucleobase transporter in *Trypanosoma brucei brucei* procyclic cells is driven by protonmotive force 247: 1102
de Kruijff, B., see van Kraaij, C.
de La Fournière-Bessueille, L., Grange, D., Buchet, R.: Purification and spectroscopic characterization of β-amyloid precursor protein from porcine brains 250: 705
De Luca, V., see Bravo, E.
De Meester, I., see Goossens, F.
De Neef, P., see Vilardaga, J.-P.
de Tinguy-Moreaud, E., see Montaudon, D.
de Vet, E. C. J. M., Biermann, J., van den Bosch, H.: Immunological localization and tissue distribution of alkyldihydroxyacetonephosphate synthase and deficiency of the enzyme in peroxisomal disorders 247: 511
De Virgilio, C., see Barile, M.
De Vries, S., see Groen, B. W.
De Wit, L., see Kalai, M.
De Wit, L., see Peirs, P.
Deák, Z., see Dalla Chiesa, M.
Dean, A. M., see Chen, R.
Debnam, P. M., Shearer, G., Blackwood, L., Kohl, D. H.: Evidence for channeling of intermediates in the oxidative pentose phosphate pathway by soybean and pea nodule extracts, yeast extracts, and purified yeast enzymes 246: 283
Deckers-Hebestreit, G., see Etzold, C.
Deckert, M., see Williams, S.
Degheele, D., see Denolf, P.
Degovics, G., see Latal, A.
DeGrip, W. J., see DeLange, F.
del Arco, A., see Kribii, R.
del Bosque, J. R., see Bruix, M.
Del Marmol, V., see Loir, B.
Del Russo, N., see Coccia, E. M.
DeLa Cadena, R. A., see Selim, T. E.
Delachambre, J., see Mouillet, J.-F.
Delaforge, M., Andre, F., Jaouen, M., Dolgos, H., Benech, H., Gomis, J.-M., Noel, J.-P., Cavelier, F., Verducci, J., Aubagnac, J.-L., Liebermann, B.: Metabolism of tentoxin by hepatic cytochrome *P*-450 3A isozymes 250: 150
Delaforge, M., see Le Campion, L.
Delain, E., see Mousseron-Grall, S.
DeLange, F., Merkx, M., Bovee-Geurts, P. H. M., Pistorius, A. M. A., DeGrip, W. J.: Modulation of the metarhodopsin I/metarhodopsin II equilibrium of bovine rhodopsin by ionic strength – Evidence for a surface-charge effect 243: 174
Delannoy, P., see Giordanengo, V.
Delbecque, J.-P., see Mouillet, J.-F.
Delcour, J., see Alvarez, J. A.
Delcour, J., see Bernard, N.
Delcros, J.-G., see Meijer, L.
Delepelaire, P., see Wolff, N.
Delepierre, M., see Wolff, N.
Delezoide, A.-L., see Rossi, A.
Delfine, S., see Barile, M.
della Torre, A., see Zakharkin, S. O.
Dell'Angelica, E. C., see Di Pietro, S. M.
Delmas, A., see Lelièvre, D.
Delorme, C., Piffeteau, A., Sobrio, F., Marquet, A.: Mechanism-based inactivation of bovine cytochrome $P\text{-}450_{11\beta}$ by 18-unsaturated progesterone derivatives 248: 252
Delourme, D., see Kribii, R.

Delphin, C., Huang, K.-P., Scotto, C., Chapel, A., Vincon, M., Chambaz, E., Garin, J., Baudier, J.: The *in vitro* phosphorylation of p53 by calcium-dependent protein kinase C – Characterization of a protein-kinase-C-binding site on p53 245: 684
Demel, R. A., see van Kraaij, C.
Demol, H., see Devreese, B.
Denault, R., see Kido, T.
Denois, F., see Montaudon, D.
Denolf, P., Hendrickx, K., Van Damme, J., Jansens, S., Peferoen, M., Degheele, D., Van Rie, J.: Cloning and characterization of *Manduca sexta* and *Plutella xylostella* midgut aminopeptidase N enzymes related to *Bacillus thuringiensis* toxin-binding proteins 248: 748
Deraemaecker, R., see Loir, B.
Deroo, T., see Martinet, W.
Desbois, A., see Escriou, V.
Desbois, A., see Kiger, L.
Desimpelaere, J., see Crabeel, M.
Desprez, T., see Bouvier-Navé, P.
Deutsch, J., see Sicot, F.-X.
Deutsch, U., see Koblizek, T. I.
Deutzmann, R., see Frieser, M.
Deutzmann, R., see Hall, H.
Devaux, P. F., see Beleznay, Z.
Devreese, B., Costa, C., Demol, H., Papaefthymiou, V., Moura, I., Moura, J. J. R., Van Beeumen, J.: The primary structure of the split-Soret cytochrome *c* from *Desulfovibrio desulfuricans* ATCC 27774 reveals an unusual type of diheme cytochrome *c* 248: 445
Devreese, B., see Gielens, C.
D'Hoore, A., see Banerjee, A.
Di Carlo, M., see Montana, G.
Di Paolo, E., see Vilardaga, J.-P.
Di Pietro, S. M., Dell'Angelica, E. C., Veerkamp, J. H., Sterin-Speziale, N., Santomé, J. A.: Amino acid sequence, binding properties and evolutionary relationships of the basic liver fatty-acid-binding protein from the catfish *Rhamdia sapo* 249: 510
Diaquin, M., see Fontaine, T.
Dideberg, O., see Legrain, C.
Dieckmann, R., Pavela-Vrancic, M., Pfeifer, E., von Döhren, H., Kleinkauf, H.: The adenylation domain of tyrocidine synthetase 1 – Structural and functional role of the interdomain linker region and the (S/T)GT(T/S)GXPKG core sequence 247: 1074
Dietrich, C. P., see Tersariol, I. L. S.
Dijkhuizen, L., see Arfman, N.
Dijkhuizen, L., see Bystrykh, L. V.
Dijkman, H., see Groffen, A. J. A.
Dikiy, A., see Bujons, J.
Dimroth, P., see Berg, M.
Dimroth, P., see Bott, M.
Dimroth, P., see Hoenke, S.
Dimroth, P., see Matthey, U.
Dimroth, P., see Steuber, J.
Dissous, C., see Serra, E.
D'Itri, E., see Giuffrè, A.
Diu-Hercend, A., see Rocher, C.
Divita, G., see Pelicano, H.
Doenecke, D., see Tönjes, R. R.
Dohmen, J., see Hülseweh, B.
Doi, T., Hiroaki, Y., Arimoto, I., Fujiyoshi, Y., Okamoto, T., Satoh, M., Furuichi, Y.: Characterization of human endothelin B receptor and mutant receptors expressed in insect cells 248: 139
Doignon, F., see Lassegues, M.
Dolgos, H., see Delaforge, M.
Domke, T., see Nimtz, M.
Donella-Deana, A., see Ruzzene, M.
Donella-Deana, A., see Ruzzene, M.
Dong, Y., see Eder, M.
Dong, Y.-C., see Shaw, P.-C.
Donker-Koopman, W. E., see Renkema, G. H.
Donly, B. C., Richman, A., Hawkins, E., McLean, H., Caveney, S.: Molecular cloning and functional expression of an insect high-affinity Na^+-dependent glutamate transporter 248: 535
D'Orazio, D., see Nanbu, R.
Döring, K., see Stöckel, J.
D'Orléans-Juste, P., see Kido, T.
Dornmair, K., see Stöckel, J.
d'Ortho, M.-P., Will, H., Atkinson, S., Butler, G., Messent, A., Gavrilovic, J., Smith, B., Timpl, R., Zardi, L., Murphy, G.: Membrane-type matrix metalloproteinases 1 and 2 exhibit broad-spectrum proteolytic capacities comparable to many matrix metalloproteinases 250: 751
dos Passos Lemos, A., see Sola-Penna, M.
Dowd, A. J., see Roche, L.
Downes, C. P., see McDowell, H. E.
Drakenberg, T., see Stenberg, Y.
Draper, M. P., Martell, R. L., Levy, S. B.: Active efflux of the free acid form of the fluorescent dye 2′,7′-bis(2-carboxyethyl)-5(6)-carboxyfluorescein in multidrug-resistance-protein-overexpressing murine and human leukemia cells 243: 219
Drews, G., see Herter, S. M.
Driou, A., see Lecouvey, M.
Dröttboom, M., see Schneider, K.
Du Pasquier, L., see Lassegues, M.
Duax, W. L., see Zamolodchikova, T. S.
Dubin, A., see Kasza, A.
Dubnau, E., see Quémard, A.
Dubois, F., see Jadot, M.
Duggleby, R. G., see Schenk, G.
Duin, E. C., see Sorgenfrei, O.
Duine, J. A., see Bystrykh, L. V.
Duine, J. A., see Groen, B. W.
Duine, J. A., see Norin, A.
Duine, J. A., see Olsthoorn, A. J. J.
Dujardin, G., see Brasseur, G.
Dumont, J. E., see Wilkin, F.
Dumortier, C., Potenziano, J. L., Bane, S., Engelborghs, Y.: The mechanism of tubulin-colchicine recognition – A kinetic study of the binding of a bicyclic colchicine analogue with a minor modification of the A ring 249: 265
Dumrese, T., see Arnold, D.
Duñach, M., see Cladera, J.
Duñach, M., see Villaverde, J.
Dunkov, B. C., see Charlesworth, A.
Dunn, B. M., see Moon, R. P.
Dupuis, A., see Chevallet, M.
Durand, L., see Rocher, C.
Duroudier, V., see Hichami, A.
Dürr, E., Bosshard, H. R.: A monoclonal antibody induces opening of a coiled coil – Global protection of amide protons from H/D exchange decreases by up to 1000-fold in antibody-bound triple-stranded coiled coil 249: 325
Dürrwang, U., see Paliga, K.
Dusanter-Fourt, I., see Pellegrini, S.
Dutta, S., Maiti, N. R., Bhattacharyya., D.: Reversible folding of UDP-galactose 4-epimerase from *Escherichia coli* 244: 407
Duve, H., Johnsen, A. H., Maestro, J.-L., Scott, A. G., Jaros, P. P., Thorpe, A. Isolation and identification of multiple neuropeptides of the allatostatin superfamily in the shore crab *Carcinus maenas* 250: 727

Eaves, D. J., Palmer, T., Boxer, D. H.: The product of the molybdenum cofactor gene *mobB* of *Escherichia coli* is a GTP-binding protein 246: 690
Ebel, C., see Bancel, F.
Echarri, A., González, M. E., Carrasco, L.: The N-terminal Arg-rich region of human immunodeficiency virus types 1 and 2 and simian immunodeficiency virus Nef is invoived in RNA binding 246: 38
Echeverría, M., see Caparros-Ruiz, D.
Ecke, S., Geiger, M., Binder, B. R.: Heparin binding of protein-C inhibitor – Analysis of the effect of heparin on the interaction of protein-C inhibitor with tissue kallikrein 248: 475
Eckhardt, M., Gerardy-Schahn, R.: Molecular cloning of the hamster CMP-sialic acid transporter 248: 187
Eckstein, F., see Birikh, K. R.
Eckstein, F., see Marusic, L.
Edelman, A., see Benharouga, M.
Eder, M., Kräutle, F., Dong, Y., Vock, P., Kieweg, V., Kim, J.-J. P., Strauss, A. W., Ghisla, S.: Characterization of human and pig kidney long-chain-acyl-CoA dehydrogenases and their role in β-oxidation 245: 600
Edinger, J. W., see Shih, M. J.
Edwards, M. E., see Petitt, P.
Efendic, S., see Chen, Z.-w.
Egelund, R., Schousboe, S. L., Sottrup-Jensen, L., Rodenburg, K. W., Andreasen, P. A.: Type-1 plasminogen-activator inhibitor – Conformational differences between latent, active, reactive-centre-cleaved and plasminogen-activator-complexed forms, as probed by proteolytic susceptibility 248: 775
Ehresmann, B., see Serganov, A.
Ehresmann, C., see Serganov, A.
Ehrhard, A., see Mackay, E. A.
Ehricht, R., Ellinger, T., McCaskill, J. S.: Cooperative amplification of templates by cross-hybridization (CATCH) 243: 358
Eichel-Streiber, C. von, see Hundsberger, T.
Eijsink, V. G. H., see Veltman, O. R.
Eisenthal, R., see Sanders, S. A.
Eising, R., see Kleff, S.
Ek, B., see Taipalensuu, J.
Eklund, E., see Moses, J.
Eklund, H., see Gerez, C.
El Ayeb, M., see Marrakchi, N.

El Bawab, S., Macovschi, O., Sette, C., Conti, M., Lagarde, M., Nemoz, G., Prigent, A.-F.: Selective stimulation of a cAMP-specific phosphodiesterase (PDE4A5) isoform by phosphatidic acid molecular species endogenously formed in rat thymocytes 247: 1151
El Hage Chahine, J.-M., see Pakdaman, R.
El Marhomy, S., see Autiero, M.
El Moujahed, A., Brillard-Bourdet, M., Juliano, M. A., Moreau, T., Chagas, J. R., Gutman, N., Prado, E. S., Gauthier, F.: Kininogen-derived fluorogenic substrates for investigating the vasoactive properties of rat tissue kallikreins – Identification of a T-kinin-releasing rat kallikrein 247: 652
Elalaoui, A., see Pelicano, H.
Eldering, J. A., Grünberg, J., Hahn, D., Croes, H. J. E., Fransen, J. A. M., Sterchi, E. E.: Polarised expression of human intestinal *N*-benzoyl-L-tyrosyl-*p*-aminobenzoic acid hydrolase (human meprin) α and β subunits in Madin-Darby canine kidney cells 247: 920
Elgavish, S., see Zor, T.
Elgersma, Y., see Verleur, N.
Ellar, D. J., see Carroll, J.
Elleby, B., see Chirică, L. C.
Elleingand, E., see Gerez, C.
Ellgaard, L., Holtet, T. L., Nielsen, P. R., Etzerodt, M., Gliemann, J., Thøgersen, H. C.: Dissection of the domain architecture of the $\alpha_2$macroglobulin-receptor-associated protein 244: 544
Ellinger, T., see Ehricht, R.
Elliston, K. O., see Motamedi, H.
Ellouze, C., see Wittung, P.
El-Samalouti, V. T., Schletter, J., Brade, H., Brade, L., Kusumoto, S., Rietschel, E. T., Flad, H.-D., Ulmer, A. J.: Detection of lipopolysaccharide(LPS)-binding membrane proteins by immuno-coprecipitation with LPS and anti-LPS antibodies 250: 418
Emily-Fenouil, F., see Ghiglione, C.
Emmerson, P. T., see Göthel, S. F.
Endo, T., see Urano, S.
Eneyskaya, E. V., see Bagiyan, F. G.
Engel, A., see Söhngen, S. M.
Engel, A., see Zhuang, J.
Engel, J., see Brancaccio, A.
Engelborghs, Y., see Banerjee, A.
Engelborghs, Y., see Dumortier, C.
Engelbrecht, S., see Schulenberg, B.
Engelcke, M., see Brischwein, K.
Engelhard, M., see Mattar, S.
Enghild, J. J., see Berggård, T.
England, R., see Schenk, G.
Engst, S., see Kieweg, V.
Engström, Å., see Axén, A.
Enhsen, A., see Kramer, W.
Enomoto, T., see Yokoyama, K.
Epand, R. F., see Latal, A.
Epand, R. M., see Latal, A.
Eppenberger, U., see Flury, N.
Eriksson, S., see Taipalensuu, J.
Eriksson, S., see Usova, E. V.
Erlichman, J., see Mei, X.
Ermácora, M. R., see Papouchado, M. L.
Erni, B., see Seip, S.
Erregragui, K., Prato, S., Miquelis, R., Barrande, C., Daniel, C., Fert, V.: Antigenic mapping of human thyroglobulin – Topographic relationship between antigenic regions and functional domains 244: 801
Esche, H., see Kirch, H.-C.
Escoubas, P., see Romi-Lebrun, R.
Escriou, V., Laporte, F., Vignais, P. V., Desbois, A.: Differential characterization of neutrophil cytochrome p30 and cytochrome *b*-558 by low-temperature absorption and resonance Raman spectroscopies 245: 505
Eshhar, Z., see Gigant, B.
Eshhar, Z., see Tawfik, D. S.
Esnard, A., see Peloille, S.
Esnard, F., see Peloille, S.
Esposito, F., Cuccovillo, F., Vanoni, M., Cimino, F., Anderson, C. W., Appella, E., Russo, T.: Redox-mediated regulation of $p21^{waf1/cip1}$ expression involves a post-transcriptional mechanism and activation of the mitogen-activated protein kinase pathway 245: 730
Esteves, C. L., see Costa, J.
Estévez, A. M., Martínez-Costa, O. H., Sánchez, V., Aragón, J. J.: Cloning, sequencing and developmental expression of phosphofructokinase from *Dictyostelium discoideum* 243: 442
Etchebehere, L. C., Van Bemmelen, M. X. P., Anjard, C., Traincard, F., Assemat, K., Reymond, C., Véron, M.: The catalytic subunit of *Dictyostelium* cAMP-dependent protein kinase – Role of the N-terminal domain and of the C-terminal residues in catalytic activity and stability 248: 820
Etzerodt, M., see Ellgaard, L.
Etzler, M. E., see Casset, F.
Etzold, C., Deckers-Hebestreit, G., Altendorf, K.: Turnover number of *Escherichia coli* F_0F_1 ATP synthase for ATP synthesis in membrane vesicles 243: 336
Evjen, G., see Tollersrud, O. K.
Exposito, J.-Y., see Lethias, C.
Exposito, J-Y., see Sicot, F.-X.
Exton, J. H.: *Review*. Cell signalling through guanine-nucleotide-binding regulatory proteins (G proteins) and phospholipases 243: 10
Exton, J. H., see Guillemain, I.
Eyre, D. R., see Fernandes, R. J.
Eytan, G. D., Regev, R., Oren, G., Hurwitz, C. D., Assaraf, Y. G.: Efficiency of P-glycoprotein–mediated exclusion of rhodamine dyes from multidrug-resistant cells is determined by their passive transmembrane movement rate 248: 104
Ezzell, R. M., see Goldmann, W. H.

Fabbro, C., see Braghetta, P.
Fabry, M., see Lange-Savage, G.
Faccini, S., see Tamborini, E.
Fackler, O. T., Kienzle, N., Kremmer, E., Boese, A., Schramm, B., Klimkait, T., Kücherer, C., Mueller-Lantzsch, N.: Association of human immunodeficiency virus Nef protein with actin is myristoylation dependent and influences its subcellular localization 247: 843
Fahrenholz, F., see Cao, Y.-J.
Fairand, A., see Bourgeois, P.
Fairwell, T., see Sharma, Y.
Falk, A., see Taipalensuu, J.
Falkenberg, C., see Berggård, T.
Fan, H., Meng, W., Kilian, C., Grams, S., Reutter, W.: Domain-specific N-glycosylation of the membrane glycoprotein dipeptidylpeptidase IV (CD26) influences its subcellular trafficking, biological stability, enzyme activity and protein folding 246: 243
Fan, X., see Stelter, F.
Fang, G., see Hagting, A.
Fardel, O., Lecureur, V., Daval, S., Corlu, A., Guillouzo, A.: Up-regulation of P-glycoprotein expression in rat liver cells by acute doxorubicin treatment 246: 186
Faro, C. J., see Costa, J.
Farooq, A., see Booth, P. J.
Farrell, N., see Žaludová, R.
Fátima Domingues Furtado, M. de, see Ho, P. L.
Fattoum, A., see Bartegi, A.
Faucheu, C., see Rocher, C.
Faulds, C. B., see Kroon, P. A.
Faulhammer, H. G., see Vornlocher, H.-P.
Faure, E., Lecine, P., Lipcey, C., Champion, S., Imbert, J.: Cell-to-cell contact activates the long terminal repeat of human immunodeficiency virus 1 through its κB motif 244: 568
Fautrel, A., see Lerche, C.
Favard, C., see Lelièvre, D.
Favero, J., see Sainte-Marie, J.
Favre, B., see Turowski, P.
Faye, I., see Bettencourt, R.
Feijge, M. A. H., see Heemskerk, J. W. M.
Feller, G., Zekhnini, Z., Lamotte-Brasseur, J., Gerday, C.: Enzymes from cold-adapted microorganisms – The class C β-lactamase from the antarctic psychrophile *Psychrobacter immobilis* A5 244: 186
Feng, W., Shoshan-Barmatz, V.: Involvement of lysine residues in the gating of the ryanodine receptor/Ca^{2+}-release channel of skeletal muscle sarcoplasmic reticulum 247: 955
Ferain, T., see Bernard, N.
Ferlinz, K., Hurwitz, R., Moczall, H., Lansmann, S., Schuchman, E. H., Sandhoff, K.: Functional characterization of the N-glycosylation sites of human acid sphingomyelinase by site-directed mutagenesis 243: 511
Fermandjian, S., see Frère-Gallois, V.
Fernandes, R. J., Schmid, T. M., Harkey, M. A., Eyre, D. R.: Incomplete processing of type II procollagen by a rat chondrosarcoma cell line 247: 620
Fernández, S., see Grasser, K. D.
Fernandez, V. M., see Massanz, C.
Fernández-Velasco, D. A., see Landa, A.
Ferranti, P., Addeo, F., Malorni, A., Chianese, L., Leroux, C., Martin, P.: Differential splicing of pre-messenger RNA produces multiple forms of mature caprine α_{s1}-casein 249: 1
Ferreira-Pereira, A., see Sola-Penna, M.
Ferrer, A., see Kribii, R.
Ferrer, J. C., see Bujons, J.
Ferrero, I., see Weirich, J.
Ferri, G., see Stoppini, M.
Ferro, S., see Vetere, A.
Ferroni, F., see Banci, L.
Fersht, A. R., see Soler-González, A. S.
Fert, V., see Erregragui, K.
Ferté, N., see Abousalham, A.

Fessler, J. H., see Mayer, U.
Fessler, L. I., see Mayer, U.
Feussner, I., see Holtman, W. L.
Fiebich, B. L., see Bauer, M. K. A.
Fiers, W., see Maras, M.
Fiers, W., see Martinet, W.
Filgueira de Azevedo, W., Leclerc, S., Meijer, L., Havlicek, L., Strnad, M., Kim, S.-H.: Inhibition of cyclin-dependent kinases by purine analogues – Crystal structure of human cdk2 complexed with roscovitine 243: 518
Filipiak, M., see Butt, J. N.
Filloux, C., see Sawka-Verhelle, D.
Finazzi Agrò, A., see Medda, R.
Finne, J., see Hakalehto, E.
Finotti, P., Pagetta, A.: Heparin-induced structural modifications and oxidative cleavage of human serum albumin in the absence and presence of glucose – Implications for transcapillary leakage of albumin in hyperglycaemia 247: 1000
Fischer, D., see Beglova, N.
Fischer, G., see Schutkowski, M.
Fischer, J., see Becker, C.
Fischer, M., see Berglechner, F.
Fischer, W., Markwitz, Se., Labischinski, H.: Small-angle X-ray scattering analysis of pneumococcal lipoteichoic acid phase structure 244: 913
Fishman, D. D., see Livneh, E.
Fiten, P., see Masure, S.
Fitzgerald, T. J., see Banerjee, A.
Flad, H.-D., see El-Samalouti, V. T.
Fletcher, G. L., see Chan, S.-L.
Flohé, L., see Gommel, D. U.
Flora, L., see Bravo, E.
Florencio, F. J., see García-Domínguez, M.
Floris, G., see Medda, R.
Flükiger, K., see Seip, S.
Flury, N., Eppenberger, U., Mueller, H.: Tumor-necrosis factor-α modulates mitogen-activated protein kinase activity of epidermal-growth-factor-stimulated MCF-7 breast cancer cells 249: 421
Foglar, E., see Harant, H.
Fontaine, T., Hartland, R. P., Beauvais, A., Diaquin, M., Latge, J.-P.: Purification and characterization of an endo-1,3-β-glucanase from *Aspergillus fumigatus* 243: 315
Fontaine, V., see Kalai, M.
Fontecave, M., see Gerez, C.
Forchhammer, K., Hedler, A.: Phosphoprotein P_{II} from cyanobacteria – Analysis of functional conservation with the P_{II} signal-transduction protein from *Escherichia coli* 244: 869
Forciniti, D., see Petitt, P.
Ford, C. C., see Aoufouchi, S.
Forest, E., see Cotton, J.
Forsee, W. T., McPherson, D., Schutzbach, J. S.: Characterization of recombinant yeast dolichyl mannosyl phosphate synthase and site-directed mutagenesis of its cysteine residues 244: 953
Foster, T., see McDevitt, D.
Franc, J.-L., see Mas, E.
Frank, H., see Müller, F.
Frank, J., see Arfman, N.
Frank, P., see Weber, V.
Franke, I., Buck, F., Hampe, W.: Purification of a head-activator receptor from hydra 244: 940
Franke, P., see Stoyloff, R.
Fransen, J. A. M., see Eldering, J. A.
Fransson, L.-Å., see Moses, J.
Fraternale, A., see Crinelli, R.
Fraternali, F., see Crescenzi, O.
Frazão, C., see Costa, J.
Fredlund, J. O., Oredsson, S. M.: Ordered cell cycle phase perturbations in Chinese hamster ovary cells treated with an *S*-adenosylmethionine decarboxylase inhibitor 249: 232
Freedman, R. B., see Klappa, P.
Fregni, V., see Cappellini, P.
Frère-Gallois, V., Krebs, D., Scala, D., Troalen, F., Fermandjian, S.: Peptide fragments of DNA topoisomerase II with helix-forming and coiled-coil-forming properties act as inhibitors of the enzyme 249: 142
Friedrich, B., see Bernhard, M.
Friedrich, B., see Massanz, C.
Frieser, M., Nöckel, H., Pausch, F., Röder, C., Hahn, A., Deutzmann, R., Sorokin, L. M.: Cloning of the mouse laminin α4 cDNA expression in a subset of endothelium 246: 727
Friso, G., see Dalla Chiesa, M.
Fritsch, J., see Benharouga, M.
Fritsche, E., Humm, A., Huber, R.: Substrate binding and catalysis by L-arginine:glycine amidinotransferase – A mutagenesis and crystallographic study 247: 483
Frochot, C., see Lecouvey, M.
Froyen, G., Proost, P., Ronsse, I., Mitera, T., Haelens, A., Wuyts, A., Opdenakker, G., Van Damme, J., Billiau, A.: Cloning, bacterial expression and biological characterization of recombinant human granulocyte chemotactic protein-2 and differential expression of granulocyte chemotactic protein-2 and epithelial cell-derived neutrophil activating peptide-78 mRNAs 243: 762
Fruttero, R., see Antonini, G.
Fuchs, A., Bouin, A.-P., Rabilloud, T., Vignais, P. V.: The 40-kDa component of the phagocyte NADPH oxidase (p40phox) is phosphorylated during activation in differentiated HL60 cells 249: 531
Fuchs, G., see Boll, M.
Fuchs, G., see Heider, J.
Fujii, T., see Takemori, H.
Fujii-Kuriyama, Y., see Numayama-Tsuruta, K.
Fujimuro, M., Sawada, H., Yokosawa, H.: Dynamics of ubiquitin conjugation during heat-shock response revealed by using a monoclonal antibody specific to multi-ubiquitin chains 249: 427
Fujioka, Y., see Watabe, S.
Fujishige, K., see Kotera, J.
Fujita, H., Allen, P. G., Janmey, P. A., Azuma, T., Kwiatkowski, D. J., Stossel, T. P., Furu-uchi, K., Kuzumaki, N.: Characterization of gelsolin truncates that inhibit actin depolymerization by severing activity of gelsolin and cofilin 248: 834
Fujiwara, H., see Kamimura, M.
Fujiwara, H., Tanaka, Y., Fukui, Y., Nakao, M., Ashikari, T., Kusumi, T.: Anthocyanin 5-aromatic acyltransferase from *Gentiana triflora* – Purification, characterization and its role in anthocyanin biosynthesis 249: 45
Fujiyoshi, Y., see Doi, T.
Fukasawa, M., see Adachi, H.
Fukuda, H., Iritani, N., Noguchi, T.: Transcriptional regulatory region for expression of the rat ATP citrate-lyase gene 247: 497
Fukui, Y., see Fujiwara, H.
Fukui, Y., see Tanaka, K.
Fukumaki, Y., see Nobuhisa, I.
Fukuoka, S., Knirel, Y. A., Lindner, B., Moll, H., Seydel, U., Zähringer, U.: Elucidation of the structure of the core region and the complete structure of the R-type lipopolysaccharide of *Erwinia carotovora* FERM P-7576 250: 55
Fullbright, G., Lacy, E. R., Büllesbach, E. E.: The prothoracicotropic hormone bombyxin has specific receptors on insect ovarian cells 245: 774
Funa, K., see Ishisaki, A.
Furuichi, Y., see Doi, T.
Furuichi, Y., see Satoh, M.
Furu-uchi, K., see Fujita, H.

Gabius, H.-J.: *Review.* Animal lectins 243: 543
Gabius, H.-J., see Siebert, H.-C.
Gache, C., see Ghiglione, C.
Gadaleta, M. N., see Roberti, M.
Gadda, G., Wels, G., Pollegioni, L., Zucchelli, S., Ambrosius, D., Pilone, M. S., Ghisla, S.: Characterization of cholesterol oxidase from *Streptomyces hygroscopicus* and *Brevibacterium sterolicum* 250: 369
Gahmberg, C. G., Tolvanen, M., Kotovuori, P.: *Review.* Leukocyte adhesion – Structure and function of human leukocyte β_2-integrins and their cellular ligands 245: 215
Gaida, W., see Rist, B.
Gaill, F., see Sicot, F.-X.
Gaillard, J.-L., see Lecouvey, M.
Galeone, A., see Overmars, F. J. J.
Gallagher, S. C., Cammack, R., Dalton, H.: Alkene monooxygenase from *Nocardia corallina* B-276 is a member of the class of dinuclear iron proteins capable of stereospecific epoxygenation reactions 247: 635
Galletti, P., see Ingrosso, D.
Galley, W. C., see Sun, L.
Galliano, M., see Minchiotti, L.
Gallie, D. R., see Le, H.
Ganal, M., see Giritch, A.
Gao, Y., see Keane, N. E.
Garber, M., see Serganov, A.
García de Frutos, P., see Nyberg, P.
García, J. J., Gómez-Puyou, A., Maldonado, E., Tuena De Gómez-Puyou, M.: Acceleration of unisite catalysis of mitochondrial F_1-adenosinetriphosphatase by ATP, ADP and pyrophosphate – Hydrolysis and release of the previously bound [γ-^{32}P]ATP 249: 622
García-Domínguez, M., Reyes, J. C., Florencio, F. J.: Purification and characterization of a new type of glutamine synthetase from cyanobacteria 244: 258
García-Olmedo, F., see Romero, A.
García-Sánchez, M. I., Gotor, C., Jacquot, J.-P., Stein, M., Suzuki, A., Vega, J. M.: Critical residues of *Chlamydomonas reinhardtii* ferredoxin for interaction with nitrite reductase and glutamate synthase revealed by site-directed mutagenesis 250: 364

Garcia-Borron, J. C., see Loir, B.
Gariglio, M., see Gribaudo, G.
Garin, J., see Delphin, C.
Garmyn, D., see Bernard, N.
Garreau, H., see Camus, C.
Garrigos, M., Mir, L. M., Orlowski, S.: Competitive and non-competitive inhibition of the multidrug-resistance-associated P-glycoprotein ATPase – Further experimental evidence for a multisite model 244: 664
Garrone, R., see Lethias, C.
Garrone, R., see Sicot, F.-X.
Garza-Ramos, G., see Ostoa-Saloma, P.
Gasco, A., see Antonini, G.
Gasparri, A., see Corti, A.
Gasset, M., Saiz, J. L., Laynez, J., Sanz, L., Gentzel, M., Töpfer-Petersen, E., Calvete, J. J.: Conformational features and thermal stability of bovine seminal plasma protein PDC-109 oligomers and phosphorylcholine-bound complexes 250: 735
Gasslmaier, B., Holler, E.: Specificity and direction of depolymerization of β-poly(L-malate) catalysed by polymalatase from *Physarum polycephalum* – Fluorescence labeling at the carboxy-terminus of β-poly(L-malate) 250: 308
Gassmann, M., see Wenger, R. H.
Gatti, A., Robinson, P. J.: Okadaic acid interferes with phorbol-ester-mediated down-regulation of protein kinase C-α, C-δ and C-ε 249: 92
Gaubin, M., see Autiero, M.
Gauthier, F., see El Moujahed, A.
Gauthier, F., see Peloille, S.
Gauthier, N., see Couture, C.
Gavrilovic, J., see d'Ortho, M.-P.
Gaziola, S. A., Teixeira, C. M. G., Lugli, J., Sodek, L., Azevedo, R. A.: The enzymology of lysine catabolism in rice seeds – Isolation, characterization, and regulatory properties of a lysine 2-oxoglutarate reductase/saccharopine dehydrogenase bifunctional polypeptide 247: 364
Gebicke-Haerter, P. J., see Bauer, M. K. A.
Gechtman, Z., Shaltiel, S.: Phosphorylation of vitronectin on Ser362 by protein kinase C attenuates its cleavage by plasmin 243: 493
Gehlhar, K., Petersen, A., Schramm, G., Becker, W.-M., Schlaak, M., Bufe, A.: Investigation of different recombinant isoforms of grass group-V allergens (timothy grass pollen) isolated by low-stringency cDNA hybridization – Antibody binding capacity and allergenic activity 247: 217
Gehring, K., see Beglova, N.
Geiger, M., see Ecke, S.
Gelpí, J. L., see Alvarez, J. A.
Gelpi, J. L., see Bernard, N.
Gemmecker, G., see Berglechner, F.
Geneste, O., see Raffalli-Mathieu, F.
Gentz, R., see Satoh, M.
Gentzel, M., see Gasset, M.
Georgieva, T., see Charlesworth, A.
Gerardy-Schahn, R., see Eckhardt, M.
Gerday, C., see Feller, G.
Gerez, C., Elleingand, E., Kauppi, B., Eklund, H., Fontecave, M.: Reactivity of the tyrosyl radical of *Escherichia coli* ribonucleotide reductase – Control by the protein 249: 401
Gerike, U., Danson, M. J., Russell, N. J., Hough, D. W.: Sequencing and expression of the gene encoding a cold-active citrate synthase from an Antarctic bacterium, strain DS2-3R 248: 49
Gerlach, E., see Vallon, R.
Gerner, C., see Holzmann, K.
Gervais, M., see Naït-Kaoudjt, R.
Gervais, V., Zerial, A., Oschkinat, H.: NMR investigations of the role of the sugar moiety in glycosylated recombinant human granulocyte-colony-stimulating factor 247: 386
Gesemann, M., see Brancaccio, A.
Geymonat, M., see Camus, C.
Ghanem, G., see Loir, B.
Ghiglione, C., Emily-Fenouil, F., Lhomond, G., Gache, C.: Organization of the proximal promoter of the hatching-enzyme gene, the earliest zygotic gene expressed in the sea urchin embryo 250: 502
Ghigo, J.-M., see Wolff, N.
Ghiringhelli, D., see Papouchado, M. L.
Ghisla, S., see Eder, M.
Ghisla, S., see Gadda, G.
Ghisla, S., see Kieweg, V.
Ghoneim, H. R., see Selim, T. E.
Ghosh, D., see Zamolodchikova, T. S.
Gibbons, W. A., see Nicolaou, A.
Gielens, C., De Geest, N., Xin, X.-Q., Devreese, B., Van Beeumen, J., Préaux, G.: Evidence for a cysteine-histidine thioether bridge in functional units of molluscan haemocyanins and location of the disulfide bridges in functional units *d* and *g* of the β_c-haemocyanin of *Helix pomatia* 248: 879
Gielens, C., see Lommerse, J. P. M.
Gierschik, P., see Illenberger, D.
Gigant, B., Charbonnier, J.-B., Golinelli-Pimpaneau, B., Zemel, R. R., Eshhar, Z., Green, B. S., Knossow, M.: Mechanism of inactivation of a catalytic antibody by *p*-nitrophenyl esters 246: 471
Gigot, D., see Legrain, C.
Gilbert, M., Cunningham, A.-M., Watson, D. C., Martin, A., Richards, J. C., Wakarchuk, W. W.: Characterization of a recombinant *Neisseria meningitidis* α-2,3-sialyltransferase and its acceptor specificity 249: 187
Gilfoyle, D. J., see Hill, A. P.
Gilman, J., see Williams, S.
Gimenez, I., see Ho, P. L.
Giménez-Gallego, G., see Lozano, R. M.
Giménez-Gallego, G., see Sanz, J. M.
Gimpl, G., see Cao, Y.-J.
Ginsburg, H., see Atamna, H.
Giordanengo, V., Bannwarth, S., Laffont, C., Van Miegem, V., Harduin-Lepers, A., Delannoy, P., Lefebvre, J.-C.: Cloning and expression of cDNA for a human Gal(β1-3)GalNAc α2,3-sialyltransferase from the CEM T-cell line 247: 558
Giordani, R., Buc, J., Cornish-Bowden, A., Cárdenas, M. L.: Kinetics of membrane-bound nitrate reductase A from *Escherichia coli* with analogues of physiological electron donors – Different reaction sites for menadiol and duroquinol 250: 567
Giraud, M.-F., Velours, J.: The absence of the mitochondrial ATP synthase δ subunit promotes a slow growth phenotype of rho$^-$ yeast cells by a lack of assembly of the catalytic sector F_1 245: 813
Girbés, T., see Van Damme, E. J. M.
Girbig, F., see Kramer, W.
Giritch, A., Herbik, A., Balzer, H.-J., Ganal, M., Stephan, U. W., Bäumlein, H.: A root-specific iron-regulated gene of tomato encodes a lysyl-tRNA-synthetase-like protein 244: 310
Girotto, D., see Braghetta, P.
Giuffrè, A., Gomes, C. M., Antonini, G., D'Itri, E., Teixeira, M., Brunori, M.: Functional properties of the quinol oxidase from *Acidianus ambivalens* and the possible catalytic role of its electron donor – Studies on the membrane-integrated and purified enzyme 250: 383
Glaise, S., see Lerche, C.
Glansdorff, N., see Legrain, C.
Glansdorff, N., see Roovers, M.
Glansdorff, N., see Sanchez, R.
Glasemacher, J., Bock, A.-K., Schmid, R., Schönheit, P.: Purification and properties of acetyl-CoA synthetase (ADP-forming), an archaeal enzyme of acetate formation and ATP synthesis, from the hyperthermophile *Pyrococcus furiosus* 244: 561
Gliemann, J., see Ellgaard, L.
Goel, A., see Mikolajczyk, S. D.
Goethals, M., see Peelman, F.
Goethals, M., see Pillot, T.
Goffrini, P., see Weirich, J.
Göhring, W., see Brown, J. C.
Göhring, W., see Maurer, P.
Gola, M., see Cotton, J.
Golbeck, J. H., see Scott, M. P.
Goldberg, A. L., see Seol, J. H.
Goldmann, W. H., Guttenberg, Z., Kaufmann, S., Hess, D., Ezzell, R. M., Isenberg, G.: Examining F-actin interaction with intact talin and talin head and tail fragment using static and dynamic light scattering 250: 447
Goldmann, W. H., Tempel, M., Sprenger, I., Isenberg, G., Ezzell, R. M.: Viscoelasticity of actin-gelsolin networks in the presence of filamin 246: 373
Goldschmidt-Reisin, S., see Kitakawa, M.
Goldstein, I. J., see Van Damme, E. J. M.
Golinelli-Pimpaneau, B., see Gigant, B.
Gollan, U., see Schneider, K.
Golz, S., Christoph, A., Birkenkamp-Demtröder, K., Kemper, B.: Identification of amino acids of endonuclease VII essential for binding and cleavage of cruciform DNA 245: 573
Gomes, C. M., see Giuffrè, A.
Gómez, N., see Balcells, L.
Gómez-Puyou, A., see García, J. J.
Gómez-Puyou, A., see Ostoa-Saloma, P.
Gómez-Puyou, A., see Ramírez-Silva, L.
Gomis, J.-M., see Delaforge, M.
Gomis-Rüth, F. X., see Betz, M.
Gommel, D. U., Nogoceke, E., Morr, M., Kiess, M., Kalisz, H. M., Flohé, L.: Catalytic characteristics of tryparedoxin 248: 903
Gong, W., see O'Gara, M.
Gontero, B., see Avilan, L.
Gontero, B., see Lebreton, S.
González, M. E., see Echarri, A.
González, V., see Kribii, R.
Good, L., Intine, R. V. A., Nazar, R. N.: The ribosomal-RNA-processing pathway in *Schizosaccharomyces pombe* 247: 314

Goody, R. S., see Pelicano, H.
Gooley, A. A., see Holland, R. A. B.
Goos, H., see Tensen, C.
Goossens, F., Vanhoof, G., De Meester, I., Augustyns, K., Borloo, M., Tourwe, D., Haemers, A., Scharpé, S.: Development and evaluation of peptide-based prolyl oligopeptidase inhibitors – Introduction of *N*-benzyloxycarbonyl-prolyl-3-fluoropyrrolidine as a lead in inhibitor design 250: 177
Gopal, V., Chatterji, D.: Mutations in the 1.1 subdomain of *Escherichia coli* sigma factor σ^{70} and disruption of its overall structure 244: 604
Gopher, A., see Lapidot, A.
Gordadze, A. V., see Zakharkin, S. O.
Gore, M. G., see Rees-Milton, K.
Gori-Savellini, G., see Banci, L.
Görlach, M., see Ottleben, H.
Gospodov, I., see Charlesworth, A.
Göthel, S. F., Schmid, R., Wipat, A., Carter, N. M., Emmerson, P. T., Harwood, C. R., Marahiel, M. A.: An internal FK506-binding domain is the catalytic core of the prolyl isomerase activity associated with the *Bacillus subtilis* trigger factor 244: 59
Gotor, C., see García-Sánchez, M. I.
Gottschalk, U., see Apeler, H.
Goubeaud, M., Schreiner, G., Thauer, R. K.: Purified methyl-coenzyme-M reductase is activated when the enzyme-bound coenzyme F430 is reduced to the nickel(I) oxidation state by titanium(III) citrate 243: 110
Goulter, K. C., see Marcus, J. P.
Goulut-Chassaing, C., Bourrillon, R.: Expression and characterization of a lactosaminoglycan-carrying glycoprotein of Zajdela hepatoma cell surface – Structural analysis of the carbohydrate moiety 247: 1091
Goutal, I., see Bourgeois, P.
Govorukhina, N. I., see Arfman, N.
Govorukhina, N. I., see Bystrykh, L. V.
Gowda, K., see Black, S. D.
Graack, H.-R., see Kitakawa, M.
Grafmüller, R., see Wild, K.
Grahn, B., see Nilsson, J.
Gram, H., Schmitz, R., Zuber, J. F., Baumann, G.: Identification of phosphopeptide ligands for the Src-homology 2 (SH2) domain of Grb2 by phage display 246: 633
Grams, S., see Fan, H.
Grange, D., see de La Fournière-Bessueille, L.
Grangeiro, T. B., Schriefer, A., Calvete, J. J., Raida, M., Urbanke, C., Barral-Netto, M., Cavada, B. S.: Molecular cloning and characterization of ConBr, the lectin of *Canavalia brasiliensis* seeds 248: 43
Granier, C., see Cestèle, S.
Grannass, A., see Rümenapp, U.
Grasser, K. D., Ritt, C., Krieg, M., Fernández, S., Alonso, J. C., Grimm, R.: The recombinant product of the *Chryptomonas Φ* plastid gene *hlpA* is an architectural HU-like protein that promotes the assembly of complex nucleoprotein structures 249: 70
Grasser, K. D., see Stemmer, C.
Gratecos, D., see Cerini, C.
Grauer, L. S., see Mikolajczyk, S. D.
Graves, P.-V., see Spannagel, C.
Gray, J. C., see Haward, S. R.
Greasley, P., see Rees-Milton, K.
Grechkin, A. N., Ilyasov, A. V., Hamberg, M.: On the mechanism of biosynthesis of divinyl ether oxylipins by enzyme from garlic bulbs 245: 137
Green, B. N., see Zal, F.
Green, B. S., see Gigant, B.
Green, B. S., see Tawfik, D. S.
Green, J. L., see Marcus, J. P.
Greer, A. F., see Chen, R.
Gregersen, N., see Kieweg, V.
Gribaudo, G., Ravaglia, S., Guandalini, L., Riera, L., Gariglio, M., Landolfo, S.: Molecular cloning and expression of an interferon-inducible protein encoded by gene 203 from the gene 200 cluster 249: 258
Griesinger, C., see Prasch, T.
Griffon, N., see Kiger, L.
Grillenbeck, N., see Nawrot, B.
Grimm, R., see Grasser, K. D.
Grimm, R., see Holzmann, K.
Grimm, R., see Stemmer, C.
Grinstein, S., see Törnquist, K.
Grivell, L. A., see Boumans, H.
Groen, B. W., De Vries, S., Duine, J. A.: Characterization of hexose oxidase from the red seaweed *Chondrus crispus* 244: 858
Groenlund, H., see Tamborini, E.
Groffen, A. J. A., Hop, F. W. H., Tryggvason, K., Dijkman, H., Assmann, K. J. M., Veerkamp, J. H., Monnens, L. A. H., Van Den Heuvel, L. P. W. J.: Evidence for the existence of multiple heparan sulfate proteoglycans in the human glomerular basement membrane and mesangial matrix 247: 175
Grohmann, L., see Kitakawa, M.
Grootenhuis, P. D. J., see Heikoop, J. C.
Gros, J., see Piétri-Rouxel, F.
Gross, I., Hohenberg, H., Kräusslich, H.-G.: *In vitro* assembly properties of purified bacterially expressed capsid proteins of human immunodeficiency virus 249: 592
Gross, K. W., see Jones, C. A.
Gross, R., see Lenger, R.
Grossbach, U., see Trieschmann, L.
Grötzinger, J., see Kalai, M.
Grötzinger, J., see Müller-Newen, G.
Gruber, T. M., see Beck, K.
Grueninger-Leitch, F., see Moon, R. P.
Grünberg, J., see Eldering, J. A.
Grunberg-Manago, M., see Serganov, A.
Gschwind, R. M., see Berglechner, F.
Guan, C., see Teichmann, T.
Guandalini, L., see Gribaudo, G.
Guardiola, J., see Autiero, M.
Gubenšek, F., see Kordiš, D.
Guenet, C., see Mackay, E. A.
Guérin, S. L., see Bergeron, M.-J.
Guermazi, S., see Marrakchi, N.
Guerra, B., see Ruzzene, M.
Guerrini, R., see Crescenzi, O.
Guiard, B., see Naït-Kaoudjt, R.
Guibert, J., see Berrebi-Bertrand, I.
Guillemain, I., Exton, J. H.: Effects of brefeldin A on phosphatidylcholine phospholipase D and inositolphospholipid metabolism in HL-60 cells 249: 812
Guillin, M.-C., see Arocas, V.
Guillon, G., see Carnazzi, E.
Guillou, F., see Peloille, S.
Guillouzo, A., see Fardel, O.
Guillouzo, A., see Lerche, C.
Gulakowski, R. J., see O'Keefe, B. R.
Guntermann, D., see Apeler, H.
Guo, Z., see Berners-Price, S. J.
Guo, Z., see Reeder, F.
Guppy, M., Abas, L., Neylon, C., Whisson, M. E., Whitham, S., Pethick, D. W., Niu, X.: Fuel choices by human platelets in human plasma 244: 161
Guse, A. H., da Silva, C. P., Weber, K., Armah, C. N., Ashamu, G. A., Schulze, C., Potter, B. V. L., Mayr, G. W., Hilz, H.: 1-(5-Phospho-β-D-ribosyl)2′-phosphoadenosine 5′-phosphate cyclic anhydride induced Ca^{2+} release in human T-cell lines 245: 411
Gutknecht, R., see Seip, S.
Gutman, N., see El Moujahed, A.
Guttenberg, Z., see Goldmann, W. H.
Gwack, Y., Kim, D. W., Han, J. H., Choe, J.: DNA helicase activity of the hepatitis C virus nonstructural protein 3 250: 47
Gysin, S., Imber, R.: Phorbol-ester-activated protein kinase C-α lacking phosphorylation at Ser657 is down-regulated by a mechanism involving dephosphorylation 249: 156
Haasemann, M., see Ottleben, H.
Haavik, J., see Thomas, G.
Habenicht, U.-F., see Haendler, B.
Haddaoui, El A., Leloup, L., Petit-Glatron, M.-F., Chambert, R.: Characterization of a stable intermediate trapped during reversible refolding of *Bacillus subtilis* α-amylase 249: 505
Häger, K.-P., Wind, C.: Two ways of legumin-precursor processing in conifers – Characterization and evolutionary relationships of *Metasequoia* cDNAs representing two divergent legumin gene subfamilies 246: 763
Haelens, A., see Froyen, G.
Haemers, A., see Goossens, F.
Haendler, B., Habenicht, U.-F., Schwidetzky, U., Schüttke, I., Schleuning, W.-D.: Differential androgen regulation of the murine genes for cysteine-rich secretory proteins (CRISP) 250: 440
Hagen, W. R., see Butt, J. N.
Hagen, W. R., see van Dam, P. J.
Hager, G., see Weber, V.
Hagmar, P., see Tuite, E.
Hagting, A., Knol, J., Hasemeier, B., Streutker, M. R., Fang, G., Poolman, B., Konings, W. N.: Amplified expression, purification and functional reconstitution of the dipeptide and tripeptide transport protein of *Lactococcus lactis* 247: 581
Hahn, A., see Frieser, M.
Hahn, D., Lottaz, D., Sterchi, E. E.: C-cytosolic and transmembrane domains of the *N*-benzoyl-L-tyrosyl-*p*-aminobenzoic acid hydrolase α subunit (human meprin α) are essential for its retention in the endoplasmic reticulum and C-terminal processing 247: 933
Hahn, D., see Eldering, J. A.
Hahn, H. P., see Xu, Z.
Hajduch, E., see McDowell, H. E.

Hakalehto, E., Santa, H., Vepsäläinen, J., Laatikainen, R., Finne, J.: Identification of a common structural motif in the disordered N-terminal region of bacterial flagellins – Evidence for a new class of fibril-forming peptides 250: 19
Håkanson, R., see Monstein, H.-J.
Halder, S. K., see Takemori, H.
Haley, B. E., see Olcott, M. C.
Hall, H., Deutzmann, R., Timpl, R., Vaughan, L., Schmitz, B., Schachner, M.: HNK-1 carbohydrate-mediated cell adhesion to laminin-1 is different from heparin-mediated and sulfatide-mediated cell adhesion 246: 233
Hallberg, E., see Söderqvist, H.
Hamberg, M., see Grechkin, A. N.
Hambley, T. W., see Reeder, F.
Hamilton, B., see Rottensteiner, H.
Hammock, B. D., see Müller, F.
Hammock, B. D., see Nakagawa, Y.
Hampe, W., see Franke, I.
Han, C.-H., Roberts, D. M.: Altered methylation substrate kinetics and calcium binding of a calmodulin with a Val136→Thr substitution 244: 904
Han, J. H., see Gwack, Y.
Hänel, K., see Müller, F.
Hankamer, B., Nield, J., Zheleva, D., Boekema, E., Jansson, S., Barber, J.: Isolation and biochemical characterisation of monomeric and dimeric photosystem II complexes from spinach and their relevance to the organisation of photosystem II *in vivo* 243: 422
Hansen, J., see Apeler, H.
Hanson, G. R., see Solomon, P. S.
Hansson, Ö., see Sigfridsson, K.
Happe, B., see Beil, S.
Harada, N., see Kimura, M.
Hara-Nishimura, I., see Hiraiwa, N.
Harant, H., Andrew, P. J., Reddy, G. S., Foglar, E., Lindley, I. J. D.: 1α,25-Dihydroxyvitamin D_3 and a variety of its natural metabolites transcriptionally repress nuclear-factor-κB-mediated interleukin-8 gene expression 250: 63
Harata, M., see Weber, V.
Hardie, D. G., Carling, D.: *Review.* The AMP-activated protein kinase – Fuel gauge of the mammalian cell? 246: 259
Härdig, Y., see Nyberg, P.
Harding, J. J., see Hook, D. W. A.
Harding, S. E., see Wilson, E. K.
Harduin-Lepers, A., see Giordanengo, V.
Hardy, F., see Veltman, O. R.
Härfast, B., see Schmidt, M.
Harkey, M. A., see Fernandes, R. J.
Harlin, J.-C., see Bourgeois, P.
Harms, U., see Sauer, K.
Harms, U., Thauer, R. K.: Identification of the active site histidine in the corrinoid protein MtrA of the energy-conserving methyltransferase complex from *Methanobacterium thermoautotrophicum* 250: 783
Harnois, M., see Rocher, C.
Harris, D. M., see Latorre, K. A.
Harris, J. R., see Söhngen, S. M.
Harrison, R., see Sanders, S. A.
Harrison, R. W., see Tőzsér, J.
Harrison, R. W., see Weber, I. T.
Harrison, S. J., see Marcus, J. P.
Hartland, R. P., see Fontaine, T.
Härtlein, M., see Landrieu, I.
Härtlein, M., see Taupin, C. M.-J.
Härtlein, M., see Vincent, C.
Hartmann, T., see Lindigkeit, R.
Harvey, A. L., see Cotton, J.
Harwood, C. R., see Göthel, S. F.
Hase, S., see Omichi, K.
Hasegawa, H., see Watabe, S.
Haseley, S. R., Holst, O., Brade, H.: Structural and serological characterisation of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter haemolyticus* strain ATCC 17906 244: 761
Haseley, S. R., Holst, O., Brade, H.: Structural and serological characterisation of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter* strain 90 belonging to DNA group 10 245: 470
Haseley, S. R., Holst, O., Brade, H.: Structural studies of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter* (DNA group 11) strain 94 containing 3-amino-3,6-dideoxy-D-galactose substituted by the previously unknown amide-linked L-2-acetoxypropionic acid or L-2-hydroxypropionic acid 247: 815
Haseley, S. R., Pantophlet, R., Brade, L., Holst, O., Brade, H.: Structural and serological characterisation of the O-antigenic polysaccharide of the lipopolysaccharide from *Acinetobacter junii* strain 65 245: 477
Haseley, S. R., see Vinogradov, E. V.
Haseley, S. R., Traub, W. H., Wilkinson, S. G.: Structures of polymeric products isolated from the lipopolysaccharides of reference strains for *Acinetobacter baumannii* O23 and O12 244: 147
Haseley, S. R., Wilkinson, S. G.: Structural studies of the putative O-specific polysaccharide of *Acinetobacter baumannii* O24 containing 5,7-diamino-3,5,7,9-tetradeoxy-L-*glycero*-D-*galacto*-nonulosonic acid 250: 617
Hasemeier, B., see Hagting, A.
Hashimoto, T., see Bun-Ya, M.
Hashimoto, Y., see Tanaka, K.
Hashizume, T., see Yamaguchi, T.
Hasilik, A., see Hummel, M.
Hassani, O., see Blanc, E.
Hassiepen, U., see Müller-Newen, G.
Hatano, O., see Takemori, H.
Hattori, S., see Nobuhisa, I.
Hatzimanikatis, V., see Staijen, I. E.
Häussler, S., see Nimtz, M.
Havlicek, L., see Filgueira de Azevedo, W.
Haward, S. R., Napier, J. A., Gray, J. C.: Chloroplast SecA functions as a membrane-associated component of the Sec-like protein translocase of pea chloroplasts 248: 724
Hawkins, E., see Donly, B. C.
Hawkins, H. C., see Klappa, P.
Hayakawa, Y., Yazaki, K.: Envelope protein of parasitic wasp symbiont virus, polydnavirus, protects the wasp eggs from cellular immune reactions by the host insect 246: 820
Hayashi, H., see Takeda, S.
Hayes, A. E., see Satoh, M.
Hays, M. T., see Longo Alves, I.
Hazeu, W., see De Jong, G. A. H.
He, X., see Nyberg, P.
He, X.-Y., Yang, S.-Y., Schulz, H.: Cloning and expression of the *fadH* gene and characterization of the gene product 2,4-dienoyl coenzyme A reductase from *Escherichia coli* 248: 516
Healy, P., see Tollersrud, O. K.
Heaton, P. A., see Birikh, K. R.
Hedderich, R., see Künkel, A.
Hedderich, R., see Tersteegen, A.
Hedler, A., see Forchhammer, K.
Hedrich, H. C., see Hummel, M.
Heegaard, C. W., see Kasza, A.
Heegaard, C. W., see Martensen, P. M.
Heemskerk, J. W. M., Feijge, M. A. H., Henneman, L., Rosing, J., Hemker, H. C.: The Ca^{2+}-mobilizing potency of α-thrombin and thrombin-receptor-activating peptide on human platelets – Concentration and time effects of thrombin-induced Ca^{2+} signaling 249: 547
Hegg, E. L., Que, L. Jr: *Minireview.* The 2-His-1-carboxylate facial triad – An emerging structural motif in mononuclear non-heme iron(II) enzymes 250: 625
Heider, J., Fuchs, G.: *Review.* Anaerobic metabolism of aromatic compounds 243: 577
Heierhorst, J., Mann, R. J., Kemp, B. E.: Interaction of the recombinant S100A1 protein with twitchin kinase, and comparison with other Ca^{2+}-binding proteins 249: 127
Heiermann, R., see Bauer, U.-M.
Heikoop, J. C., van Beuningen-de Vaan, M. M. J. A. C. M., van den Boogaart, P., Grootenhuis, P. D. J.: Evaluation of subunit truncation and the nature of the spacer for single chain human gonadotropins 245: 656
Heim, J., see Simonen, M.
Heim, S., see Künkel, A.
Heinemann, M., Wagner, R.: Guanosine 3′,5′-bis(diphosphate) (ppGpp)-dependent inhibition of transcription from stringently controlled *Escherichia coli* promoters can be explained by an altered initiation pathway that traps RNA polymerase 247: 990
Heinrich, P. C., see Müller-Newen, G.
Heinrich, R., Montero, F., Klipp, E., Waddell, T. G., Meléndez-Hevia, E.: Theoretical approaches to the evolutionary optimization of glycolysis – Thermodynamic and kinetic constraints 243: 191
Heinrich, R., see Meléndez-Hevia, E.
Heintzelmann, B., see Mackay, E. A.
Hektor, H. J., see Arfman, N.
Heldin, C.-H., see Kozawa, O.
Hellman, U., see Schmidt, M.
Helm, R. M., see Burks, A. W.
Hemker, H. C., see Heemskerk, J. W. M.
Hemmerich, P., Bosbach, S., von Mikecz, A., Krawinkel, U.: Human ribosomal protein L7 binds RNA with an α-helical arginine-rich and lysine-rich domain 245: 549
Hemmings, B. A., see Turowski, P.
Hemmingsen, L., see Danielsen, E.
Henderson, L. E., see O'Keefe, B. R.
Hendrickx, K., see Denolf, P.
Hengeveld, A. F., Westphal, A. H., de Kok, A.: Expression and characterisation of the homodimeric E1 component of the *Azotobacter vinelandii* pyruvate dehydrogenase complex 250: 269
Hengge-Aronis, R., see Beglova, N.

Henkin, J., see Wang, J.
Henneman, L., see Heemskerk, J. W. M.
Hennig, W., see Akhmanova, A.
Henning, D., see Valdez, B. C.
Henry, Y., see Kiger, L.
Herbik, A., see Giritch, A.
Herdewijn, P., see Maras, M.
Herfurth, E., see Kitakawa, M.
Herman, P., see Brinkmann, K.
Hernando, R., Manso, R.: Muscle fibre stress in response to exercise – Synthesis, accumulation and isoform transitions of 70-kDa heat-shock proteins 243: 460
Herrmann, R. G., see Karnauchov, I.
Herrmann, R., see Nakagawa, Y.
Herrmann, U., see Lenger, R.
Herter, S. M., Schiltz, E., Drews, G.: Protein and gene structure of the NADH-binding fragment of *Rhodobacter capsulatus* NADH:ubiquinone oxidoreductase 246: 800
Hervé, F., see Rocher, C.
Herve, M., see Tran-Dinh, S.
Herwig, S., Strauss, M.: *Review*. The retinoblastoma protein: a master regulator of cell cycle, differentiation and apoptosis 246: 581
Hess, D., see Goldmann, W. H.
Hesse, L., see Paliga, K.
Hessler, K., see Wiśniewski, J. R.
Hethke, C., see Roovers, M.
Hettema, E. H., see Verleur, N.
Heuser, A.-M., see Konvalinka, J.
Heveker, N., Ladant, D.: Characterization of mutant *Bordetella pertussis* adenylate cyclase toxins with reduced affinity for calmodulin – Implications for the mechanism of toxin entry into target cells 243: 643
Hew, C. L., see Chan, S.-L.
Hichami, A., Duroudier, V., Leblais, V., Vernhet, L., Le Goffic, F., Ninio, E., Legrand, A.: Modulation of platelet-activating-factor production by incorporation of naturally occurring 1-*O*-alkylglycerols in phospholipids of human leukemic monocyte-like THP-1 cells 250: 242
Higaki, J., see Mackay, E. A.
Higuchi, K., see Yuda, M.
Hilbi, H., see Berg, M.
Hilgenfeld, R., see Lange-Savage, G.
Hilhorst, R., see Bruggeman, Y. E.
Hill, A. P., Modi, S., Sutcliffe, M. J., Turner, D. D., Gilfoyle, D. J., Smith, A. T., Tam, B. M., Lloyd, E.: Chemical, spectroscopic and structural investigation of the substrate-binding site in ascorbate peroxidase 248: 347
Hillenbrand, R., see Nawrot, B.
Hilven, P., see Crabeel, M.
Hilz, H., see Guse, A. H.
Himmelreich, U., Kuchel, P. W.: ^{13}C-NMR studies of transmembrane electron transfer to extracellular ferricyanide in human erythrocytes 246: 638
Hinz, W., see Müller, F.
Hiraiwa, N., Kondo, M., Nishimura, M., Hara-Nishimura, I.: An aspartic endopeptidase is involved in the breakdown of propeptides of storage proteins in protein-storage vacuoles of plants 246: 133
Hiraoki, T., see Mizuguchi, M.
Hirayama, Y., Watabe, S.: Structural differences in the crossbridge head of temperature-associated myosin subfragment-1 isoforms from carp fast skeletal muscle 246: 380
Hiroaki, Y., see Doi, T.
Hiroi, T., see Watabe, S.
Hiroki, T., Horikawa, S., Tsukada, K.: Structure of the rat methionine adenosyltransferase 2A gene and its promoter 250: 653
Hirose, T., Tamaru, T., Okumura, N., Nagai, K., Okada, M.: PCTAIRE 2, a Cdc2-related serine/threonine kinase, is predominantly expressed in terminally differentiated neurons 249: 481
Hisabori, T., Kato, Y., Motohashi, K., Kroth-Pancic, P., Strotmann, H., Amano, T.: The regulatory functions of the γ and ε subunits from chloroplast CF_1 are transferred to the core complex, $\alpha_3\beta_3$, from thermophilic bacterial F_1 247: 1158
Hisada, M., see Romi-Lebrun, R.
Hizi, A., see Kamath-Loeb, A. S.
Hizi, A., see Rubinek, T.
Hizi, A., see Taube, R.
Ho, H.-C., see Hsiao, Y.-M.
Ho, P. L., Soares, M. B., Maack, T., Gimenez, I., Puorto, G., Fátima Domingues Furtado, M. de, Raw, I.: Cloning of an unusual natriuretic peptide from the South American coral snake *Micrurus corallinus* 250: 144
Hobeika, E., see Bonk, M.
Hochkoeppler, A., see Bernhard, M.
Hochkoeppler, A., see Van Driessche, G.
Hockings, P. D., Rogers, P. J.: Thermodynamic significance of the lactate gradient 246: 574
Hodgson, M. E., see Sano, H.
Hodulik, C. R., see Riddick, C. A.
Hoenke, S., Schmid, M., Dimroth, P.: Sequence of a gene cluster from *Klebsiella pneumoniae* encoding malonate decarboxylase and expression of the enzyme in *Escherichia coli* 246: 530
Hoerter, J. A., see Tran-Dinh, S.
Hoffmann, B., see Bonk, M.
Hoffmann, S., see Willbold, D.
Hohenberg, H., see Gross, I.
Højrup, P., see Krogh, T. N.
Højrup, P., see Rothmann, A. B.
Holbrook, J. J., see Alvarez, J. A.
Holbrook, J. J., see Bernard, N.
Holland, R. A. B., Gooley, A. A.: Characterization of the embryonic globin chains of the marsupial Tammar wallaby, *Macropus eugenii* 248: 864
Hollenberg, C. P., see Hülseweh, B.
Holler, E., see Gasslmaier, B.
Holm, I., see Nilsson, J.
Holmberg, L., Nygård, O.: Mapping of nuclease-sensitive sites in native reticulocyte ribosomes – An analysis of the accessibility of ribosomal RNA to enzymatic cleavage 247: 160
Holmskov, U., see Rothmann, A. B.
Hols, P., see Bernard, N.
Holst, O., see Brabetz, W.
Holst, O., see Haseley, S. R.
Holst, O., see Vinogradov, E. V.
Holt, P., see Schmidt, M.
Holtet, T. L., see Ellgaard, L.
Holtman, W. L., Vredenbregt-Heistek, J. C., Schmitt, N. F., Feussner, I.: Lipoxygenase-2 oxygenates storage lipids in embryos of germinating barley 248: 452
Holvoet, P., Danloy, S., Collen, D.: Role of the carboxy-terminal domain of human apolipoprotein AI in high-density-lipoprotein metabolism – A study based on deletion and substitution variants in transgenic mice 245: 642
Holzhütter, H.-G., Wiesner, R., Rathmann, J., Stösser, R., Kühn, H.: A kinetic model for the interaction of nitric oxide with a mammalian lipoxygenase 245: 608
Holzmann, K., Korosec, T., Gerner, C., Grimm, R., Sauermann, G.: Identification of human common nuclear-matrix proteins as heterogeneous nuclear ribonucleoproteins H and H′ by sequencing and mass spectrometry 244: 479
Honda, M., see Ogawa, J.
Honegger, A., see Bruggeman, Y. E.
Hong, J. W., Cho, S.-W., Yoo, J.-S., Yoo, B. K., Lee, K. S., Choi, S. Y.: Modulation of the catalytic activity of brain succinic semialdehyde reductase by reaction with pyridoxal 5′-phosphate 247: 274
Hook, D. W. A., Harding, J. J.: Molecular chaperones protect catalase against thermal stress 247: 380
Höök, M., see McDevitt, D.
Hop, F. W. H., see Groffen, A. J. A.
Horikawa, S., see Hiroki, T.
Horinaka, T., see Takamatsu, H.
Horio, F., see Yamaguchi, T.
Horstmann, C., see Becker, C.
Hoshikawa, H., see Kido, T.
Hoshino, K., Nomura, K., Suzuki, N.: Cyclic-AMP-dependent activation of an interphylum hybrid histone-kinase complex reconstituted from sea urchin sperm-regulatory subunits and bovine heart catalytic subunits 243: 612
Hosoya, T., see Shibata, N.
Hotta, K., see Ishii-Karakasa, I.
Hough, D. W., Jolley, K. A.
Hough, D. W., see Gerike, U.
Houng, A. K., Maggini, L., Clement, C. Y., Reed, G. L.: Identification and structure of activated-platelet protein-1, a protein with RNA-binding domain motifs that is expressed by activated platelets 243: 209
House-Pompeo, K., see McDevitt, D.
Hovanessian, A. G., see Marié, I.
Høyer-Hansen, G., Ploug, M., Behrendt, N., Rønne, E., Danø, K.: Cell-surface acceleration of urokinase-catalyzed receptor cleavage 243: 21
Hradílek, M., see Konvalinka, J.
Hsiao, Y.-M., Ho, H.-C., Wang, W.-Y., Tam, M. F., Liao, T.-H.: Purification and characterization of tilapia (*Oreochromis mossambicus*) deoxyribonuclease I – Primary structure and cDNA sequence 249: 786
Hsu, S.-C., see Lelièvre, D.
Huang, H.-L., see Chen, K.-D.
Huang, K.-P., see Delphin, C.
Huang, T. J., see McCoubrey, W. K. Jr
Huber, R., see Fritsche, E.
Hucho, F., see Stoyloff, R.
Huenges, M., see Berglechner, F.
Hughes, W., see Beck, K.
Hull, W. E., see Poppe, L.

Hülseweh, B., Dahlems, U. M., Dohmen, J., Strasser, A. W. M., Hollenberg, C. P.: Characterization of the active site of *Schwanniomyces occidentalis* glucoamylase by *in vitro* mutagenesis 244: 128
Humm, A., see Fritsche, E.
Hummel, M., Hedrich, H. C., Hasilik, A.: Elongation of *N*-acetyllactosamine repeats in diantennary oligosaccharides 245: 428
Humphries, M. J., see Davies, D.
Hundal, H. S., see McDowell, H. E.
Hundsberger, T., Braun, V., Weidmann, M., Leukel, P., Sauerborn, M., Eichel-Streiber, C. von: Transcription analysis of the genes *tcdA–E* of the pathogenicity locus of *Clostridium difficile* 244: 735
Hung, J.-J., see Chen, K.-D.
Hung, W., Olson, K. A., Breitkreutz, A., Sadowski, I.: Characterization of the basal and pheromone-stimulated phosphorylation states of Ste12p 245: 241
Hunt, D. M., see Bellingham, J.
Hunter, C. N., see Babic, S.
Hurwitz, C. D., see Eytan, G. D.
Hurwitz, R., see Ferlinz, K.
Husselstein, T., see Bouvier-Navé, P.
Husson, A., see Bourgeois, P.
Hüttelmaier, S., Bubeck, P., Rüdiger, M., Jockusch, B. M.: Characterization of two F-actin–binding and oligomerization sites in the cell-contact protein vinculin 247: 1136
Huxley, P., see Betz, M.
Huygen, K., see Peirs, P.
Hyttinen, J.-M., see Korhonen, V.-P.

Iametti, S., see Uhlmann, H.
Ianniciello, G., see Masullo, M.
Iborra, J. L., see Lozano, P.
Icard-Liepkalns, C., Ravassard, P., Liepkalns, V. A., Chatail, F., Mallet, J.: An ADP-ribosylation-factor(ARF)-like protein involved in regulated secretion 246: 388
Igloi, G. L., see Stemmer, C.
Igloi, G., see Menéndez, C.
Ikeda, S., see Yamaguchi, T.
Ikemi, M., see Kataoka, M.
Ikudome, K., see Caceres-Cortes, J.
Illenberger, D., Schwald, F., Gierschik, P.: Characterization and purification from bovine neutrophils of a soluble guanine-nucleotide-binding protein that mediates isozyme-specific stimulation of phospholipase C β_2 246: 71
Illich, V., see Abend, A.
Ilmén, M., see Nakari-Setälä, T.
Ilyasov, A. V., see Grechkin, A. N.
Imai, H., see Arai, M.
Imai, Y., see Kotera, J.
Imamura, M., see Koizumi, N.
Imaoka, T., see Mizuno, K.
Imbach, J.-L., see Pelicano, H.
Imber, R., see Gysin, S.
Imbert, J., see Faure, E.
Imberty, A., see Casset, F.
Imreh, G., see Söderqvist, H.
Kihlmark, M., see Söderqvist, H.
Inagaki, M., see Meijer, L.
Inagaki, N., see Meijer, L.
Inamasu, S., see Nobuhisa, I.
Inazu, T., see Tsubokawa, M.
Ingelman-Sundberg, M., see Zhukov, A.
Ingenhoven, N., see Rist, B.
Ingrosso, D., Cotticelli, M. G., D'Angelo, S., Buro, M. D., Zappia, V., Galletti, P.: Influence of osmotic stress on protein methylation in resealed erythrocytes 244: 918
Inoue, K., see Adachi, H.
Intine, R. V. A., see Good, L.
Iovanna, J. L., see Rechreche, H.
Irace, G., see Bismuto, E.
Iritani, N., see Fukuda, H.
Irvine, H. S., Shaw, S. M., Paton, A., Carrey, E. A.: A reciprocal allosteric mechanism for efficient transfer of labile intermediates between active sites in CAD, the mammalian pyrimidine-biosynthetic multienzyme polypeptide 247: 1063
Isenberg, G., see Goldmann, W. H.
Isenberg, G., see Goldmann, W. H.
Ishii-Karakasa, I., Iwase, H., Hotta, K.: Structural determination of the O-linked sialyl oligosaccharides liberated from fetuin with endo-α-*N*-acetylgalactosaminidase-S by HPLC analysis and 600-MHz ^{1}H-NMR spectroscopy 247: 709
Ishisaki, A., Murayama, T., Ballagi, A. E., Funa, K.: Nuclear factor Y controls the basal transcription activity of the mouse platelet-derived-growth-factor β-receptor gene 246: 142
Ishizuka, T., see Kotera, J.
Isono, K., see Kitakawa, M.
Issartel, J.-P., see Chevallet, M.
Issinger, O.-G., see Sarno, S.
Itkonen, A., see Väisänen, S.
Ito, M., see Yuda, M.
Itoh, K., see Kitagaki, H.
IUPAC-IUBMB Joint Commission on Biochemical Nomenclature (JCBN): Nomenclature of Carbohydrates. Recommendations 1996 243: 9
IUPAC-IUBMB Joint Commission on Biochemical Nomenclature (JCBN) and Nomenclature Committee of IUBMB (NC-IUBMB): Newsletter 1996 247: 733
Ivanov, I. G., see Kaloyanova, D.
Iwahana, H., see Koizumi, N.
Iwahana, H., see Yaoi, K.
Iwanaga, S., see Kimura, M.
Iwasaki, S., see Tanaka, K.
Iwase, H., see Ishii-Karakasa, I.
Izaurralde, E., see Lewis, J. D.
Izui, K., see Yano, M.
Izumi, Y., see Tanaka, Y.
Izumiyama, N., see Urano, S.

Jachymek, W., see Petersson, C.
Jack, R. S., see Stelter, F.
Jackson, V., see Basu, H. S.
Jacobsen, M. P., see Wilson, E. K.
Jacquemin, C., see Tournier, C.
Jacquet, C., see Moon, R. P.
Jacquet, M., see Camus, C.
Jacquot, J.-P., see García-Sánchez, M. I.
Jacquot, J.-P., see Mittard, V.
Jadot, M., Dubois, F., Wattiaux-De Coninck, S., Wattiaux, R.: Supramolecular assemblies from lysosomal matrix proteins and complex lipids 249: 862
Jagath, J. R., Sharma, B., Bhaskar, B., Datta, A., Rao, N. A., Savithri, H. S.: Importance of the amino terminus in maintenance of oligomeric structure of sheep liver cytosolic serine hydroxymethyltransferase 247: 372
Jagus, R., see Sharp, T. V.
Jähnig, F., see Stöckel, J.
Jakob, M., see Schutkowski, M.
Jakobs, K. H., see Rümenapp, U.
Jakobs, T. C., Schmutzler, C., Meissner, J., Köhrle, J.: The promoter of the human type I 5′-deiodinase gene – Mapping of the transcription start site and identification of a DR+4 thyroid-hormone-responsive element 247: 288
James, P., see Dainese Hatt, P.
James, P., see Dainese, P.
Jandrot-Perrus, M., see Arocas, V.
Janmey, P. A., see Fujita, H.
Janmey, P. A., see Tang, J. X.
Jänne, J., see Korhonen, V.-P.
Jänne, O. A., see Korhonen, V.-P.
Jansens, S., see Denolf, P.
Jansson, P.-E., see Knirel, Y. A.
Jansson, P.-E., see Risberg, A.
Jansson, S., see Hankamer, B.
Jaouen, M., see Delaforge, M.
Jarori, G. K., see Maity, H.
Jaros, P. P., see Duve, H.
Jarvis, S. M., see de Koning, H. P.
Jascur, T., see Williams, S.
Jasionowski, M., see Cao, Y.-J.
Jauhiainen, M., see Korhonen, V.-P.
Jauniaux, J.-C., see van Gool, L.
Javelle, F., see Negrel, J.
Jeanny, J.-C., see Colin, S.
Jeltsch, A., see Pingoud, A.
Jenh, C.-H., see Wiekowski, M.
Jensen, P. E. H., see Shanbhag, V. P.
Jensen, S., see Vrhovski, B.
Jeon, B.-S., Taguchi, H., Sakai, H., Ohshima, T., Wakagi, T., Matsuzawa, H.: 4-α-Glucanotransferase from the hyperthermophilic archaeon *Thermococcus litoralis* – Enzyme purification and characterization, and gene cloning, sequencing and expression in *Escherichia coli* 248: 171
Jeong, J. Y., see Seo, H. S.
Jerala, R., see Žerovnik, E.
Jespers, L., see Lasters, I.
Jessop, L., see Su, Y.
Jimenez, A., see Barrasa, M. I.
Jiménez, L., see Landa, A.
Jockusch, B. M., see Hüttelmaier, S.
Jockusch, B. M., see Winkler, J.
Johansson, J., Curstedt, T.: *Review.* Molecular structures and interactions of pulmonary surfactant components 244: 675
Johnsen, A. H., see Duve, H.
Johnsen, K., see Alvarez, J. A.
Johnsen, K., see Bernard, N.
Johnson, D., Cohen, P., Chen, M. X.., Chen, Y. H., Cohen, P. T. W.: Identification of the regions on the M_{110} subunit of protein phosphatase 1M that interact with the M_{21} subunit and with myosin 244: 931
Johnsson, B.-H., see Chirică, L. C.
Joliot, P., see Albouy, D.
Jolley, K. A., Russell, R. J. M., Hough, D. W., Danson, M. J.: Site-directed mutagenesis and halophilicity of dihydrolipoamide dehydrogenase from the halophilic archaeon, *Haloferax volcanii* 248: 362
Jondal, M., see Zhang, J.
Jones, A. D., see Nakagawa, Y.
Jones, C. A., Petrovic, N., Novak, E. K., Swank, R. T., Sigmund, C. D., Gross, K. W.: Biosynthesis of renin in mouse kidney tumor As4.1 cells 243: 181

Jones, C., see Crane, D. T.
Jones, K. M., see Stansfield, I.
Jörnvall, H., see Chen, Z.-w.
Jörnvall, H., see Norin, A.
Jörnvall, H., see Oppermann, U. C. T.
Josefsson, L.-G., Rask, L.: Cloning of a putative G-protein-coupled receptor from *Arabidopsis thaliana* 249: 415
Jue, T., see Kreutzer, U.
Jünemann, R., see Weglöhner, W.
Julenius, K., see Stenberg, Y.
Juliano, M. A., see El Moujahed, A.
Jung, G., see Zimmermann, N.
Jungblut, P. R., see Zeindl-Eberhart, E.
Junge, W., see Schulenberg, B.
Juntunen, K., see Väisänen, S.
Juréus, A., see Berthold, M.

Kaca, W., see Knirel, Y. A.
Kadenbach, B., see Arnold, S.
Kadotani, T., see Yaoi, K.
Kafatos, F. C., see Charlesworth, A.
Kahl, U., see Berthold, M.
Kaibuchi, K., see Tanaka, K.
Kaim, G., see Matthey, U.
Kakiuchi, N., see Urvil, P. T.
Kakkola, L., see Vihinen-Ranta, M.
Kal, A. J., see Rottensteiner, H.
Kalai, M., Montero-Julian, F. A., Brakenhoff, J. P. J., Fontaine, V., De Wit, L., Wollmer, A., Brailly, H., Content, J., Grötzinger, J.: Analysis of the mechanism of action of anti-human interleukin-6 and anti-human interleukin-6 receptor-neutralising monoclonal antibodies 249: 690
Kalbermatter, O., see Bott, M.
Kalbin, G., Ohlsson, A. B., Berglund, T., Rydström, J., Strid, Å.: Ultraviolet-B-radiation-induced changes in nicotinamide and glutathione metabolism and gene expression in plants 249: 465
Kalbitzer, H.-R., see Nordhoff, A.
Kalela, A., see Vihinen-Ranta, M.
Kalisz, H. M., see Gommel, D. U.
Kalkkinen, N., see Nakari-Setälä, T.
Kalousek, M. B., see Lim, K. L.
Kaloyanova, D., Xu, J., Ivanov, I. G., Abou-Haidar, M. G.: Gene expression evidence indicates that nucleotides 507–513 and 1434–1440 in 16S rRNA are organized in close proximity on the *Escherichia coli* 30S ribosomal subunit 248: 10
Kaltner, H., see Siebert, H.-C.
Kalz-Füller, B., see Bieberich, E.
Kamath-Loeb, A. S., Hizi, A., Tabone, J., Solomon, M. S., Loeb, L. A.: Inefficient repair of RNA · DNA hybrids 250: 492
Kamerling, J. P., see Lommerse, J. P. M.
Kamiguti, A. S., see Slupsky, J. R.
Kamimura, M., Tomita, S., Kiuchi, M., Fujiwara, H.: Tissue-specific and stage-specific expression of two silkworm ecdysone receptor isoforms – Ecdysteroid-dependent transcription in cultured anterior silk glands 248: 786
Kamiryo, T., see Bun-Ya, M.
Kanaani, J., Maltby, D., Somoza, J. R., Wang, C. C.: Inactivation of *Tritrichomonas foetus* and *Schistosoma mansoni* purine phosphoribosyltransferases by arginine-specific reagents 244: 810
Kanaho, Y., see Tanaka, K.
Kanai, T., see Umemura, K.
Kanaki, H., see Mori, S.
Kanaori, K., Takai, M., Nosaka, A. Y.: Comparative study of chicken and human parathyroid hormone-(1–34)-peptides in solution with SDS 249: 878
Kanayama, N., see Umemura, K.
Kandler, O., see Niemetz, R.
Kang, M.-S., see Seol, J. H.
Kantrowitz, E. R., see Sun, L.
Kaptein, R., see Siebert, H.-C.
Karasawa, K., see Yokoyama, K.
Kärcher, U., see Niemetz, R.
Karhunen, T., see Ulmanen, I.
Karkucińska, A., see Kołakowski, J.
Karlsson, E., see Cotton, J.
Karnauchov, I., Herrmann, R. G., Pakrasi, H. B., Klösgen, R. B.: Transport of CtpA protein from the cyanobacterium *Synechocystis* 6803 across the thylakoid membrane in chloroplasts 249: 497
Karoui, H., see Marrakchi, N.
Karst, F., see Kribii, R.
Kask, K., see Berthold, M.
Kašpárková, J., see Žaludová, R.
Kasprzykowski, F., see Cao, Y.-J.
Kassab, R., see Bartegi, A.
Kasza, A., Petersen, H. H., Heegaard, C. W., Oka, K., Christensen, A., Dubin, A., Chan, L., Andreasen, P. A.: Specificity of serine proteinase/serpin complex binding to very-low-density lipoprotein receptor and α_2-macroglobulin receptor/low-density-lipoprotein-receptor-related protein 248: 270
Kataoka, M., Ikemi, M., Morikawa, T., Miyoshi, T., Nishi, K.-i., Wada, M., Yamada, H., Shimizu, S.: Isolation and characterization of D-threonine aldolase, a pyridoxal-5′-phosphate-dependent enzyme from *Arthrobacter* sp. DK-38 248: 385
Kato, A., see Asano, N.
Kato, T., see Sano, H.
Kato, Y., see Hisabori, T.
Katsu, Y., Yamashita, M., Nagahama, Y.: Isolation and characterization of goldfish Y box protein, a germ-cell-specific RNA-binding protein 249: 854
Katsuyama, R., see Morio, H.
Kaufman, R. J., see Thorelli, E.
Kaufmann, S., see Goldmann, W. H.
Kauppi, B., see Gerez, C.
Kawabata, M., see Yamane, K.
Kawachi, H., Shimizu, K., Atomi, H., Sanuki, S-i., Ueda, M., Tanaka, A.: Gene analysis of an NADP-linked isocitrate dehydrogenase localized in peroxisomes of the *n*-alkane-assimilating yeast *Candida tropicalis* 250: 205
Kawahara, K., see Shibata, N.
Kawai, Y., see Sano, H.
Kawano, K., see Mizuguchi, M.
Kawasaki, H., see Sakamoto, T.
Kawasaki, T., see Morio, H.
Kawasaki, T., see Yamaji, T.
Kawashima, I., see Yokoyama, K.
Kawashima, K., see Kotera, J.
Kay, J., see Moon, R. P.
Kayser, G., see Siebert, H.-C.
Kayser, H., Winkler, T., Spindler-Barth, M.: 26-Hydroxylation of ecdysteroids is catalyzed by a typical cytochrome *P*-450-dependent oxidase and related to ecdysteroid resistance in an insect cell line 248: 707
Kazahari, K., Sano, E., Matsuura, N., Ono, M.: Chromatin structure of the rat somatotropin gene locus and physical linkage of the rat somatotropin gene and skeletal-muscle sodium-channel gene 244: 494
Ke, Y., see Mizuguchi, M.
Keane, N. E., Quirk, P. G., Gao, Y., Patchell, V. B., Perry, S. V., Levine, B. A.: The ordered phosphorylation of cardiac troponin I by the cAMP-dependent protein kinase – Structural consequences and functional implications 248: 329
Keilholz, W., see Arnold, D.
Kejzlarová-Lepesant, J., see Massey, H. C. Jr
Kejzlarová-Lepesant, J., see Mousseron-Grall, S.
Keller, H., see Simonen, M.
Kelly, G. P., Muskett, F. W., Whitford, D.: Analysis of backbone dynamics in cytochrome b_5 using ^{15}N-NMR relaxation measurements 245: 349
Kelly, J. M., see Tomas, A. M.
Kelsey, G., see Taraviras, S.
Kemp, B. E., see Heierhorst, J.
Kemper, B., see Golz, S.
Kenne, L., see Petersson, C.
Kennedy, S. H., see Aho, S.
Kenyon, S. H., see Nicolaou, A.
Kerler, R., see Zeindl-Eberhart, E.
Kervinen, J., see Costa, J.
Kessler, B., see Kraak, M. N.
Kessler, H., see Berglechner, F.
Kettunen, R., Pursiheimo, S., Rintamäki, E., van Wijk, K.-J., Aro, E.-M.: Transcriptional and translational adjustments of *psbA* gene expression in mature chloroplasts during photoinhibition and subsequent repair of photosystem II 247: 441
Khan, K. K., Mazumdar, S., Modi, S., Sutcliffe, M., Roberts, G. C. K., Mitra, S.: Steady-state and picosecond-time-resolved fluorescence studies on the recombinant heme domain of *Bacillus megaterium* cytochrome *P*-450 244: 361
Khramtsov, V. V., see Balakirev, M. Y.
Kido, T., Sawamura, T., Hoshikawa, H., D'Orléans-Juste, P., Denault, R., Leduc, J.-B., Kimura, J., Masaki, T.: Processing of proendothelin-1 at the C-terminus of big endothelin-1 is essential for proteolysis by endothelin-converting enzyme-1 *in vivo* 244: 520
Kienzle, N., see Fackler, O. T.
Kiess, M., see Gommel, D. U.
Kieweg, V., Kräutle, F.-G., Nandy, A., Engst, S., Vock, P., Abdel-Ghany, A.-G., Bross, P., Gregersen, N., Rasched, I., Strauss, A., Ghisla, S.: Biochemical characterization of purified, human recombinant Lys304→Glu medium-chain acyl-CoA dehydrogenase containing the common disease-causing mutation and comparison with the normal enzyme 246: 548
Kieweg, V., see Eder, M.
Kiger, L., Baudin, V., Desbois, A., Pagnier, J., Kister, J., Griffon, N., Henry, Y., Poyart, C., Marden, M. C.: Recombinant [Pheβ63]hemoglobin shows rapid oxidation of the β chains and low-affinity, non-cooperative oxygen binding to the α subunits 243: 365
Kihara, H., see Nobuhisa, I.

Kihara, T., Ohnishi, J., Kohyama, K., Moriyama, A., Takahashi, T.: Identification and activation of profollipsin, a latent precursor form of porcine follipsin 245: 392
Kilian, C., see Fan, H.
Kim, D. W., see Gwack, Y.
Kim, H. Y., see Seo, H. S.
Kim, J.-J. P., see Eder, M.
Kim, M., see Arnold, S.
Kim, S.-H., see Filgueira de Azevedo, W.
Kimmel, A. R., see Weber, I. T.
Kimura, H., see Koda, Y.
Kimura, J., see Kido, T.
Kimura, K., see Tanaka, K.
Kimura, M., Harada, N., Iwanaga, S., Yamasaki, N.: Analysis of the complex formed by *Erythrina variegata* chymotrypsin inhibitor with chymotrypsin and properties of the peptides prepared from the inhibitor by a limited proteolysis 249: 870
Kirch, H.-C., Putzer, B., Brockmann, D., Esche, H., Kloke, O.: Formation of the early-region-2 transcription-factor-1–retinoblastoma-protein (E2F-1–RB) *trans*repressor and release of the retinoblastoma protein from nuclear complexes containing cyclin A is induced by interferon α in U937V cells but not in interferon-α-resistant U937VR cells 246: 736
Kishi, S., see Mizuno, K.
Kiss, Z., Mukherjee, J. J., Crilly, K. S., Chung, T.: Ethanolamine, but not phosphoethanolamine, potentiates the effects of insulin, phosphocholine, and ATP on DNA synthesis in NIH 3T3 cells – Role of mitogen-activated protein-kinase-dependent and protein-kinase-independent mechanisms 250: 395
Kister, J., see Kiger, L.
Kitagaki, H., Shimoi, H., Itoh, K.: Identification and analysis of a static culture-specific cell wall protein, Tir1p/Srp1p in *Saccharomyces cerevisiae* 249: 343
Kitajima, S., see Chibazakura, T.
Kitakawa, M., Graack, H.-R., Grohmann, L., Goldschmidt-Reisin, S., Herfurth, E., Wittmann-Liebold, B., Nishimura, T., Isono, K.: Identification and characterization of the genes for mitochondrial ribosomal proteins of *Saccharomyces cerevisiae* 245: 449
Kitayaki, M., see Kunugi, S.
Kiuchi, M., see Kamimura, M.
Kizu, H., see Asano, N.
Kjellberg, A., Weintraub, A., Albert, M. J., Widmalm, G.: Structural analysis of the O-antigenic polysaccharide from *Vibrio cholerae* O10 249: 758
Kjœr, B., see Scott, M. P.
Klappa, P., Hawkins, H. C., Freedman, R. B.: Interactions between protein disulphide isomerase and peptides 248: 37
Klarskov, K., see Roecklin, D.
Kleff, S., Sander, S., Mielke, G., Eising, R.: The predominant protein in peroxisomal cores of sunflower cotyledons is a catalase that differs in primary structure from the catalase in the peroxisomal matrix 245: 402
Klein, A. R., Thauer, R. K.: Overexpression of the coenzyme-F_{420}-dependent N^5,N^{10}-methylenetetrahydromethanopterin dehydrogenase gene from the hyperthermophilic *Methanopyrus kandleri* 245: 386
Klein, A., see Sorgenfrei, O.
Kleine, H., see Kramer, W.
Kleinig, H., see Bonk, M.
Kleinkauf, H., see Dieckmann, R.
Kleinwächter, V., see Žaludová, R.
Klimkait, T., see Fackler, O. T.
Klingmüller, U.: *Review.* The role of tyrosine phosphorylation in proliferation and maturation of erythroid progenitor cells – Signals emanating from the erythropoietin receptor 249: 637
Klinken, S. P., see Busfield, S. J.
Klinken, S. P., see Callus, B. A.
Klipp, E., see Heinrich, R.
Kloke, O., see Kirch, H.-C.
Klonowska, A., see Petersson, C.
Klösgen, R. B., see Karnauchov, I.
Knäuper, V., Smith, B., López-Otin, C., Murphy, G.: Activation of progelatinase B (proMMP-9) by active collagenase-3 (MMP-13) 248: 369
Knippers, R., see Richter, A.
Knirel, Y. A., Kaca, W., Paramonov, N. A., Cedzynski, M., Vinogradov, E. V., Ziolkowski, A., Shashkov, A. S., Rozalski, A.: Structure of the O-specific polysaccharide of *Proteus vulgaris* O25 containing 3-*O*-[(*R*)-1-carboxyethyl]-D-glucose 247: 951
Knirel, Y. A., see Fukuoka, S.
Knirel, Y. A., see Senchenkova, S. N.
Knirel, Y. A., Widmalm, G., Senchenkova, S. N., Jansson, P.-E., Weintraub, A.: Structural studies on the short-chain lipopolysaccharide of *Vibrio cholerae* O139 Bengal 247: 402
Knol, J., see Hagting, A.
Knolle, J., see Lange-Savage, G.
Knossow, M., see Gigant, B.
Knudsen, C. R., see Rattenborg, T.
Kobayashi, A., see Numayama-Tsuruta, K.
Kobayashi, A., see Yano, T.
Kobayashi, H., see Shibata, N.
Kobayashi, R., see O'Gara, M.
Kobayashi, T., see Takeda, S.
Kobayashi, Y., see Mizuno, K.
Koblizek, T. I., Runting, A. S., Stacker, S. A., Wilks, A. F., Risau, W., Deutsch, U.: Tie2 receptor expression and phosphorylation in cultured cells and mouse tissues 244: 774
Koda, Y., Soejima, M., Wang, B., Kimura, H.: Structure and expression of the gene encoding secretor-type galactoside 2-α-L-fucosyltransferase (*FUT2*) 246: 750
Kogler, H., see Prasch, T.
Kohl, D. H., see Debnam, P. M.
Köhrle, J., see Jakobs, T. C.
Kohyama, K., see Kihara, T.
Koizumi, N., Morozumi, A., Imamura, M., Tanaka, E., Iwahana, H., Sato, R.: Lipopolysaccharide-binding proteins and their involvement in the bacterial clearance from the hemolymph of the silkworm *Bombyx mori* 248: 217
Kojro, E., see Cao, Y.-J.
Kołakowski, J., Karkucińska, A., Dąbrowska, R.: Calponin inhibits actin-activated MgATPase of myosin subfragment 1 (S1) without displacing S1 from its binding site on actin 243: 624
Kondo, M., see Hiraiwa, N.
König, A., Schwecke, T., Molnár, I., Böhm, G. A., Lowden, P. A. S., Staunton, J., Leadlay, P. F.: The pipecolate-incorporating enzyme for the biosynthesis of the immunosuppressant rapamycin – Nucleotide sequence analysis, disruption and heterologous expression of *rapP* from *Streptomyces hygroscopicus* 247: 526
König, H., see Niemetz, R.
Konings, W. N., see Hagting, A.
Kononenko, N. V., see Zamolodchikova, T. S.
Konvalinka, J., Litera, J., Weber, J., Vondrášek, J., Hradílek, M., Souček, M., Pichová, I., Majer, P., Štrop, P., Sedláček, J., Heuser, A.-M., Kottler, H., Kräusslich, H.-G.: Configurations of diastereomeric hydroxyethylene isosteres strongly affect biological activities of a series of specific inhibitors of human-immunodeficiency-virus proteinase 250: 559
Kooistra, T., see Lansink, M.
Kopeyan, C., see Cestèle, S.
Kopitz, J., Sinz, K., Brossmer, R., Cantz, M.: Partial characterization and enrichment of a membrane-bound sialidase specific for gangliosides from human brain tissue 248: 527
Kopp, M. U., Winterhalter, K. H., Trueb, B.: DNA methylation accounts for the inhibition of collagen VI expression in transformed fibroblasts 249: 489
Kordiš, D., Gubenšek, F.: Bov-B long interspersed repeated DNA (LINE) sequences are present in *Vipera ammodytes* phospholipase A_2 genes and in genomes of Viperidae snakes 246: 772
Korhonen, V.-P., Tolvanen, M., Hyttinen, J.-M., Uusi-Oukari, M., Sinervirta, R., Alhonen, L., Jauhiainen, M., Jänne, O. A., Jänne, J.: Expression of bovine β-lactoglobulin/human erythropoietin fusion protein in the milk of transgenic mice and rabbits 245: 482
Korn, M., see Zickermann, I.
Korochkina, S. E., see Zakharkin, S. O.
Korosec, T., see Holzmann, K.
Koskiniemi, S., see Nilsson, J.
Kostikowa, T., see Meshalkina, L.
Kotera, J., Yanaka, N., Fujishige, K., Imai, Y., Akatsuka, H., Ishizuka, T., Kawashima, K., Omori, K.: Expression of rat cGMP-binding cGMP-specific phosphodiesterase mRNA in Purkinje cell layers during postnatal neuronal development 249: 434
Kotovuori, P., see Gahmberg, C. G.
Kottler, H., see Konvalinka, J.
Kovács, T., see Sonnenbichler, J.
Kozawa, O., Blume-Jensen, P., Heldin, C.-H., Rönnstrand, L.: Involvement of phosphatidylinositol 3′-kinase in stem-cell-factor-induced phospholipase D activation and arachidonic acid release 248: 149
Kozutsumi, Y., see Morio, H.
Kozutsumi, Y., see Yamaji, T.
Kraak, M. N., Kessler, B., Witholt, B.: *In vitro* activities of granule-bound poly[(*R*)-3-hydroxyalkanoate] polymerase C1 of *Pseudomonas oleovorans* – Development of an activity test for medium-chain-length–poly(3-hydroxyalkanoate) polymerases 250: 432
Kragh-Hansen, U., see Minchiotti, L.
Krajcsi, P., see Marton, A.

Krämer, R., see Ruffert, S.
Kramer, R. M., see Börsch-Haubold, A. G.
Kramer, W., Wess, G., Bewersdorf, U., Corsiero, D., Girbig, F., Weyland, C., Stengelin, S., Enhsen, A., Bock, K., Kleine, H., Le Dreau, M.-A., Schäfer, H.-L.: Topological photoaffinity labeling of the rabbit ileal Na^+/bile-salt-cotransport system 249: 456
Krapp, A. R., Tognetti, V. B., Carrillo, N., Acevedo, A.: The role of ferredoxin-$NADP^+$ reductase in the concerted cell defense against oxidative damage – Studies using *Escherichia coli* mutants and cloned plant genes 249: 556
Kraus, B., Pette, D.: Quantification of MyoD, myogenin, MRF4 and Id-1 by reverse-transcriptase polymerase chain reaction in rat muscles – Effects of hypothyroidism and chronic low-frequency stimulation 247: 98
Krause, U., see Blommaart, E. F. C.
Kräusslich, H.-G., see Gross, I.
Kräusslich, H.-G., see Konvalinka, J.
Krauth-Siegel, R. L., see Schöneck, R.
Kräutle, F., see Eder, M.
Kräutle, F.-G., see Kieweg, V.
Krawinkel, U., see Hemmerich, P.
Krebs, D., see Frère-Gallois, V.
Krebs, W., see Steuber, J.
Kreger, S., see Paliga, K.
Kreil, G., see Arming, S.
Kreil, G., see Vlasak, R.
Kremer, H., see Akhmanova, A.
Kremmer, E., see Fackler, O. T.
Krepps, B. L., see O'Keefe, B. R.
Kreutzer, U., Jue, T.: Metabolic response in *Arenicola marina* to limiting oxygen as reflected in the ^{1}H-NMR oxymyoglobin signal 243: 233
Kreuwel, H., see Bruggeman, Y. E.
Kribii, R., Arró, M., del Arco, A., González, V., Balcells, L., Delourme, D., Ferrer, A., Karst, F., Boronat, A.: Cloning and characterization of the *Arabidopsis thaliana SQS1* gene encoding squalene synthase – Involvement of the C-terminal region of the enzyme in the channeling of squalene through the sterol pathway 249: 61
Krieg, M., see Grasser, K. D.
Krishnan, K., Pine, R., Krolewski, J. J.: Kinase-deficient forms of Jak1 and Tyk2 inhibit interferon α signaling in a dominant manner 247: 298
Kristoffersen, P., see Teichmann, T.
Kroes, S. J., see Danielsen, E.
Kröger, A., see Lenger, R.
Kröger, N., Lehmann, G., Rachel, R., Sumper, M.: Characterization of a 200-kDa diatom protein that is specifically associated with a silica-based substructure of the cell wall 250: 99
Krogh, T. N., Bachmann, E., Teisner, B., Skjødt, K., Højrup, P.: Glycosylation analysis and protein structure determination of murine fetal antigen 1 (mFA1) – The circulating gene product of the delta-like protein (dlk), preadipocyte factor 1 (Pref-1) and stromal-cell-derived protein 1 (SCP-1) cDNAs 244: 334
Krolewski, J. J., see Krishnan, K.
Krömer, W. J., Carafoli, E., Bailey, J. E.: Purification of the cardiac sarcoplasmic reticulum membrane protein phospholamban from recombinant *Escherichia coli* 248: 814
Kroon, P. A., Faulds, C. B., Brézillon, C., Williamson, G.: Methyl phenylalkanoates as substrates to probe the active sites of esterases 248: 245
Kroon-Žitko, L., see Žerovnik, E.
Kroth-Pancic, P., see Hisabori, T.
Kubli, E., see Soller, M.
Kubo, T., see Ohashi, K.
Kuchel, P. W., see Himmelreich, U.
Kuchel, P. W., see Mulquiney, P. J.
Kuchel, P. W., see Wright, L. C.
Kücherer, C., see Fackler, O. T.
Kuchler, K., see Urlinger, S.
Kudo, K., see Yonezawa, N.
Kuenen, J. G., see De Jong, G. A. H.
Kuger, P., see Weirich, J.
Kühn, H., see Holzhütter, H.-G.
Kuhn, L., see Busfield, S. J.
Kuipers, O. P., see van Kraaij, C.
Kulikowska, E., see Wielgus-Kutrowska, B.
Kulminskaya, A. A., see Bagiyan, F. G.
Kumar, A., see Mikolajczyk, S. D.
Kumar, P. K. R., see Urvil, P. T.
Künkel, A., Vaupel, M., Heim, S., Thauer, R. K., Hedderich, R.: Heterodisulfide reductase from methanol-grown cells of *Methanosarcina barkeri* is not a flavoenzyme 244: 226
Kunugi, S., Kitayaki, M., Yanagi, Y., Tanaka, N., Lange, R., Balny, C.: The effect of high pressure on thermolysin 248: 567
Kunz, B., see Lierheimer, R.
Künzler, P., see Thöny-Meyer, L.
Küpper, J.-H.see van Gool, L.
Kurata, H., see Morio, H.
Kurata, S., see Yano, T.
Kurata, W. E., see Berthoud, V. M.
Kureishi, Y., see Yuda, M.
Kurjanczyk, L. A., see Aspinall, G. O.
Kuroki, T., see Ueda, T.
Kurosawa, Y., see Seimiya, M.
Kushnirov, V. V., see Stansfield, I.
Kusumi, T., see Fujiwara, H.
Kusumoto, S., see El-Samalouti, V. T.
Kuwana, H., see Yaoi, K.
Kuzumaki, N., see Fujita, H.
Kvietikova, I., see Wenger, R. H.
Kwiatkowski, D. J., see Fujita, H.
Kyozuka, K., see Santella, L.

Laage, R., Langosch, D.: Dimerization of the synaptic vesicle protein synaptobrevin (vesicle-associated membrane protein) II depends on specific residues within the transmembrane segment 249: 540
Laane, C., see Bruggeman, Y. E.
Laatikainen, R., see Hakalehto, E.
Labarre, J., see Colin, S.
Labelle, M., St-Pierre, S., Savard, R., Boulanger, Y.: Solution structure of neuropeptide tyrosine 13–36, a Y2 receptor agonist, as determined by NMR 246: 780
Labeur, C., see Peelman, F.
Labischinski, H., see Fischer, W.
Lacroix, D., Sonnier, M., Moncion, A., Cheron, G., Cresteil, T.: Expression of CYP3A in the human liver – Evidence that the shift between CYP3A7 and CYP3A4 occurs immediately after birth 247: 625
Lacy, E. R., see Fullbright, G.
Ladant, D., see Heveker, N.
Laffont, C., see Giordanengo, V.
Lafont, V., see Sainte-Marie, J.
Lagarde, M., see El Bawab, S.
Lagarde, P., see Montaudon, D.
Lahmy, S., see Caparros-Ruiz, D.
Lahouratate, P., see Berrebi-Bertrand, I.
Lahouratate, V., see Berrebi-Bertrand, I.
Lai, D. S. Y., see Lim, K. L.
Lai, Y.-K., see Chen, K.-D.
Lalanne, J.-L., see Rocher, C.
Lallemand, J.-Y., see Lequin, O.
Lallier, F. H., see Zal, F.
Lam, B. K., see Penrose, J. F.
Lamb, N. J. C., see Turowski, P.
Lambert, C., see Ruffert, S.
Lamers, W. H., see Lie-Venema, H.
Lamotte-Brasseur, J., see Feller, G.
Lampe, P. D., see Berthoud, V. M.
Lancelin, J.-M., see Mittard, V.
Landa, A., Rojo-Domínguez, A., Jiménez, L., Fernández-Velasco, D. A.: Sequencing, expression and properties of triosephosphate isomerase from *Entamoeba histolytica* 247: 348
Landa, A., see Ostoa-Saloma, P.
Landersjö, C., Weintraub, A., Widmalm, G.: Structural analysis of the O-antigenic polysaccharide from the enteropathogenic *Escherichia coli* O142 244: 449
Landgraf, G., see Schutkowski, M.
Landolfo, S., see Gribaudo, G.
Landrieu, I., Vandenbol, M., Härtlein, M., Portetelle, D.: Mitochondrial asparaginyl-tRNA synthetase is encoded by the yeast nuclear gene *YCR24c* 243: 268
Landry, S. J., see Bramhall, E. A.
Lane, I., see Solomon, P. S.
Lanéelle, M.-A., see Quémard, A.
Lang, M. A., see Raffalli-Mathieu, F.
Lange, R., see Bancel, F.
Lange, R., see Kunugi, S.
Langel, Ü., see Berthold, M.
Lange-Savage, G., Berchtold, H., Liesum, A., Budt, K.-H., Peyman, A., Knolle, J., Sedlacek, J., Fabry, M., Hilgenfeld, R.: Structure of HOE/BAY 793 complexed to human immunodeficiency virus (HIV-1) protease in two different crystal forms – Structure/function relationship and influence of crystal packing 248: 313
Langosch, D., see Laage, R.
Laniel, M.-A., see Bergeron, M.-J.
Lankiewicz, L., see Cao, Y.-J.
Lansink, M., van Bennekum, A. M., Blaner, W. S., Kooistra, T.: Differences in metabolism and isomerization of all-*trans*-retinoic acid and 9-*cis*-retinoic acid between human endothelial cells and hepatocytes 247: 596
Lansmann, S., see Ferlinz, K.
Lanz, E., see Brinkmann, K.
Lanz, R., see Seip, S.
Lanz-Mendoza, H., see Bettencourt, R.
Lanzotti, V., see Overmars, F. J. J.
Lapidot, A., Gopher, A.: Quantitation of metabolic compartmentation in hyperammonemic brain by natural abundance ^{13}C-NMR detection of ^{13}C-^{15}N coupling patterns and isotopic shifts 243: 597
Laporte, F., see Escriou, V.
Larionova, N. I., see Zamolodchikova, T. S.
Laroy, W., see Maras, M.

Larsen, L. B., Ravn, P., Boisen, A., Berglund, L., Petersen, T. E.: Primary structure of EPV20, a secretory glycoprotein containing a previously uncharacterized type of domain 243: 437
Lasa, M., Marin, O., Pinna, L. A.: Rat liver Golgi apparatus contains a protein kinase similar to the casein kinase of lactating mammary gland 243: 719
Lassegues, M., Milochau, A., Doignon, F., Du Pasquier, L., Valembois, P.: Sequence and expression of an *Eisenia-fetida*-derived cDNA clone that encodes the 40-kDa fetidin antibacterial protein 246: 756
Lasters, I., Van Herzeele, N., Lijnen, H. R., Collen, D., Jespers, L.: Enzymatic properties of phage-displayed fragments of human plasminogen 244: 946
Latal, A., Degovics, G., Epand, R. F., Epand, R. M., Lohner, K.: Structural aspects of the interaction of peptidyl-glycylleucine-carboxyamide, a highly potent antimicrobial peptide from frog skin, with lipids 248: 938
Latge, J.-P., see Fontaine, T.
Latorre, K. A., Harris, D. M., Rundle, S. J.: Differential expression of three *Arabidopsis* genes encoding the B′ regulatory subunit of protein phosphatase 2A 245: 156
Lau, A. F., see Berthoud, V. M.
Laurent-Winter, C., Ngo, S., Danchin, A., Bertin, P.: Role of *Escherichia coli* histone-like nucleoid-structuring protein in bacterial metabolism and stress response – Identification of targets by two-dimensional electrophoresis 244: 767
Law, J. H., see Charlesworth, A.
Law, R. D., Plaxton, W. C.: Regulatory phosphorylation of banana fruit phospho*enol*pyruvate carboxylase by a copurifying phospho*enol*pyruvate carboxylase-kinase 247: 642
Laynez, J., see Gasset, M.
Lazarus, L. H., see Crescenzi, O.
Le Campion, L., Delaforge, M., Noel, J. P., Ouazzani, J.: Metabolism of ^{14}C-labelled 5-nitro-1,2,4-triazol-3-one by rat liver microsomes – Evidence for the participation of cytochrome *P*-450 248: 401
Le Dreau, M.-A., see Kramer, W.
Le Goffic, F., see Hichami, A.
Le, H., Chang, S.-C., Tanguay, R. L., Gallie, D. R.: The wheat poly(A)-binding protein functionally complements *pab1* in yeast 243: 350
Leadlay, P. F., see König, A.
Leberman, R., see Taupin, C. M.-J.
Leblais, V., see Hichami, A.
Lebreton, S., Gontero, B., Avilan, L., Ricard, J.: Information transfer in multienzyme complexes – I. Thermodynamics of conformational constraints and memory effects in the bienzyme glyceraldehyde-3-phosphate-dehydrogenase–phosphoribulokinase complex of *Chlamydomonas reinhardtii* chloroplasts 250: 286
Lebreton, S., Gontero, B., Avilan, L., Ricard, J.: Memory and imprinting effects in multienzyme complexes – II. Kinetics of the bienzyme complex from *Chlamydomonas reinhardtii* and hysteretic activation of chloroplast oxidized phosphoribulokinase 246: 85
Lebreton, S., see Avilan, L.
Lebrun, B., see Romi-Lebrun, R.
Lecestre, D., see Mas, E.
Lecine, P., see Faure, E.
Leclerc, S., see Bergeron, M.-J.
Leclerc, S., see Filgueira de Azevedo, W.
Lecouvey, M., Frochot, C., Miclo, L., Orlewski, P., Driou, A., Linden, G., Gaillard, J.-L., Marraud, M., Cung, M. T., Vanderesse, R.: Two-dimensional ^{1}H-NMR and CD structural analysis in a micellar medium of a bovine α_{S1}-casein fragment having benzodiazepine-like properties 248: 872
Lecureur, V., see Fardel, O.
Leduc, J.-B., see Kido, T.
Lee, I., see Arnold, S.
Lee, J., see Petushkov, V. N.
Lee, K. S., see Hong, J. W.
Lee, S. Y., see Seo, H. S.
Lee, Y. M., see Nakagawa, Y.
Leeper, F. J., see Schenk, G.
Lefebvre, J.-C., see Giordanengo, V.
LeGall, J., see Pereira, I. A. C.
Legall, J., see Turner, D. L.
Legrain, C., see Roovers, M.
Legrain, C., see Sanchez, R.
Legrain, C., Villeret, V., Roovers, M., Gigot, D., Dideberg, O., Piérard, A., Glansdorff, N.: Biochemical characterisation of ornithine carbamoyltransferase from *Pyrococcus furiosus* 247: 1046
Legrand, A., see Hichami, A.
Lehmann, G., see Kröger, N.
Lehmberg, E., see Nakagawa, Y.
Lelièvre, D., Hsu, S.-C., Daubos, P., Favard, C., Vigny, P., Trudelle, Y., Steward, M. W., Delmas, A.: Structural properties of chimeric peptides containing a T-cell epitope linked to a fusion peptide and their importance for *in vivo* induction of cytotoxic T-cell responses 249: 895
Leloup, L., see Haddaoui, El A.
Leng, M., see Berners-Price, S. J.
Lenger, R., Herrmann, U., Gross, R., Simon, J., Kröger, A.: Structure and function of a second gene cluster encoding the formate dehydrogenase of *Wolinella succinogenes* 246: 646
Leonardsson, G., Ny, T.: Characterisation of the rat tissue-type plasminogen activator gene promoter – Identification of a TAAT-containing promoter element 248: 676
Lepesant, J.-A., see Mousseron-Grall, S.
Lequin, O., Thüring, H., Robin, M., Lallemand, J.-Y.: Three-dimensional solution structure of human angiogenin determined by ^{1}H,^{15}N-NMR spectroscopy – Characterisation of histidine protonation states and pK_a values 250: 712
Lerche, C., Fautrel, A., Shaw, P. M., Glaise, S., Ballet, F., Guillouzo, A., Corcos, L.: Regulation of the major detoxication functions by phenobarbital and 3-methylcholanthrene in co-cultures of rat hepatocytes and liver epithelial cells 244: 98
Leriche, C., Badet-Denisot, M.-A., Badet, B.: Affinity labeling of *Escherichia coli* glucosamine-6-phosphate synthase with a fructose 6-phosphate analog – Evidence for proximity between the N-terminal cysteine and the fructose-6-phosphate-binding site 245: 418
Leroux, C., see Ferranti, P.
Lesgards, G., see Carsol, M. A.
Lethias, C., Exposito, J.-Y., Garrone, R.: Collagen fibrillogenesis during sea urchin development – Retention of SURF motifs from the N-propeptide of the 2α chain in mature fibrils 245: 434
Leukel, P., see Hundsberger, T.
Leurs, R., see Tensen, C.
Levine, B. A., see Keane, N. E.
Levy, S. B., see Draper, M. P.
Lewis, J. D., Izaurralde, E.: *Review.* The role of the cap structure in RNA processing and nuclear export 247: 461
Leydier, C., see Raimbault, C.
Lhomond, G., see Ghiglione, C.
Li, J.-L., Baker, D. A.: Protein phosphatase β, a putative type-2A protein phosphatase from the human malaria parasite *Plasmodium falciparum* 249: 98
Li, W., Churchich, J. E.: Activation of partially folded mitochondrial malate dehydrogenase by thioredoxin 246: 127
Liang, P., Amons, R., MacRae, T. H., Clegg, J. S.: Purification, structure and *in vitro* molecular-chaperone activity of *Artemia* p26, a small heat-shock/α-crystallin protein 243: 225
Liao, T.-H., see Hsiao, Y.-M.
Libert, F., see Wilkin, F.
Lichter, P., see van Gool, L.
Lidholm, J., see Tamborini, E.
Lieb, K., see Bauer, M. K. A.
Liebermann, B., see Delaforge, M.
Liepkalns, V. A., see Icard-Liepkalns, C.
Lierheimer, R., Kunz, B., Vogt, L., Savoca, R., Brodbeck, U., Sonderegger, P.: The neuronal cell-adhesion molecule axonin-1 is specifically released by an endogenous glycosylphosphatidylinositol-specific phospholipase 243: 502
Liesum, A., see Lange-Savage, G.
Lie-Venema, H., de Boer, P. A. J., Moorman, A. F. M., Lamers, W. H.: Organ-specific activity of the 5′ regulatory region of the glutamine synthetase gene in developing mice 248: 644
Lijnen, H. R., see Lasters, I.
Lilja, H., see Lundwall, Å.
Lill, H., see Schulenberg, B.
Lim, K. L., Lai, D. S. Y., Kalousek, M. B., Wang, Y., Pallen, C. J.: Kinetic analysis of two closely related receptor-like protein-tyrosine-phosphatases, PTPα and PTPε 245: 693
Lim, S.-S., see Skurat, A. V.
Limmer, S., see Nawrot, B.
Lindbom, L., see Schmidt, M.
Linden, G., see Lecouvey, M.
Linder, D., see Arnold, S.
Linder, D., see Tersteegen, A.
Linder, S., see Ljungdahl, S.
Lindigkeit, R., Biller, A., Buch, M., Schiebel, H.-M., Boppré, M., Hartmann, T.: The two faces of pyrrolizidine alkaloids: the role of the tertiary amine and its *N*-oxide in chemical defense of insects with acquired plant alkaloids 245: 626
Lindley, I. J. D., see Harant, H.
Lindner, A. B., see Tawfik, D. S.
Lindner, B., see Fukuoka, S.
Lindquist, K. R., see Bettencourt, R.
Lindsay, H. D., see Aoufouchi, S.

Lindskog, S., see Chirică, L. C.
Ling, V., see Shapiro, A. B.
Ling, V., see Shapiro, A. B.
Ling, V., see Shapiro, A. B.
Lingrel, J. B., see Croyle, M. L.
Link, T. A., see Soppa, J.
Link, T. A., see Zickermann, I.
Linnerborg, M., Weintraub, A., Widmalm, G.: Structural studies of the O-antigen polysaccharide from *Escherichia coli* O138 247: 567
Linnerborg, M., Wollin, R., Widmalm, G.: Structural studies of the O-antigenic polysaccharide from *Escherichia coli* O167 246: 565
Linnertz, H., see Brinkmann, K.
Linnman, C., see Söderqvist, H.
Lins, L., see Pillot, T.
Lipcey, C., see Faure, E.
Litera, J., see Konvalinka, J.
Liu, J.-Q., Nagata, S., Dairi, T., Misono, H., Shimizu, S., Yamada, H.: The *GLY1* gene of *Saccharomyces cerevisiae* encodes a low-specific L-threonine aldolase that catalyzes cleavage of L-*allo*-threonine and L-threonine to glycine – Expression of the gene in *Escherichia coli* and purification and characterization of the enzyme 245: 289
Liu, M.-Y., see Pereira, I. A. C.
Livneh, E., Fishman, D. D.: *Review*. Linking protein kinase C to cell-cycle control 248: 1
Ljungdahl, S., Linder, S., Sollerbrant, K., Svensson, C., Shoshan, M. C.: Signal transduction in fibroblasts stably transformed by [Val12]Ras – The activities of extracellular-signal-regulated kinase and Jun N-terminal kinase are only moderately increased, and the activity of the δ-inhibitor of c-Jun is not alleviated 249: 648
Lloyd, E., see Hill, A. P.
Lloyd, J. S., Bhambra, A., Murrell, J. C., Dalton, H.: Inactivation of the regulatory protein B of soluble methane monooxygenase from *Methylococcus capsulatus* (Bath) by proteolysis can be overcome by a Gly to Gln modification 248: 72
Locher, K. P., Rosenbusch, J. P.: Oligomeric states and siderophore binding of the ligand-gated FhuA protein that forms channels across *Escherichia coli* outer membranes 247: 770
Locker, D., see Berners-Price, S. J.
Loeb, L. A., see Kamath-Loeb, A. S.
Loetscher, H., see Moon, R. P.
Loew, D., see Roecklin, D.
Löffler, G., see Bachmeier, M.
Loguercio Polosa, P., see Roberti, M.
Lohner, K., see Latal, A.
Lohner, K., see Žerovnik, E.
Loir, B., Bouchard, B., Morandini, R., Del Marmol, V., Deraemaecker, R., Garcia-Borron, J. C., Ghanem, G.: Immunoreactive α-melanotropin as an autocrine effector in human melanoma cells 244: 923
Loiseau, C., Randriamahazaka, H. N., Nigretto, J.-M.: Influence of Zn^{2+} on the kinetic events that contribute to the 500-kDa dextran-sulfate-dependent activation of factor XII (Hageman factor) 246: 204
Lombardo, D., see Mas, E.
Lommerse, J. P. M., Thomas-Oates, J. E., Gielens, C., Préaux, G., Kamerling, J. P., Vliegenthart, J. F. G.: Primary structure of 21 novel monoantennary and diantennary N-linked carbohydrate chains from α_D-hemocyanin of *Helix pomatia* 249: 195
Longhi, R., see Corti, A.
Longhi, R., see Tamborini, E.
Longo Alves, I., Hays, M. T., Saraiva, M. J. M.: Comparative stability and clearance of [Met30]transthyretin and [Met119]transthyretin 249: 662
López-Otin, C., see Knäuper, V.
Lorrai, A., see Medda, R.
Lottaz, D., see Hahn, D.
Lottspeich, F., see Arnold, S.
Lottspeich, F., see Reichenbecher, M.
Louis, J. M., see Weber, I. T.
Lövgren, J., see Lundwall, Å.
Lowden, P. A. S., see König, A.
Lozano, P., de Diego, T., Iborra, J. L.: Dynamic structure/function relationships in the α-chymotrypsin deactivation process by heat and pH 248: 80
Lozano, R. M., Rivas, G., Giménez-Gallego, G.: Destabilization, oligomerization and inhibition of the mitogenic activity of acidic fibroblast-growth factor by aurintricarboxylic acid 248: 30
Lu, C.-D., see Yang, H.
Lu, X.-H., see Shaw, P.-C.
Luccarini, C., see Richards, A.
Ludwig, B., see Saxena, K.
Ludwig, B., see Zickermann, I.
Ludwig, H., see Stoyloff, R.
Lugli, J., see Gaziola, S. A.
Lugowski, C., see Petersson, C.
Lukačin, R., Britsch, L.: Identification of strictly conserved histidine and arginine residues as part of the active site in *Petunia hybrida* flavanone 3β-hydroxylase 249: 748
Lunardi, J., see Chevallet, M.
Lundell, D., see Wiekowski, M.
Lundström, K., see Ulmanen, I.
Lundwall, Å., Peter, A., Lövgren, J., Lilja, H., Malm, J.: Chemical characterization of the predominant proteins secreted by mouse seminal vesicles 249: 39
Lundwall, Å., see Ulvsbäck, M.
Lünsdorf, H., see Winkler, J.
Lustig, A., see Sasse, B.
Luzi, E., see Marusic, L.

Ma, S.-K., see Shaw, P.-C.
Maack, T., see Ho, P. L.
Mackay, E. A., Ehrhard, A., Moniatte, M., Guenet, C., Tardif, C., Tarnus, C., Sorokine, O., Heintzelmann, B., Nay, C., Remy, J.-M., Higaki, J., Van Dorsselaer, A., Wagner, J., Danzin, C., Mamont, P.: A possible role for cathepsins D, E, and B in the processing of β-amyloid precursor protein in Alzheimer's disease 244: 414
Macovschi, O., see El Bawab, S.
MacRae, T. H.: *Review*: Tubulin post-translational modifications – Enzymes and their mechanisms of action 244: 265
MacRae, T. H., see Liang, P.
Madern, D., Zaccai, G.: Stabilisation of halophilic malate dehydrogenase from *Haloarcula marismortui* by divalent cations – Effects of temperature, water isotope, cofactor and pH 249: 607
Madison, J., see Minchiotti, L.
Maebuchi, M., see Bun-Ya, M.
Maéda, Y., see Takeda, S.
Maelicke, A., see Bauer, U.-M.
Maenhaut, C., see Wilkin, F.
Mäenpää, P. H., see Väisänen, S.
Maestro, J.-L., see Duve, H.
Maggini, L., see Houng, A. K.
Magnani, M., see Crinelli, R.
Maines, M. D., see McCoubrey, W. K. Jr
Maiti, N. R., see Dutta, S.
Maity, H., Jarori, G. K.: Yeast hexokinase PII – Bound nucleotide conformation at the active site 250: 539
Majer, P., see Konvalinka, J.
Makabe, S., see Urano, S.
Malatesta, F., see van Pouderoyen, G.
Maldonado, E., see García, J. J.
Małecki, J., Wasylewski, Z.: Stability and kinetics of unfolding and refolding of cAMP receptor protein from *Escherichia coli* 243: 660
Mallet, J., see Icard-Liepkalns, C.
Mallo, G. V., see Rechreche, H.
Malm, J., see Lundwall, Å.
Malorni, A., see Ferranti, P.
Malotka, J., see Stöckel, J.
Maltby, D., see Kanaani, J.
Mamont, P., see Mackay, E. A.
Mangione, P., see Stoppini, M.
Mani, J.-C., see Autiero, M.
Mann, K., see Costell, M.
Mann, K., see Maurer, P.
Mann, K., see Mayer, U.
Mann, R. J., see Heierhorst, J.
Manna, P., Vermaas, W.: Mutational studies on conserved histidine residues in the chlorophyll-binding protein CP43 of photosystem II 247: 666
Manners, J. M., see Marcus, J. P.
Mansfeld, J., see Veltman, O. R.
Manso, R., see Hernando, R.
Mansuelle, P., see Blanc, E.
Mansuelle, P., see Cestèle, S.
Mant, A., see Brink, S.
Maraboeuf, F., see Wittung, P.
Marahiel, M. A., see Göthel, S. F.
Maras, M., De Bruyn, A., Schraml, J., Herdewijn, P., Claeyssens, M., Fiers, W., Contreras, R.: Structural characterization of N-linked oligosaccharides from cellobiohydrolase I secreted by the filamentous fungus *Trichoderma reesei* RUTC 30 245: 617
Maras, M., Saelens, X., Laroy, W., Piens, K., Claeyssens, M., Fiers, W., Contreras, R.: *In vitro* conversion of the carbohydrate moiety of fungal glycoproteins to mammalian-type oligosaccharides – Evidence for *N*-acetylglucosaminyltransferase-I-accepting glycans from *Trichoderma reesei* 249: 701
Marat, K., see Yee, A. A.
Marchis-Mouren, G., see Carsol, M. A.
Marcillat, O., see Raimbault, C.
Marco, Y., see Baudouin, E.
Marcus, J. P., Goulter, K. C., Green, J. L., Harrison, S. J., Manners, J. M.: Purification, characterisation and cDNA cloning of an antimicrobial peptide from *Macadamia integrifolia* 244: 743
Marden, M. C., see Kiger, L.

Marié, I., Blanco, J., Rebouillat, D., Hovanessian, A. G.: 69-kDa and 100-kDa isoforms of interferon-induced (2′-5′)oligoadenylate synthetase exhibit differential catalytic parameters 248: 558
Marin, O., see Lasa, M.
Marin, O., see Ruzzene, M.
Marin, O., see Ruzzene, M.
Marin, O., see Sarno, S.
Marion, D., see Mittard, V.
Marker, K. M., see Mikolajczyk, S. D.
Markert, R. L. M., see Prasch, T.
Markham, A. F., see Carr, I. M.
Markl, J., see Söhngen, S. M.
Markwitz, S., see Fischer, W.
Marquet, A., see Delorme, C.
Marrakchi, H., see Quémard, A.
Marrakchi, N., Barbouche, R., Guermazi, S., Karoui, H., Bon, C., El Ayeb, M.: Cerastotin, a serine protease from *Cerastes cerastes* venom, with platelet-aggregating and agglutinating properties 247: 121
Marraud, M., see Lecouvey, M.
Marsh, I. R., Bradley, M.: Substrate specificity of trypanothione reductase 243: 690
Marsolais, F., Varin, L.: Mutational analysis of domain II of flavonol 3-sulfotransferase 247: 1056
Martell, R. L., see Draper, M. P.
Martensen, P. M., Oka, K., Christensen, L., Rettenberger, P. M., Petersen, H. H., Christensen, A., Chan, L., Heegaard, C. W., Andreasen, P. A.: Breast carcinoma epithelial cells express a very low-density lipoprotein receptor variant lacking the O-linked glycosylation domain encoded by exon 16, but with full binding activity for serine proteinase/serpin complexes and M_r-40000 receptor-associated protein 248: 583
Martin, A., see Gilbert, M.
Martin, J.-P., see Monet-Kuntz, C.
Martin, M., see Autiero, M.
Martin, P., see Ferranti, P.
Martin-Eauclaire, M.-F., see Romi-Lebrun, R.
Martinet, W., Saelens, X., Deroo, T., Neirynck, S., Contreras, R., Min Jou, W., Fiers, W.: Protection of mice against a lethal influenza challenge by immunization with yeast-derived recombinant influenza neuraminidase 247: 332
Martínez Arias, W., Pettersson, G.: Mechanism of NADH transfer between alcohol dehydrogenase and glyceraldehyde-3-phosphate dehydrogenase 250: 158
Martínez-Costa, O. H., see Estévez, A. M.
Marton, A., Mihalik, R., Bratincsák, A., Adleff, V., Peták, I., Végh, M., Bauer, P. I., Krajcsi, P.: Apoptotic cell death induced by inhibitors of energy conservation – Bcl-2 inhibits apoptosis downstream of a fall of ATP level 250: 467
Marusic, L., Luzi, E., Barsacchi, G., Eckstein, F.: Intermolecular cleavage by the newt ribozyme 247: 396
Marziali, G., see Coccia, E. M.
Mas, E., Franc, J.-L., Lecestre, D., Crotte, C., Lombardo, D., Sadoulet, M.-O.: Investigation of two glycosylated forms of bile-salt-dependent lipase in human pancreatic juice 243: 299
Masaki, T., see Kido, T.
Mascarelli, F., see Colin, S.
Maser, E., Oppermann, U. C. T.: *Minireview series*. The 11β-hydroxysteroid dehydrogenase system, a determinant of glucocorticoid and mineralocorticoid action. Role of type-1 11β-hydroxysteroid dehydrogenase in detoxification processes 249: 365
Massanz, C., Fernandez, V. M., Friedrich, B.: C-terminal extension of the H_2-activating subunit, HoxH, directs maturation of the NAD-reducing hydrogenase in *Alcaligenes eutrophus* 245: 441
Masselot, M., see Sicot, F.-X.
Mässen, J., see Apeler, H.
Massey, H. C. Jr, Kejzlarová-Lepesant, J., Willis, R. L., Castleberry, A. B., Beneš, H.: The *Drosophila Lsp-1*β gene – A structural and phylogenetic analysis 245: 199
Masters, C. L., see Paliga, K.
Masullo, M., Ianniciello, G., Arcari, P., Bocchini, V.: Properties of truncated forms of the elongation factor 1α from the archaeon *Sulfolobus solfataricus* 243: 468
Masure, S., Paemen, L., van Aelst, I., Fiten, P., Proost, P., Billiau, A., van Damme, J., Opdenakker, G.: Production and characterization of recombinant active mouse gelatinase B from eukaryotic cells and *in vivo* effects after intravenous administration 244: 21
Matecki, A., see Pawelczyk, T.
Mateo, P., see Tran-Dinh, S.
Mathiopoulos, K. D., see Zakharkin, S. O.
Matias, I., see Chopin, V.
Matile, H., see Moon, R. P.
Matsuda, M., see Suzuki, Y.
Matsui, K., see Asano, N.
Matsuo, M., see Urano, S.
Matsuura, N., see Kazahari, K.
Matsuzawa, H., see Jeon, B.-S.
Mattar, S., Engelhard, M.: Cytochrome ba_3 from *Natronobacterium pharaonis* – An archaeal four-subunit cytochrome-*c*-type oxidase 250: 332
Matthey, U., Kaim, G., Dimroth, P.: Subunit c from the sodium-ion-translocating F_1F_0-ATPase of *Propionigenium modestum* – Production, purification and properties of the protein in dodecylsulfate solution 247: 820
Matts, R. L., see Xu, Z.
Maubach, G., Schilling, K., Rommerskirch, W., Wenz, I., Schultz, J. E., Weber, E., Wiederanders, B.: The inhibition of cathepsin S by its propeptide – Specificity and mechanism of action 250: 745
Maucuer, A., see Ozon, S.
Mauk, A. G., see Bujons, J.
Maurer, P., Sasaki, T., Mann, K., Göhring, W., Schwarzbauer, J. E., Timpl, R.: Structural and functional characterization of the extracellular calcium-binding protein BM-40/secreted protein, acidic, rich in cysteine/osteonectin from the nematode *Caenorhabditis elegans* 248: 209
Maury, G., see Pelicano, H.
Maus, A., see Bauer, U.-M.
May, G. L., see Wright, L. C.
Mayer, U., Mann, K., Fessler, L. I., Fessler, J. H., Timpl, R.: *Drosophila* laminin binds to mammalian nidogen and to heparan sulfate proteoglycan 245: 745
Mayes, P. A., see Bravo, E.
Mayol, L., see Overmars, F. J. J.
Mayr, G. W., see Guse, A. H.
Mazar, A., see Wang, J.
Mazumdar, S., see Khan, K. K.
M^{c}Caskill, J. S., see Ehricht, R.
McCoubrey, W. K. Jr, Huang, T. J., Maines, M. D.: Isolation and characterization of a cDNA from the rat brain that encodes hemoprotein heme oxygenase-3 247: 725
McDevitt, D., Nanavaty, T., House-Pompeo, K., Bell, E., Turner, N., McIntire, L., Foster, T., Höök, M.: Characterization of the interaction between the *Staphylococcus aureus* clumping factor (ClfA) and fibrinogen 247: 416
McDowell, H. E., Walker, T., Hajduch, E., Christie, G., Batty, I. H., Downes, C. P., Hundal, H. S.: Inositol phospholipid 3-kinase is activated by cellular stress but is not required for the stress-induced activation of glucose transport in L6 rat skeletal muscle cells 247: 306
McEwan, A. G., see Solomon, P. S.
McGarry, J. D., Brown, N. F.: *Review*. The mitochondrial carnitine palmitoyltransferase system – From concept to molecular analysis 244: 1
McGonigle, S., see Roche, L.
McGovern, J. J., see Senchenkova, S. N.
McGregor, J. L., see Daviet, L.
McGregor, L., see Daviet, L.
McIntire, L., see McDevitt, D.
McLaurin, J., Chakrabartty, A.: Characterization of the interactions of Alzheimer β-amyloid peptides with phospholipid membranes 245: 355
McLean, H., see Donly, B. C.
McMahon, J. B., see O'Keefe, B. R.
McPherson, D., see Forsee, W. T.
McSweeney, A., see Roche, L.
Mechulam, Y., see Schmitt, E.
Medda, R., Padiglia, A., Finazzi Agrò, A., Pedersen, J. Z., Lorrai, A., Floris, G.: Tryptamine as substrate and inhibitor of lentil seedling copper amine oxidase 250: 377
Meggio, F., see Sarno, S.
Mei, X., Singh, I. S., Erlichman, J., Orr, G. A.: Cloning and characterization of a testis-specific, developmentally regulated A-kinase-anchoring protein (TAKAP-80) present on the fibrous sheath of rat sperm 246: 425
Meier, P. J., see Stieger, B.
Meier, S., see Stuible, H.-P.
Meighen, E., see Vedadi, M.
Meijer, A. J., see Blommaart, E. F. C.
Meijer, L., Borgne, A., Mulner, O., Chong, J. P. J., Blow, J. J., Inagaki, N., Inagaki, M., Delcros, J.-G., Moulinoux, J.-P.: Biochemical and cellular effects of roscovitine, a potent and selective inhibitor of the cyclin-dependent kinases cdc2, cdk2 and cdk5 243: 527
Meijer, L., see Filgueira de Azevedo, W.
Meissner, J., see Jakobs, T. C.
Melandri, B. A., see Cappellini, P.
Meléndez-Hevia, E., see Heinrich, R.
Meléndez-Hevia, E., Waddell, T. G., Heinrich, R., Montero., F.: Theoretical approaches to the evolutionary optimization of glycolysis – Chemical analysis 244: 527

Menéndez, C., Otto, A., Igloi, G., Nick, P., Brandsch, R., Schubach, B., Böttcher, B., Brandsch, R.: Molybdate-uptake genes and molybdopterin-biosynthesis genes on a bacterial plasmid – Characterization of MoeA as a filament-forming protein with adenosinetriphosphatase activity 250: 524
Ménez, A., see Cotton, J.
Meng, W., see Fan, H.
Menzel, R., see Stelter, F.
Merkx, M., see DeLange, F.
Merlini, G., see Stoppini, M.
Meshalkina, L., Nilsson, U., Wikner, C., Kostikowa, T., Schneider, G.: Examination of the thiamin diphosphate binding site in yeast transketolase by site-directed mutagenesis 244: 646
Meshkov, S., see Vinogradov, E. V.
Messent, A., see d'Ortho, M.-P.
Messerschmidt, A., see Danielsen, E.
Metori, A., see Arai, M.
Meunier, S., see Blanc, E.
Meurer, G., see Stuible, H.-P.
Meyer, B., Weimar, T., Peters, T.: Screening mixtures for biological activity by NMR 246: 705
Meyer, R., see van Gool, L.
Meyer, T. H., see Urlinger, S.
Meyer-Fernandes, J. R., see Sola-Penna, M.
Miao, M., see Chan, S.-L.
Michels, P. A. M., Chevalier, N., Opperdoes, F. R., Rider, M. H., Rigden, D. J.: The glycosomal ATP-dependent phosphofructokinase of *Trypanosoma brucei* must have evolved from an ancestral pyrophosphate-dependent enzyme 250: 698
Miclo, L., see Lecouvey, M.
Miedema, K., see Akhmanova, A.
Mielke, G., see Kleff, S.
Mihalik, R., see Marton, A.
Mikhaleva, I. I., see Zamolodchikova, T. S.
Mikolajczyk, S. D., Millar, L. S., Marker, K. M., Grauer, L. S., Goel, A., Cass, M. M. J., Kumar, A., Saedi, M. S.: Ala217 is important for the catalytic function and autoactivation of prostate-specific human kallikrein 2 246: 440
Miles, M. A., see Tomas, A. M.
Millar, L. S., see Mikolajczyk, S. D.
Milochau, A., see Lassegues, M.
Mimori, T., see Nobuhisa, I.
Min Jou, W., see Martinet, W.
Minami, Y., see Sada, K.
Minamida, S., see Omichi, K.
Mincheva, A., see van Gool, L.
Minchiotti, L., Watkins, S., Madison, J., Putnam, F. W., Kragh-Hansen, U., Amoresano, A., Pucci, P., Cesati, R., Galliano, M.: Structural characterization of four genetic variants of human serum albumin associated with alloalbuminemia in Italy 247: 476
Minnikin, D. E., see Watanabe, M.
Miquelis, R., see Erregragui, K.
Mir, L. M., see Garrigos, M.
Mirande, M., see Agou, F.
Mirgorodskaya, O. A., see Zamolodchikova, T. S.
Misono, H., see Liu, J.-Q.
Mita, M., see Oba, Y.
Mitera, T., see Froyen, G.
Mitra, S., see Khan, K. K.
Mitsui, S., see Yonezawa, N.
Mitsunaga, T., see Tanaka, Y.
Mittard, V., Blackledge, M. J., Stein, M., Jacquot, J.-P., Marion, D., Lancelin, J.-M.: NMR solution structure of an oxidised thioredoxin *h* from the eukaryotic green alga *Chlamydomonas reinhardtii* 243: 374
Miyake, Y., see Yamaji, T.
Miyamoto, C., see Satoh, M.
Miyauchi, M., see Asano, N.
Miyoshi, T., see Kataoka, M.
Mizuguchi, M., Nara, M., Ke, Y., Kawano, K., Hiraoki, T., Nitta, K.: Fourier-transform infrared spectroscopic studies on the coordination of the side-chain COO^- groups to Ca^{2+} in equine lysozyme 250: 72
Mizuno, K., Noda, K., Araki, T., Imaoka, T., Kobayashi, Y., Akita, Y., Shimonaka, M., Kishi, S., Ohno, S.: The proteolytic cleavage of protein kinase C isotypes, which generates kinase and regulatory fragments, correlates with Fas-mediated and 12-*O*-tetradecanoyl-phorbol-13-acetate-induced apoptosis 250: 7
Moczall, H., see Ferlinz, K.
Modi, S., see Hill, A. P.
Modi, S., see Khan, K. K.
Moiseeva, E. P., Critchley, D. R.: Characterisation of the promoter which regulates expression of a phosphoglucomutase-related protein, a component of the dystrophin/utrophin cytoskeleton predominantly expressed in smooth muscle 248: 634
Moll, H., see Fukuoka, S.
Molnár, I., see König, A.
Molyneux, R. J., see Asano, N.
Moncion, A., see Lacroix, D.
Monet-Kuntz, C., Cuvelier, A., Sarafan, N., Martin, J.-P.: Metalloelastase expression in a mouse macrophage cell line – Regulation by 4β-phorbol 12-myristate 13-acetate, lipopolysaccharide and dexamethasone 247: 588
Moniatte, M., see Mackay, E. A.
Monnens, L. A. H., see Groffen, A. J. A.
Monstein, H.-J., Nylander, A.-G., Håkanson, R.: Widespread tissue expression of gastrin-binding-protein mRNA 246: 502
Montalto, G., see Rechreche, H.
Montana, G., Bonura, A., Romancino, D. P., Sbisà, E., Di Carlo, M.: A 54-kDa protein specifically associates the 3′ untranslated region of three maternal mRNAs with the cytoskeleton of the animal part of the *Paracertrotus lividus* egg 247: 183
Montaudon, D., Pourquier, P., Denois, F., de Tinguy-Moreaud, E., Lagarde, P., Robert, J.: Differential stabilization of topoisomerase-II–DNA cleavable complexes by doxorubicin and etoposide in doxorubicin-resistant rat glioblastoma cells 245: 307
Monteiro, M. A., see Aspinall, G. O.
Montero, F., see Heinrich, R.
Montero., F., see Meléndez-Hevia, E.
Montero, L., see Nanbu, R.
Montero-Julian, F. A., see Kalai, M.
Montrozier, H., see Cérantola, S.
Moon, R. P., Tyas, L., Certa, U., Rupp, K., Bur, D., Jacquet, C., Matile, H., Loetscher, H., Grueninger-Leitch, F., Kay, J., Dunn, B. M., Berry, C., Ridley, R. G.: Expression and characterisation of plasmepsin I from *Plasmodium falciparum* 244: 552
Moorman, A. F. M., see Lie-Venema, H.
Moosmayer, D., see Vallon, R.
Moran, A. P., see Senchenkova, S. N.
Morandini, R., see Loir, B.
Moreau, T., see El Moujahed, A.
Morgan, E. H., see Callus, B. A.
Mori, S., Tanaka, K., Kanaki, H., Nakao, M., Anan, T., Yokote, K., Tamura, K., Saito, Y.: Identification of an ubiquitin-ligation system for the epidermal-growth-factor receptor – Herbimycin A induces *in vitro* ubiquitination in rabbit-reticulocyte lysate 247: 1190
Morikawa, T., see Kataoka, M.
Morio, H., Kurata, H., Katsuyama, R., Oka, S., Kozutsumi, Y., Kawasaki, T.: Renal expression of serum-type mannan-binding protein in rat 243: 770
Moriyama, A., see Kihara, T.
Moriyama, A., see Sano, H.
Moroni, C., see Nakagawa, J.
Morozov, I. A., see Zamolodchikova, T. S.
Morozumi, A., see Koizumi, N.
Morr, M., see Gommel, D. U.
Morrice, N. A., see Williamson, N. A.
Morris, A. G., see Bellingham, J.
Mortensen, H. D., see Rothmann, A. B.
Moses, J., Oldberg, A., Cheng, F., Fransson, L.-Å.: Biosynthesis of the proteoglycan decorin – Transient 2-phosphorylation of xylose during formation of the trisaccharide linkage region 248: 521
Moses, J., Oldberg, Å., Eklund, E., Fransson, L.-Å.: Biosynthesis of the proteoglycan decorin – Identification of intermediates in galactosaminoglycan assembly 248: 767
Moshizuki, M., see Coulin, F.
Moskowitz, H., see Nakagawa, Y.
Mostafapous, K., see Van Damme, E. J. M.
Motamedi, H., Cai, S.-J., Shafiee, A., Elliston, K. O.: Structural organization of a multifunctional polyketide synthase involved in the biosynthesis of the macrolide immunosuppressant FK506 244: 74
Mothe, I., see Sawka-Verhelle, D.
Motohashi, K., see Hisabori, T.
Mouillac, B., see Carnazzi, E.
Mouillet, J.-F., Delbecque, J.-P., Quennedey, B., Delachambre, J.: Cloning of two putative ecdysteroid receptor isoforms from *Tenebrio molitor* and their developmental expression in the epidermis during metamorphosis 248: 856
Moulinoux, J.-P., see Meijer, L.
Moura, I., see Devreese, B.
Moura, J. J. R., see Devreese, B.
Mousseron-Grall, S., Kejzlarová-Lepesant, J., Burmester, T., Chihara, C., Barray, M., Delain, E., Pictet, R., Lepesant, J.-A.: Sequence, structure and evolution of the ecdysone-inducible *Lsp-2* gene of *Drosophila melanogaster* 245: 191
Mueller, H., see Flury, N.
Mueller-Lantzsch, N., see Fackler, O. T.
Müh, U., Buckel, W., Bill, E.: Mössbauer study of 4-hydroxybutyryl-CoA dehydratase – Probing the role of an iron-sulfur cluster in an overall non-redox reaction 248: 380
Muhlrad, A., see Phan, B. C.
Muijsers, A. O., see Renkema, G. H.
Mukherjee, J. J., see Kiss, Z.

Mukherjee, K., Chatterji, D.: Studies on the ω subunit of *Escherichia coli* RNA polymerase – Its role in the recovery of denatured enzyme activity 247: 884
Müller, A., see Schneider, K.
Müller, A., Suer, W., Pohlmann, C., Schneider, K., Thies, W.-G., Appel, H.: Comparative *in-vivo* and *in-vitro* ^{99}Mo-time-differential-perturbed-angular-correlation studies on the nitrogenase MoFe protein and on other Mo species of different N_2-fixing bacteria 246: 311
Müller, F., Arand, M., Frank, H., Seidel, A., Hinz, W., Winkler, L., Hänel, K., Blée, E., Beetham, J. K., Hammock, B. D., Oesch, F.: Visualization of a covalent intermediate between microsomal epoxide hydrolase, but not cholesterol epoxide hydrolase, and their substrates 245: 490
Müller, J. G., see Schmidt, A.
Müller, J. M., Cahill, M. A., Rupec, R. A., Baeuerle, P. A., Nordheim, A.: Antioxidants as well as oxidants activate c-*fos* via Ras-dependent activation of extracellular-signal-regulated kinase 2 and Elk-1 244: 45
Müller, R., see Vallon, R.
Müller, S. A., see Söhngen, S. M.
Müller-Esterl, W., see Ottleben, H.
Müller-Loennies, S., see Brabetz, W.
Müller-Loennies, S., see Vinogradov, E. V.
Müller-Newen, G., Pflanz, S., Hassiepen, U., Stahl, J., Wollmer, A., Heinrich, P. C., Grötzinger, J.: The signal transducer gp130 – Bacterial expression, refolding and properties of the carboxy-terminal domain of the cytokine-binding module 247: 425
Mulner, O., see Meijer, L.
Mulot, S., see Shaw, P.-C.
Mulquiney, P. J., Kuchel, P. W.: Model of the pH-dependence of the concentrations of complexes involving metabolites, haemoglobin and magnesium ions in the human erythrocyte 245: 71
Multhaup, G., see Paliga, K.
Muñoz, G., see Nakari-Setälä, T.
Muñoz, V., see Bruix, M.
Müntz, K., see Becker, C.
Muramatsu, T., see Uehara, K.
Murayama, T., see Ishisaki, A.
Murdoch, P. del S., see Reeder, F.
Murphy, G., see Butler, G. S.
Murphy, G., see d'Ortho, M.-P.
Murphy, G., see Knäuper, V.
Murrell, J. C., see Lloyd, J. S.
Mushtaq, Y., see Betz, M.
Musicco, C., see Roberti, M.
Muskett, F. W., see Kelly, G. P.
Mustelin, T., see Couture, C.
Mustelin, T., see Williams, S.
Muster, G., see Teichmann, T.
Musti, A.-M., see Poleev, A.
Mutt, V., see Chen, Z.-w.

Nader, H. B., see Tersariol, I. L. S.
Nadolny, C., Zundel, G.: Fourier transform infrared spectroscopic studies of proton transfer processes and the dissociation of Zn^{2+}-bound water in alcohol dehydrogenases 247: 914
Nagahama, Y., , see Katsu, Y.
Nagahama, Y., see Oba, Y.
Nagai, K., see Hirose, T.
Nagamine, Y., see Nanbu, R.
Nagata, S., see Liu, J.-Q.
Nagata, S., see Tanaka, K.
Nagata, S., see Ueda, T.
Nakagawa, J., Moroni, C.: A 20-amino-acid autonomous RNA-binding domain contained in an enoyl-CoA hydratase 244: 890
Nakagawa, Y., Lee, Y. M., Lehmberg, E., Herrmann, R., Herrmann, R., Moskowitz, H., Jones, A. D., Hammock, B. D.: Anti-insect toxin 5 (AaIT5) from *Androctonus australis* 246: 496
Nakagawa, Y., see Arai, M.
Nakai, M., see Nobuhisa, I.
Nakajima, H., see Yamaguchi, T.
Nakajima, T., see Romi-Lebrun, R.
Nakamura, H., see Tsubokawa, M.
Nakamura, K., see Takamatsu, H.
Nakamura, O., see Ohnishi, T.
Nakano, M., see Yonezawa, N.
Nakao, M., see Fujiwara, H.
Nakao, M., see Mori, S.
Nakari-Setälä, T., Aro, N., Ilmén, M., Muñoz, G., Kalkkinen, N., Penttilä, M.: Differential expression of the vegetative and spore-bound hydrophobins of *Trichoderma reesei* – Cloning and characterization of the *hfb2* gene 248: 415
Nakari-Setälä, T., see Saloheimo, M.
Nakayama, M., see Yamaguchi, T.
Nanavaty, T., see McDevitt, D.
Nanbu, R., Montero, L., D'Orazio, D., Nagamine, Y.: Enhanced stability of urokinase-type plasminogen activator mRNA in metastatic breast cancer MDA-MB-231 cells and LLC-PK_1 cells down-regulated for protein kinase C – Correlation with cytoplasmic heterogeneous nuclear ribonucleoprotein C 247: 169
Nandy, A., see Kieweg, V.
Napier, J. A., see Haward, S. R.
Nara, M., see Mizuguchi, M.
Nari, J., see Abousalham, A.
Narula, S., see Wiekowski, M.
Nash, R. J., see Asano, N.
Naït-Kaoudjt, R., Williams, R., Guiard, B., Gervais, M.: Some DNA targets of the yeast CYP1 transcriptional activator are functionally asymmetric – Evidence of two half-sites with different affinities 244: 301
Natori, S., see Ohashi, K.
Natori, S., see Yano, T.
Naudat, V., see Adjadj, E.
Naumann, T., see Prasch, T.
Nautrup Pedersen, G., see Rattenborg, T.
Nawrot, B., Hillenbrand, R., Limmer, S., Grillenbeck, N., Sprinzl, M.: Interaction of *N*-tosyl-L-phenylalanylchloromethane with *Thermus thermophilus* elongation factor Tu 247: 59
Nay, C., see Mackay, E. A.
Nazar, R. N., see Good, L.
Negrel, J., Javelle, F.: Purification, characterization and partial amino acid sequencing of hydroxycinnamoyl-CoA:tyramine *N*-(hydroxycinnamoyl)transferase from tobacco cell-suspension cultures 247: 1127
Neirynck, S., see Martinet, W.
Nemoz, G., see El Bawab, S.
Netzker, R., Weigert, C., Brand, K.: Role of the stimulatory proteins Sp1 and Sp3 in the regulation of transcription of the rat pyruvate kinase M gene 245: 174
Neubert, K., see Schutkowski, M.
Neudorf, S. M. L., see Rushton, J. J.
Neustroev, K. N., see Bagiyan, F. G.
Newbold, C. I., see Daviet, L.
Newitt, J. A., Bernstein, H. D.: The N-domain of the signal recognition particle 54-kDa subunit promotes efficient signal sequence binding 245: 720
Neylon, C., see Guppy, M.
Ngo, L. G., Roussel, M. R.: A new class of biochemical oscillator models based on competitive binding 245: 182
Ngo, S., see Laurent-Winter, C.
Nick, P., see Menéndez, C.
Nicolaou, A., Waterfield, C. J., Kenyon, S. H., Gibbons, W. A.: The inactivation of methionine synthase in isolated rat hepatocytes by sodium nitroprusside 244: 876
Nicolás, M., see Noé, V.
Nicolini, M., see Chigorno, V.
Niedziela, T., see Petersson, C.
Nield, J., see Hankamer, B.
Nielsen, F. C., see Pedersen, S.
Nielsen, J., see Pedersen, S.
Nielsen, P. R., see Ellgaard, L.
Nielsen-LeRoux, C., see Silva-Filha, M. H.
Niemetz, R., Kärcher, U., Kandler, O., Tindall, B. J., König, H.: The cell wall polymer of the extremely halophilic archaeon *Natronococcus occultus* 249: 905
Nigretto, J.-M., see Loiseau, C.
Nilssen, Ø., see Tollersrud, O. K.
Nilsson, J., Koskiniemi, S., Persson, K., Grahn, B., Holm, I.: Polyamines regulate both transcription and translation of the gene encoding ornithine decarboxylase antizyme in mouse 250: 223
Nilsson, U., see Meshalkina, L.
Nimtz, M., see Costa, J.
Nimtz, M., Wray, V., Domke, T., Brenneke, B., Häussler, S., Steinmetz, I.: Structure of an acidic exopolysaccharide of *Burkholderia pseudomallei* 250: 608
Ninio, E., see Hichami, A.
Nishi, K.-i., see Kataoka, M.
Nishikawa, S., see Urvil, P. T.
Nishimura, M., see Hiraiwa, N.
Nishimura, T., see Adachi, H.
Nishimura, T., see Kitakawa, M.
Nitschke, W., see Albouy, D.
Nitta, K., see Mizuguchi, M.
Niu, X., see Guppy, M.
Nixon, P. F., see Schenk, G.
Nixon, P. J., see Dalla Chiesa, M.
Noat, G., see Abousalham, A.
Nobiki, M., see Suzuki, Y.
Nobuhisa, I., Inamasu, S., Nakai, M., Tatsui, A., Mimori, T., Ogawa, T., Shimohigashi, Y., Fukumaki, Y., Hattori, S., Kihara, H., Ohno, M.: Characterization and evolution of a gene encoding a *Trimeresurus flavoviridis* serum protein that inhibits basic phospholipase A_2 isozymes in the snake's venom 249: 838
Nöckel, H., see Frieser, M.
Noda, K., see Mizuno, K.
Noé, V., Chen, C., Alemany, C., Nicolás, M., Caragol, I., Chasin, L. A., Ciudad, C. J.: Cell-growth regulation of the hamster dihydrofolate reductase gene promoter by transcription factor Sp1 249: 13
Noel, J. P., see Le Campion, L.
Noel, J.-P., see Delaforge, M.

Nogoceke, E., see Gommel, D. U.
Noguchi, T., see Fukuda, H.
Nojima, S., see Yokoyama, K.
Nolan, W. G., see Yang, H.
Nomenclature Committee of the International Union of Biochemistry and Molecular Biology (NC-IUBMB): Enzyme Nomenclature Recommendations 1992. Supplement 4: corrections and additions (1997) 250: 1
Nomura, K., see Hoshino, K.
Nonaka, Y., see Takemori, H.
Nong, V. H., see Becker, C.
Nordén, B., see Tuite, E.
Nordén, B., see Wittung, P.
Nordheim, A., see Müller, J. M.
Nordhoff, A., Tziatzios, C., van den Broek, J. A., Schott, M. K., Kalbitzer, H.-R., Becker, K., Schubert, D., Schirmer, R. H.: Denaturation and reactivation of dimeric human glutathione reductase – An assay for folding inhibitors 245: 273
Nordström, L., see Ny, A.
Nordvall, G., see Berthold, M.
Norin, A., Van Ophem, P. W., Piersma, S. R., Persson, B., Duine, J. A., Jörnvall, H.: Mycothiol-dependent formaldehyde dehydrogenase, a prokaryotic medium-chain dehydrogenase/reductase, phylogenetically links different eukaroytic alcohol dehydrogenases – Primary structure, conformational modelling and functional correlations 248: 282
Nosaka, A. Y., see Kanaori, K.
Nouri-Sorkhabi, M. H., see Wright, L. C.
Novak, E. K., see Jones, C. A.
Nozais, M., see Bechet, J.-J.
Nucci, R., see Bismuto, E.
Numayama-Tsuruta, K., Kobayashi, A., Sogawa, K., Fujii-Kuriyama, Y.: A point mutation responsible for defective function of the aryl-hydrocarbon-receptor nuclear translocator in mutant Hepa-1c1c7 cells 246: 486
Numrich, P., see Schöneck, R.
Ny, A., Nordström, L., Carmeliet, P., Ny, T.: Studies of mice lacking plasminogen activator gene function suggest that plasmin production prior to ovulation exceeds the amount needed for optimal ovulation efficiency 244: 487
Ny, T., see Leonardsson, G.
Ny, T., see Ny, A.
Nyberg, P., He, X., Härdig, Y., Dahlbäck, B., García de Frutos, P.: Stimulation of Sky tyrosine phosphorylation by bovine protein S – Domains involved in the receptor-ligand interaction 246: 147
Nygård, O., see Holmberg, L.
Nylander, A.-G., see Monstein, H.-J.

Oba, Y., Yoshikuni, M., Tanaka, M., Mita, M., Nagahama, Y.: Inhibitory guanine-nucleotide-binding-regulatory protein α subunits in medaka (*Oryzias latipes*) oocytes – cDNA cloning and decreased expression of proteins during oocyte maturation 249: 846
O'Connor, B., see Cunningham, D. F.
Oesch, F., see Müller, F.
O'Gara, M., Adams, G. M., Gong, W., Kobayashi, R., Blumenthal, R. M., Cheng, X.: Expression, purification, mass spectrometry, crystallization and multiwavelength anomalous diffraction of selenomethionyl *Pvu*II DNA methyltransferase (cytosine-N4-specific) 247: 1009
Ogawa, H., see Sano, H.
Ogawa, J., Soong, C.-L., Honda, M., Shimizu, S.: Imidase, a dihydropyrimidinase-like enzyme involved in the metabolism of cyclic imides 243: 322
Ogawa, T., see Nobuhisa, I.
Oguro, A., see Takamatsu, H.
Ohashi, K., Natori, S., Kubo, T.: Change in the mode of gene expression of the hypopharyngeal gland cells with an age-dependent role change of the worker honeybee *Apis mellifera* L. 249: 797
Ohlsson, A. B., see Kalbin, G.
Ohmi, S. I., see Tanaka, K.
Ohnishi, J., see Kihara, T.
Ohnishi, T., Nakamura, O., Arakaki, N., Daikuhara, Y.: Effect of phosphorylated rat fetuin on the growth of hepatocytes in primary culture in the presence of human hepatocyte-growth factor – Evidence that phosphorylated fetuin is a natural modulator of hepatocyte-growth factor 243: 753
Ohno, H., see Yoshioka, T.
Ohno, M., see Nobuhisa, I.
Ohno, S., see Mizuno, K.
Ohshima, T., see Jeon, B.-S.
Ohta, A., see Watanabe, M.
Ohta, M., see Takemori, H.
Ohtsubo, K., see Urano, S.
Ohyama, Y., see Berners-Price, S. J.
Ohyashiki, T., see Takadera, T.
Oka, K., see Kasza, A.
Oka, K., see Martensen, P. M.
Oka, S., see Morio, H.
Okada, M., see Hirose, T.
Okamoto, M., see Takemori, H.
Okamoto, T., see Doi, T.
Okawa, Y., see Shibata, N.
O'Keefe, B. R., Beutler, J. A., Cardellina, J. H. II, Gulakowski, R. J., Krepps, B. L., McMahon, J. B., Sowder, R. C. II, Henderson, L. E., Pannell, L. K., Pomponi, S. A., Boyd, M. R.: Isolation and characterization of niphatevirin, a human-immunodeficiency-virus-inhibitory glycoprotein from the marine sponge *Niphates erecta* 245: 47
Okladnova, O., see Poleev, A.
Okumura, N., see Hirose, T.
Okuzawa, K., see Tensen, C.
Olcott, M. C., Haley, B. E.: Identification of an adenine-nucleotide-binding site on interferon α2 247: 762
Oldberg, Å., see Moses, J.
Olson, K. A., see Hung, W.
Olsthoorn, A. J. J., Otsuki, T., Duine, J. A.: Ca^{2+} and its substitutes have two different binding sites and roles in soluble, quinoprotein (pyrroloquinoline-quinone-containing) glucose dehydrogenase 247: 659
Omichi, K., Aoki, K., Minamida, S., Hase, S.: Presence of UDP-D-xylose:β-D-glucoside α-1,3-D-xylosyltransferase involved in the biosynthesis of the Xylα1-3Glcβ-Ser structure of glycoproteins in the human hepatoma cell line HepG2 245: 143
Omori, K., see Kotera, J.
O'Neil, J. D. J., see Yee, A. A.
O'Neill, B., see Stieger, B.
Ono, M., see Kazahari, K.
Opdenakker, G., see Froyen, G.
Opdenakker, G., see Masure, S.
Opperdoes, F. R., see Michels, P. A. M.
Oppermann, U. C. T., Persson, B., Jörnvall, H.: *Minireview series*. The 11β-hydroxysteroid dehydrogenase system, a determinant of glucocorticoid and mineralocorticoid action. Function, gene organization and protein structures of 11β-hydroxysteroid dehydrogenase isoforms 249: 355
Oppermann, U. C. T., see Maser, E.
O'Rear, J. J., see Sung, U.
Oredsson, S. M., see Fredlund, J. O.
Oren, G., see Eytan, G. D.
Oria, J., see Ramírez-Silva, L.
Orlewski, P., see Lecouvey, M.
Orlowski, S., see Garrigos, M.
Oroszlan, S., see Tözsér, J.
Orr, G. A., see Mei, X.
Orsatti, R., see Coccia, E. M.
Oschkinat, H., see Gervais, V.
Östenson, C.-G., see Chen, Z.-w.
Ostoa-Saloma, P., Garza-Ramos, G., Ramírez, J., Becker, I., Berzunza, M., Landa, A., Gómez-Puyou, A., Tuena De Gómez-Puyou, M., Pérez-Montfort, R.: Cloning, expression, purification and characterization of triosephosphate isomerase from *Trypanosoma cruzi* 244: 700
Otsuki, T., see Olsthoorn, A. J. J.
Ott, P., see Beleznay, Z.
Otting, G., see Ponstingl, H.
Ottleben, H., Haasemann, M., Ramachandran, R., Görlach, M., Müller-Esterl, W., Brown, L. R.: An NMR study of the interaction of ^{15}N-labelled bradykinin with an antibody mimic of the bradykinin B2 receptor 244: 471
Otto, A., see Menéndez, C.
Otto, A., see Zeindl-Eberhart, E.
Ouaissi, M. A., see Schöneck, R.
Ouazzani, J., see Le Campion, L.
Oughideni, R., see Cestèle, S.
Oulyadi, H., Davoust, D., Vaudry, H.: A determination of the solution conformation of secretoneurin, a neuropeptide originating from the processing of secretogranin II, by ^{1}H-NMR and restrained molecular dynamics 246: 665
Overmars, F. J. J., Lanzotti, V., Galeone, A., Pepe, A., Mayol, L., Pikkemaat, J. A., Altona, C.: Design and NMR study of an immobile DNA four-way junction containing 38 nucleotides 249: 576
Ozon, S., Maucuer, A., Sobel, A.: The stathmin family – Molecular and biological characterization of novel mammalian proteins expressed in the nervous system 248: 794

Pacheco, I., see Pereira, I. A. C.
Padiglia, A., see Medda, R.
Padrós, E., see Villaverde, J.
Paemen, L., see Masure, S.
Pagès, J.-M., see Zhuang, J.
Pagetta, A., see Finotti, P.
Pagnier, J., see Kiger, L.
Pakdaman, R., El Hage Chahine, J.-M.: Transferrin – Interactions of lactoferrin with hydrogen carbonate 249: 149

Pakrasi, H. B., see Karnauchov, I.
Pal, J. K., see Xu, Z.
Pal, M. K., see Patra, S. K.
Palczewski, K.: *Review.* GTP-binding–protein-coupled receptor kinases – Two mechanistic models 248: 261
Paley, E. L.: A mammalian tryptophanyl-tRNA synthetase is associated with protein kinase activity 244: 780
Paliga, K., Peraus, G., Kreger, S., Dürrwang, U., Hesse, L., Multhaup, G., Masters, C. L., Beyreuther, K., Weidemann, A.: Human amyloid precursor-like protein 1 – cDNA cloning, ectopic expression in COS-7 cells and identification of soluble forms in the cerebrospinal fluid 250: 354
Pallen, C. J., see Lim, K. L.
Palme, K., see Teichmann, T.
Palmedo, G., Ammermann, D.: Cloning and characterization of the *Oxytricha granulifera* chaperonin containing tailless complex polypeptide 1 γ gene 247: 877
Palmer, M., see Zitzer, A.
Palmer, T., see Anderson, L. A.
Palmer, T., see Eaves, D. J.
Pannell, L. K., see O'Keefe, B. R.
Pantophlet, R., see Haseley, S. R.
Pantophlet, R., see Vinogradov, E. V.
Panula, P., see Ulmanen, I.
Panvert, M., see Schmitt, E.
Paoletti, S., see Vetere, A.
Paolucci, L., see Chuang, T. T.
Papaefthymiou, V., see Devreese, B.
Papouchado, M. L., Valdez, S. N., Ghiringhelli, D., Poskus, E., Ermácora, M. R.: Expression of properly folded human glutamate decarboxylase 65 as a fusion protein in *Escherichia coli* 246: 350
Paramonov, N. A., see Knirel, Y. A.
Park, S.-M., see Yang, H.
Passarella, S., see Barile, M.
Patchell, V. B., see Keane, N. E.
Paton, A., see Irvine, H. S.
Patra, S. K., Pal, M. K.: Spectroscopic probes of the individual and combined effects of Triton X-100 and chloroform on serum albumins and serum-albumin · bilirubin complexes 246: 658
Patrick, T., see Aoufouchi, S.
Pau, R. N., see Anderson, L. A.
Paul, D., see Tönjes, R. R.
Paulsen, H., see Casset, F.
Pauly, T., see Bauer, U.-M.
Pausch, F., see Frieser, M.
Pavela-Vrancic, M., see Dieckmann, R.
Pawelczyk, T., Matecki, A.: Structural requirements of phospholipase C δ1 for regulation by spermine, sphingosine and sphingomyelin 248: 459
Pech, C. M., Tay, T. S., Yeoh, G. C. T.: 5′ Sequences direct developmental expression and hormone responsiveness of tyrosine aminotransferase in primary cultures of fetal rat hepatocytes 249: 675
Pécheur, E.-I., see Sainte-Marie, J.
Pedersen, J. Z., see Medda, R.
Pedersen, S., Celis, J. E., Nielsen, J., Christiansen, J., Nielsen, F. C.: Distinct repression of translation by wortmannin and rapamycin 247: 449
Peelman, F., Goethals, M., Vanloo, B., Labeur, C., Brasseur, R., Vandekerckhove, J., Rosseneu, M.: Structural and functional properties of the 154–171 wild-type and variant peptides of human lecithin-cholesterol acyltransferase 249: 708
Peetermans, J., see Wilkin, F.
Peferoen, M., see Denolf, P.
Peirs, P., De Wit, L., Braibant, M., Huygen, K., Content, J.: A serine/threonine protein kinase from *Mycobacterium tuberculosis* 244: 613
Peitsch, M. C., see Coulin, F.
Pelicano, H., Maury, G., Elalaoui, A., Shafiee, M., Imbach, J.-L., Goody, R. S., Divita, G.: Study of the substrate-binding properties of bovine liver adenosine kinase and inhibition by fluorescent nucleoside analogues 248: 930
Pellegrini, S., Dusanter-Fourt, I.: *Review.* The structure, regulation and function of the Janus kinases (JAKs) and the signal transducers and activators of transcription (STATs) 248: 615
Peloille, S., Esnard, A., Dacheux, J.-L., Guillou, F., Gauthier, F., Esnard, F.: Interactions between ovine cathepsin L, cystatin C and α_2-macroglobulin – Potential role in the genital tract 244: 140
Peng, H. F., see Basu, H. S.
Penner, J. L., see Aspinall, G. O.
Penrose, J. F., Baldasaro, M. H., Webster, M., Xu, K., Austen, K. F., Lam, B. K.: Molecular cloning of the gene for mouse leukotriene-C_4 synthase 248: 807
Penttilä, M., see Nakari-Setälä, T.
Penttilä, M., see Saloheimo, M.
Pepe, A., see Overmars, F. J. J.
Peränen, J., see Ulmanen, I.
Peraus, G., see Paliga, K.
Pereira, I. A. C., Pacheco, I., Liu, M.-Y., LeGall, J., Xavier, A. V., Teixeira, M.: Multiheme cytochromes from the sulfur-reducing bacterium *Desulfuromonas acetoxidans* 248: 323
Pérez, M., Aloria, K., Zabala, J. C., Avila, J.: A putative β-tubulin phosphate-binding motif is involved in lateral microtubule protofilament interactions 248: 840
Pérez, S., see Casset, F.
Perez Sanchez, L., see Corti, A.
Pérez-Montfort, R., see Ostoa-Saloma, P.
Perraut, C., see Raimbault, C.
Perrotti, E., see Coccia, E. M.
Perry, M. B., see Beynon, L. M.
Perry, S. V., see Keane, N. E.
Persson, B., see Norin, A.
Persson, B., see Oppermann, U. C. T.
Persson, K., see Nilsson, J.
Perumal, K., see Valdez, B. C.
Peták, I., see Marton, A.
Peter, A., see Lundwall, Å.
Peter, H., see Ruffert, S.
Peters, T., see Casset, F.
Peters, T., see Meyer, B.
Petersen, A., see Gehlhar, K.
Petersen, B. O., see Vinogradov, E. V.
Petersen, H. H., see Kasza, A.
Petersen, H. H., see Martensen, P. M.
Petersen, L. C.: Kinetics of reciprocal pro-urokinase/plasminogen activation – Stimulation by a template formed by the urokinase receptor bound to poly(D-lysine) 245: 316
Petersen, T. E., see Larsen, L. B.
Petersson, C., Jachymek, W., Klonowska, A., Lugowski, C., Niedziela, T., Kenne, L.: Structural studies of the O-specific chains of *Hafnia alvei* strains 744, PCM 1194 and PCM 1210 lipopolysaccharides 245: 668
Petersson, C., Niedziela, T., Jachymek, W., Kenne, L., Zarzecki, P., Lugowski, C.: Structural studies of the O-specific polysaccharide of *Hafnia alvei* strain PCM 1206 lipopolysaccharide containing D-allothreonine 244: 580
Pethick, D. W., see Guppy, M.
Petit-Glatron, M.-F., see Haddaoui, El A.
Petitpierre, E., see Barceló, F.
Petitt, P., Edwards, M. E., Forciniti, D.: A small-angle neutron scattering study of γ-crystallins near their isoelectric point 243: 415
Pétra, P. H., see Beck, K.
Petrovic, N., see Jones, C. A.
Pette, D., see Kraus, B.
Pette, D., see Peuker, H.
Pettersson, G., see Martínez Arias, W.
Petushkov, V. N., Lee, J.: Purification and characterization of flavoproteins and cytochromes from the yellow bioluminescence marine bacterium *Vibrio fischeri* strain Y1 245: 790
Peuker, H., Pette, D.: Quantitative analyses of myosin heavy-chain mRNA and protein isoforms in single fibers reveal a pronounced fiber heterogeneity in normal rabbit muscles 247: 30
Peumans, W. J., see Van Damme, E. J. M.
Peyman, A., see Lange-Savage, G.
Peyman, A., see Schmidt, A.
Peyser, Y. M., see Phan, B. C.
Pfeifer, E., see Dieckmann, R.
Pfister, K., see Bott, M.
Pfister, M., see Stelter, F.
Pflanz, S., see Müller-Newen, G.
Phalipou, S., see Carnazzi, E.
Phan, B. C., Peyser, Y. M., Reisler, E., Muhlrad, A.: Effect of complexes of ADP and phosphate analogs on the conformation of the Cys707–Cys697 region of myosin subfragment 1 243: 636
Philippot, J. R., see Sainte-Marie, J.
Phillips, R. S., Von Tersch, R. L., Secundo, F.: Effects of tyrosine ring fluorination on rates and equilibria of formation of intermediates in the reactions of carbon-carbon lyases 244: 658
Phillips-Jones, M. K., see Babic, S.
Piatier-Tonneau, D., see Autiero, M.
Piccolo, S., see Braghetta, P.
Pichová, I., see Konvalinka, J.
Picone, D., see Crescenzi, O.
Pictet, R., see Mousseron-Grall, S.
Piens, K., see Maras, M.
Pieper, D. H., see Beil, S.
Pieper, M., see Betz, M.
Piérard, A., see Legrain, C.
Pierre, J., see Tournier, C.
Pierre, M., see Tournier, C.
Piersanti, S., see Caparros-Ruiz, D.
Piersma, S. R., see Norin, A.
Piétri-Rouxel, F., St John Manning, B., Gros, J., Strosberg, A. D.: The biochemical effect of the naturally occurring Trp64→Arg mutation on human β3-adrenoceptor activity 247: 1174

Piffeteau, A., see Delorme, C.
Pikkemaat, J. A., see Overmars, F. J. J.
Pikuła, S., see Bandorowicz-Pikuła, J.
Pillot, T., Goethals, M., Vanloo, B., Lins, L., Brasseur, R., Vandekerckhove, J., Rosseneu, M.: Specific modulation of the fusogenic properties of the Alzheimer β-amyloid peptide by apolipoprotein E isoforms 243: 650
Pilone, M. S., see Gadda, G.
Pinches, R., see Daviet, L.
Pine, R., see Krishnan, K.
Pingoud, A., Jeltsch, A.: *Review.* Recognition and cleavage of DNA by type-II restriction endonucleases 246: 1
Pinkus, R., see Ainbinder, E.
Pinna, L. A., see Lasa, M.
Pinna, L. A., see Ruzzene, M.
Pinna, L. A., see Sarno, S.
Pires, E., see Costa, J.
Pirulli, D., see Xodo, L. E.
Pistorius, A. M. A., see DeLange, F.
Pitari, G., see Antonini, G.
Plachov, D., see Poleev, A.
Plaxton, W. C., see Law, R. D.
Ploug, M., see Høyer-Hansen, G.
Pohlmann, C., see Müller, A.
Poirier, G. G., see Bergeron, M.-J.
Poirier, G. G., see van Gool, L.
Poleev, A., Okladnova, O., Musti, A.-M., Schneider, S., Royer-Pokora, B., Plachov, D.: Determination of functional domains of the human transcription factor PAX8 responsible for its nuclear localization and transactivating potential 247: 860
Pollegioni, L., see Gadda, G.
Pompili, E., see Chuang, T. T.
Pomponi, S. A., see O'Keefe, B. R.
Pons, J., see Barceló, F.
Ponstingl, H., Otting, G.: NMR assignments, secondary structure and hydration of oxidized *Escherichia coli* flavodoxin 244: 384
Poolman, B., see Hagting, A.
Pope, F. M., see Richards, A.
Poppe, L., Rétey, J.: Kinetic investigations with inhibitors that mimic the posthomolysis intermediate in the reactions of coenzyme-B_{12}-dependent glycerol dehydratase and diol dehydratase 245: 398
Poppe, L., Stupperich, E., Hull, W. E., Buckel, T., Rétey, J.: A base-off analogue of coenzyme-B_{12} with a modified nucleotide loop – ^{1}H-NMR structure analysis and kinetic studies with (*R*)-methylmalonyl-CoA mutase, glycerol dehydratase, and diol dehydratase 250: 303
Portetelle, D., see Landrieu, I.
Portier, C., see Serganov, A.
Portugal, J., see Barceló, F.
Poskus, E., see Papouchado, M. L.
Potenziano, J. L., see Dumortier, C.
Potier, N., Barth, P., Tritsch, D., Biellmann, J.-F., Van Dorsselaer, A.: Study of noncovalent enzyme-inhibitor complexes of aldose reductase by electrospray mass spectrometry 243: 274
Potter, B. V. L., see Guse, A. H.
Pouliquen-Sonaglia, I., see Carsol, M. A.
Pourquier, P., see Montaudon, D.
Power, C. A., see Coulin, F.
Poyart, C., see Kiger, L.
Pozdnev, V. F., see Zamolodchikova, T. S.
Prado, E. S., see El Moujahed, A.
Prapunpoj, P., see Aldred, A. R.
Prasch, T., Naumann, T., Markert, R. L. M., Sattler, M., Schubert, W., Schaal, S., Bauch, M., Kogler, H., Griesinger, C.: Constitution and solution conformation of the antibiotic mersacidin determined by NMR and molecular dynamics 244: 501
Prato, S., see Erregragui, K.
Préaux, G., see Gielens, C.
Préaux, G., see Lommerse, J. P. M.
Price, N. C., see Anderson, L. A.
Prigent, A.-F., see El Bawab, S.
Probst, H., see Brischwein, K.
Promé, D., see Quémard, A.
Proost, P., see Froyen, G.
Proost, P., see Masure, S.
Prosser, D., see Wiekowski, M.
Proudfoot, A. E. I., see Smith, J. J.
Prudchenko, I. A., see Zamolodchikova, T. S.
Pucci, P., see Minchiotti, L.
Puigserver, A., see Carsol, M. A.
Puorto, G., see Ho, P. L.
Pursiheimo, S., see Kettunen, R.
Putnam, F. W., see Minchiotti, L.
Putzer, B., see Kirch, H.-C.

Qin, H., see Aho, S.
Quadrifoglio, F., see Xodo, L. E.
Quadroni, M., see Dainese Hatt, P.
Quagliariello, E., see Barile, M.
Quagliariello, E., see Roberti, M.
Quan, N., see Wang, J.
Que, L. Jr, see Hegg, E. L.
Quémard, A., Lanéelle, M.-A., Marrakchi, H., Promé, D., Dubnau, E., Daffé, M.: Structure of a hydroxymycolic acid potentially involved in the synthesis of oxygenated mycolic acids of the *Mycobacterium tuberculosis* complex 250: 758
Quennedey, B., see Mouillet, J.-F.
Quiniou, E., see Adjadj, E.
Quirk, P. G., see Keane, N. E.

Rabes, H. M., see Zeindl-Eberhart, E.
Rabilloud, T., see Fuchs, A.
Rachel, R., see Kröger, N.
Raffalli-Mathieu, F., Geneste, O., Lang, M. A.: Characterization of two nuclear proteins that interact with cytochrome *P*-450 1A2 mRNA – Regulation of RNA binding and possible role in the expression of the *Cyp1a2* gene 245: 17
Raffy, S., Teissié, J.: Surface charge control of electropermeabilization and glycophorin electroinsertion with 1,2-diacyl-*sn*-glycero-3-phosphocholine (lecithin) liposomes 250: 315
Rai, S. S., Wolff, J.: Vinblastine-induced formation of tubulin polymers is electrostatically regulated and nucleated 250: 425
Raida, M., see Grangeiro, T. B.
Raimbault, C., Besson, F., Buchet, R.: Conformational changes of arginine kinase induced by photochemical release of nucleotides from caged nucleotides – An infrared difference-spectroscopy investigation 244: 343
Raimbault, C., Clottes, E., Leydier, C., Vial, C., Buchet, R.: ADP-binding and ATP-binding sites in native and proteinase-K-digested creatine kinase, probed by reaction-induced difference infrared spectroscopy 247: 1197
Raimbault, C., Perraut, C., Marcillat, O., Buchet, R., Vial, C.: Nucleotide binding sites in wild-type creatine kinase and in W227Y mutant probed by photochemical release of nucleotides and infrared difference spectroscopy 250: 773
Rak, A., see Serganov, A.
Rakhlin, N. J., see Babic, S.
Ralchev, K., see Charlesworth, A.
Ralcheva, N., see Charlesworth, A.
Raliegh, J., see Williamson, N. A.
Ramachandran, R., see Ottleben, H.
Ramachandran, U., see Tollersrud, O. K.
Rammensee, H.-G., see Arnold, D.
Ramos-Valdivia, A. C., van der Heijden, R., Verpoorte, R., Camara, B.: Purification and characterization of two isoforms of isopentenyl-diphosphate isomerase from elicitor-treated *Cinchona robusta* cells 249: 161
Ramírez, J., see Ostoa-Saloma, P.
Ramírez-Silva, L., Oria, J., Gómez-Puyou, A., Tuena de Gómez-Puyou, M.: The contribution of water to the selectivity of pyruvate kinase for Na^+ and K^+ 250: 583
Randriamahazaka, H. N., see Loiseau, C.
Ranjeva, R., see Baudouin, E.
Ranty, B., see Baudouin, E.
Rao, M. B., see Rawat, U. B.
Rao, N. A., see Jagath, J. R.
Rasched, I., see Kieweg, V.
Rask, L., see Josefsson, L.-G.
Rask, L., see Taipalensuu, J.
Rathmann, J., see Holzhütter, H.-G.
Rattenborg, T., Nautrup Pedersen, G., Clark, B. F. C., Knudsen, C. R.: Contribution of Arg288 of *Escherichia coli* elongation factor Tu to translational functionality 249: 408
Ravaglia, S., see Gribaudo, G.
Ravassard, P., see Icard-Liepkalns, C.
Ravn, P., see Larsen, L. B.
Raw, I., see Ho, P. L.
Rawat, U. B., Rao, M. B.: Conformation and microenvironment of the active site of xylose reductase inferred by fluorescent chemoaffinity labeling 246: 344
Rebers, F., see Tensen, C.
Rebouillat, D., see Marié, I.
Rechreche, H., Mallo, G. V., Montalto, G., Dagorn, J.-C., Iovanna, J. L.: Cloning and expression of the mRNA of human galectin-4, an S-type lectin down-regulated in colorectal cancer 248: 225
Reddy, G. S., see Harant, H.
Reed, G. L., see Houng, A. K.
Reeder, F., Guo, Z., Murdoch, P. del S., Corazza, A., Hambley, T. W., Berners-Price, S. J., Chottard, J.-C., Sadler, P. J.: Platination of a GG site on single-stranded and double-stranded forms of a 14-base oligonucleotide with diaqua cisplatin followed by NMR and HPLC – Influence of the platinum ligands and base sequence on 5′-G versus 3′-G platination selectivity 249: 370
Rees-Milton, K., Thorne, M., Greasley, P., Churchich, J., Gore, M. G.: Detection of metal binding to bovine inositol monophosphatase by changes in the near and far ultraviolet regions of the CD spectrum 246: 211
Regev, R., see Eytan, G. D.

Reichenbecher, M., Lottspeich, F., Bronnenmeier, K.: Purification and properties of a cellobiose phosphorylase (CepA) and a cellodextrin phosphorylase (CepB) from the cellulolytic thermophile *Clostridium stercorarium* 247: 262
Reifenberger, E., Boles, E., Ciriacy, M.: Kinetic characterization of individual hexose transporters of *Saccharomyces cerevisiae* and their relation to the triggering mechanisms of glucose repression 245: 324
Reijerse, E. J., see van Dam, P. J.
Reinbolt, J., see Serganov, A.
Reinhardt, S., see Bauer, U.-M.
Reisler, E., see Phan, B. C.
Remy, J.-M., see Mackay, E. A.
Renkema, G. H., Boot, R. G., Strijland, A., Donker-Koopman, W. E., van den Berg, M., Muijsers, A. O., Aerts, J. M. F. G.: Synthesis, sorting, and processing into distinct isoforms of human macrophage chitotriosidase 244: 279
Renouf, S., see Bourgeois, P.
Rentrop, M., see Bauer, U.-M.
Rescan, P.-Y.: Identification in a fish species of two Id (inhibitor of DNA binding/differentiation)-related helix-loop-helix factors expressed in the slow oxidative muscle fibers 247: 870
Rétey, J., see Abend, A.
Rétey, J., see Poppe, L.
Rettenberger, P. M., see Martensen, P. M.
Reutter, W., see Fan, H.
Reyes, J. C., see García-Domínguez, M.
Reymond, C., see Etchebehere, L. C.
Reynolds, P. E., see Brötz, H.
Rhodes, N. P., see Slupsky, J. R.
Ricard, J., see Avilan, L.
Ricard, J., see Lebreton, S.
Ricci, G., see Antonini, G.
Richards, A., Luccarini, C., Pope, F. M.: The structural organisation of *LAMA4*, the gene encoding laminin $\alpha 4$ 248: 15
Richards, J. C., see Beynon, L. M.
Richards, J. C., see Gilbert, M.
Richman, A., see Donly, B. C.
Richter, A., Knippers, R.: High-molecular-mass complexes of human minichromosome-maintenance proteins in mitotic cells 247: 136
Richter, G., see Berglechner, F.
Richter, O.-M. H., see Saxena, K.
Richter, O.-M. H., see Zickermann, I.
Rico, M., see Bruix, M.
Riddick, C. A., Ring, W. L., Baker, J. R., Hodulik, C. R., Bigby, T. D.: Dexamethasone increases expression of 5-lipoxygenase and its activating protein in human monocytes and THP-1 cells 246: 112
Rider, M. H., see Michels, P. A. M.
Ridgway, C. C., see Beck, K.
Ridley, R. G., see Moon, R. P.
Riedinger, H.-J., see Brischwein, K.
Riera, L., see Gribaudo, G.
Rietschel, E. T., see El-Samalouti, V. T.
Rigaud, J.-L., see Cladera, J.
Rigaud, J.-L., see Villaverde, J.
Rigden, D. J., see Michels, P. A. M.
Ring, W. L., see Riddick, C. A.
Ringertz, N., see Söderqvist, H.
Ringrose, L., Angrand, P.-O., Stewart, A. F.: The Kw recombinase, an integrase from *Kluyveromyces waltii* 248: 913
Rintamäki, E., see Kettunen, R.
Risau, W., see Koblizek, T. I.
Risberg, A., Schweda, E. K. H., Jansson, P.-E.: Structural studies of the cell-envelope oligosaccharide from the lipopolysaccharide of *Haemophilus influenzae* strain RM.118-28 243: 701
Rist, B., Ingenhoven, N., Scapozza, L., Schnorrenberg, G., Gaida, W., Wieland, H. A., Beck-Sickinger, A. G.: The bioactive conformation of neuropeptide Y analogues at the human Y_2-receptor 247: 1019
Ritt, C., see Grasser, K. D.
Ritt, C., see Stemmer, C.
Riva, C., see Chigorno, V.
Rivas, G., see Lozano, R. M.
Roach, P. J., see Skurat, A. V.
Robaye, B., see Wilkin, F.
Robberecht, P., see Vilardaga, J.-P.
Robert, B., see Albouy, D.
Robert, J., see Montaudon, D.
Roberti, M., Musicco, C., Loguercio Polosa, P., Gadaleta, M. N., Quagliariello, E., Cantatore, P.: Purification and characterization of a mitochondrial, single-stranded-DNA–binding protein from *Paracentrotus lividus* eggs 247: 52
Roberts, D. M., see Han, C.-H.
Roberts, G., Beaugé, L.: Complex ATP-activation kinetics of plant H^+-transporting ATPase may or may not require two substrate sites 246: 228
Roberts, G. C. K., see Khan, K. K.
Robin, M., see Lequin, O.
Robinson, C., see Brink, S.
Robinson, P. J., see Gatti, A.
Roby, D., see Baudouin, E.
Rocco, G. P., see Alzuet, G.
Rochat, H., see Blanc, E.
Rochat, H., see Cestèle, S.
Roche, L., Dowd, A. J., Tort, J., McGonigle, S., McSweeney, A., Curley, G. P., Ryan, T., Dalton, J. P.: Functional expression of *Fasciola hepatica* cathepsin L1 in *Saccharomyces cerevisiae* 245: 373
Rochel, N., Cowan, J. A.: Dependence of the lytic activity of the N-terminal domain of human perforin on membrane lipid composition – Implications for T-cell self-preservation 249: 223
Rocher, C., Faucheu, C., Blanchet, A.-M., Claudon, M., Hervé, F., Durand, L., Harnois, M., Diu-Hercend, A., Lalanne, J.-L.: Identification of five new genes, closely related to the interleukin-1β converting enzyme gene, that do not encode functional proteases 246: 394
Rodenburg, K. W., see Egelund, R.
Röder, C., see Frieser, M.
Rodrigues, J. A., see Brandt, W. F.
Roecklin, D., Klarskov, K., Cavallini, B., Sabatié, J., Bouchon, B., Loew, D., Van Dorsselaer, A., Bischoff, R.: Addition of acetaldehyde to the N-terminus of a recombinant *Schistosoma mansoni* glutathione *S*-transferase upon high-level expression in *Saccharomyces cerevisiae* 245: 589
Rogers, P. J., see Hockings, P. D.
Røjkjær, R., Schousboe, I.: Partial identification of the Zn^{2+}-binding sites in factor XII and its activation derivatives 247: 491
Røjkjær, R., Schousboe, I.: The surface-dependent autoactivation mechanism of factor XII 243: 160
Rojo-Domínguez, A., see Landa, A.
Rolfs, A., see Bieberich, E.
Rolfs, A., see Wenger, R. H.
Rollema, H. S., see van Kraaij, C.
Rolli, G., see van Pouderoyen, G.
Romancino, D. P., see Montana, G.
Romeo, D., see Tossi, A.
Romero, A., Alamillo, J. M., García-Olmedo, F.: Processing of thionin precursors in barley leaves by a vacuolar proteinase 243: 202
Romi-Lebrun, R., Martin-Eauclaire, M.-F., Escoubas, P., Wu, F. Q., Lebrun, B., Hisada, M., Nakajima, T.: Characterization of four toxins from *Buthus martensi* scorpion venom, which act on apamin-sensitive Ca^{2+}-activated K^+ channels 245: 457
Rommerskirch, W., see Maubach, G.
Rønne, E., see Høyer-Hansen, G.
Rönnstrand, L., see Kozawa, O.
Ronsse, I., see Froyen, G.
Ronzon, F., see Angrand, M.
Roovers, M., Hethke, C., Legrain, C., Thomm, M., Glansdorff, N.: Isolation of the gene encoding *Pyrococcus furiosus* ornithine carbamoyltransferase and study of its expression profile *in vivo* and *in vitro* 247: 1038
Roovers, M., see Legrain, C.
Roovers, M., see Sanchez, R.
Roper, J. M., Smith, A. G.: Molecular localisation of ferrochelatase in higher plant chloroplasts 246: 32
Rosato, A., see Banci, L.
Rösch, P., see Willbold, D.
Rosenbusch, J. P., see Locher, K. P.
Rosing, J., see Heemskerk, J. W. M.
Rospert, S., see Bramhall, E. A.
Rosseneu, M., see Peelman, F.
Rosseneu, M., see Pillot, T.
Rossi, A., Bonaventure, J., Delezoide, A.-L., Superti-Furga, A., Cetta, G.: Undersulfation of cartilage proteoglycans *ex vivo* and increased contribution of amino acid sulfur to sulfation *in vitro* in McAlister dysplasia/atelosteogenesis type 2 248: 741
Rossi, E., see Callus, B. A.
Rossi, M., see Bismuto, E.
Rothmann, A. B., Mortensen, H. D., Holmskov, U., Højrup, P.: Structural characterization of bovine collectin-43 243: 630
Rothstein, S., see Suzuki, A.
Rottensteiner, H., Kal, A. J., Hamilton, B., Ruis, H., Tabak, H. F.: A heterodimer of the Zn_2Cys_6 transcription factors Pip2p and Oaf1p controls induction of genes encoding peroxisomal proteins in *Saccharomyces cerevisiae* 247: 776
Rouda, S., see Aho, S.
Rougé, P., see Van Damme, E. J. M.
Roussel, M. R., Ngo, L. G.
Roustan, C., see Bartegi, A.
Roux, B., see Angrand, M.
Roy, S., see Van Damme, E. J. M.
Royer-Pokora, B., see Poleev, A.
Rozalski, A., see Knirel, Y. A.
Rozenblatt, S., see Adar, R.

Rubinek, T., Bakhanashvili, M., Taube, R., Avidan, O., Hizi, A.: The fidelity of 3′ misinsertion and mispair extension during DNA synthesis exhibited by two drug-resistant mutants of the reverse transcriptase of human immunodeficiency virus type 1 with Leu74→Val and Glu89→Gly 247: 238
Rübsamen-Waigmann, H., see Apeler, H.
Rüdiger, M., see Hüttelmaier, S.
Ruffert, S., Lambert, C., Peter, H., Wendisch, V. F., Krämer, R.: Efflux of compatible solutes in *Corynebacterium glutamicum* mediated by osmoregulated channel activity 247: 572
Ruis, H., see Rottensteiner, H.
Rümenapp, U., Schmidt, M., Wahn, F., Tapp, E., Grannass, A., Jakobs, K. H.: Characteristics of protein-kinase-C- and ADP-ribosylation-factor-stimulated phospholipase D activities in human embryonic kidney cells 248: 407
Rundle, S. J., see Latorre, K. A.
Runting, A. S., see Koblizek, T. I.
Rupec, R. A., see Müller, J. M.
Rupp, K., see Moon, R. P.
Rushton, J. J., Zorich, G. P., Stolc, V., Neudorf, S. M. L.: Characterization of a promoter within the first intron of the human *CD4* gene 245: 768
Russell, N. J., see Gerike, U.
Russell, R. J. M., Jolley, K. A.
Russev, G., see Chakarov, S.
Russo, T., see Esposito, F.
Ruzzene, M., Brunati, A. M., Donella-Deana, A., Marin, O., Pinna, L. A.: Specific stimulation of c-Fgr kinase by tyrosine-phosphorylated (poly)peptides – Possible implication in the sequential mode of protein phosphorylation 245: 701
Ruzzene, M., Songyang, Z., Marin, O., Donella-Deana, A., Brunati, A. M., Guerra, B., Agostinis, P., Cantley, L. C., Pinna, L. A.: Sequence specificity of C-terminal Src kinase (CSK) – A comparison with Src-related kinases c-Fgr and Lyn 246: 433
Ryan, T., see Roche, L.
Rydström, J., see Kalbin, G.

Sabatié, J., see Roecklin, D.
Sada, K., Minami, Y., Yamamura, H.: Relocation of Syk protein-tyrosine kinase to the actin filament network and subsequent association with Fak 248: 827
Sadler, P. J., see Berners-Price, S. J.
Sadler, P. J., see Reeder, F.
Sadoulet, M.-O., see Mas, E.
Sadowski, I., see Hung, W.
Saedi, M. S., see Mikolajczyk, S. D.
Saelens, X., see Maras, M.
Saelens, X., see Martinet, W.
Saghir, N., see Barrett, J.
Sahl, H.-G., see Brötz, H.
Sahm, H., see Stahmann, K.-P.
Sahm, H., see Wiegert, T.
Sainte-Marie, J., Lafont, V., Pécheur, E.-I., Favero, J., Philippot, J. R., Bienvenüe, A.: Transferrin receptor functions as a signal-transduction molecule for its own recycling via increases in the internal Ca^{2+} concentration 250: 689
Saito, H., see Tsubokawa, M.
Saito, I., see Caceres-Cortes, J.
Saito, Y., see Mori, S.
Saiz, J. L., see Gasset, M.
Sakai, H., see Jeon, B.-S.
Sakai, T., see Sakamoto, T.
Sakamaki, K., see Ueda, T.
Sakamoto, T., Yamada, M., Kawasaki, H., Sakai, T.: Molecular cloning and nucleotide sequence of an endo-1,5-α-L-arabinase gene from *Bacillus subtilis* 245: 708
Salgueiro, C. A., Turner, D. L., Xavier, A. V.: Use of paramagnetic NMR probes for structural analysis in cytochrome c_3 from *Desulfovibrio vulgaris* 244: 721
Sallese, M., see Chuang, T. T.
Salmona, M., see Chuang, T. T.
Salnikow, J., see Thiede, B.
Saloheimo, M., Nakari-Setälä, T., Tenkanen, M., Penttilä, M.: cDNA cloning of a *Trichoderma reesei* cellulase and demonstration of endoglucanase activity by expression in yeast 249: 584
Salvadori, S., see Crescenzi, O.
Salvato, B., see Alzuet, G.
Salzet, M., see Chopin, V.
Sampieri, F., see Blanc, E.
Sanchez, R., Baetens, M., Van de Casteele, M., Roovers, M., Legrain, C., Glansdorff, N.: Ornithine carbamoyltransferase from the extreme thermophile *Thermus thermophilus* – Analysis of the gene and characterisation of the protein 248: 466
Sánchez, V., see Estévez, A. M.
Sander, S., see Kleff, S.
Sanders, S. A., Eisenthal, R., Harrison, R.: NADH oxidase activity of human xanthine oxidoreductase – Generation of superoxide anion 245: 541
Sandhoff, K., see Ferlinz, K.
Sano, E., see Kazahari, K.
Sano, H., Tada, T., Moriyama, A., Ogawa, H., Asai, K., Kawai, Y., Hodgson, M. E., Kato, T., Wada, Y., Suchi, M.: Isolation of a rat histidase cDNA sequence and expression in *Escherichia coli* – Evidence of extrahepatic/epidermal distribution 250: 212
Santa, H., see Hakalehto, E.
Santella, L., Kyozuka, K.: Association of calmodulin with nuclear structures in starfish oocytes and its role in the resumption of meiosis 246: 602
Santimone, M., see Carsol, M. A.
Santomé, J. A., see Di Pietro, S. M.
Sanuki, S-i., see Kawachi, H.
Sanz, J. M., Giménez-Gallego, G.: A partly folded state of acidic fibroblast growth factor at low pH 246: 328
Sanz, L., see Gasset, M.
Sarafan, N., see Monet-Kuntz, C.
Saraiva, M. J. M., see Longo Alves, I.
Sarno, S., Vaglio, P., Marin, O., Meggio, F., Issinger, O.-G., Pinna, L. A.: Basic residues in the 74–83 and 191–198 segments of protein kinase CK2 catalytic subunit are implicated in negative but not in positive regulation by the β-subunit 248: 290
Sasaki, T., see Brown, J. C.
Sasaki, T., see Maurer, P.
Sasse, B., Lustig, A., Aebi, U., Stuurman, N.: *In vitro* assembly of *Drosophila* lamin Dm_0 – Lamin polymerization properties are conserved 250: 30
Sato, R., see Koizumi, N.
Sato, R., see Yaoi, K.
Sato, Y., see Adachi, H.
Satoh, M., Miyamoto, C., Terashima, H., Tachibana, Y., Wada, K., Watanabe, T., Hayes, A. E., Gentz, R., Furuichi, Y.: Human endothelin receptors ET_A and ET_B expressed in baculovirus-infected insect cells – Direct application for signal transduction analysis 249: 803
Satoh, M., see Doi, T.
Sattler, M., see Prasch, T.
Sauer, K., Harms, U., Thauer, R. K.: Methanol:coenzyme M methyltransferase from *Methanosarcina barkeri* – Purification, properties and encoding genes of the corrinoid protein MT1 243: 670
Sauer, K., Thauer, R. K.: Methanol:coenzyme M methyltransferase from *Methanosarcina barkeri* – Zinc dependence and thermodynamics of the methanol:cob(I)alamin methyltransferase reaction 249: 280
Sauerborn, M., see Hundsberger, T.
Sauermann, G., see Holzmann, K.
Saunier, B., see Tournier, C.
Sautière, P., see Adjadj, E.
Savard, R., see Labelle, M.
Savel'ev, A. N., see Bagiyan, F. G.
Savithri, H. S., see Jagath, J. R.
Savoca, R., see Lierheimer, R.
Sawada, H., see Fujimuro, M.
Sawada, T., see Tanaka, K.
Sawai, T., see Suzuki, Y.
Sawamura, T., see Kido, T.
Sawka-Verhelle, D., Filloux, C., Tartare-Deckert, S., Mothe, I., Van Obberghen, E.: Identification of Stat 5B as a substrate of the insulin receptor 250: 411
Saxena, K., Richter, O.-M. H., Ludwig, B., Benz, R.: Molecular cloning and functional characterization of the *Paracoccus denitrificans* porin 245: 300
Sbisà, E., see Montana, G.
Scala, D., see Frère-Gallois, V.
Scandurra, R., see Chiaraluce, R.
Scapozza, L., see Rist, B.
Schaal, S., see Prasch, T.
Schachner, M., see Hall, H.
Schäfer, H.-L., see Kramer, W.
Schaller, F., Weiler, E. W.: Enzymes of octadecanoid biosynthesis in plants – 12-Oxophytodienoate 10,11-reductase 245: 294
Scharf, J.-G., see Chang, S.-F.
Scharpé, S., see Goossens, F.
Scheible, W.-R., see Vornlocher, H.-P.
Scheiner-Bobis, G., Schneider, H.: Palytoxin-induced channel formation within the Na^+/K^+-ATPase does not require a catalytically active enzyme 248: 717
Schellens, J. P. M., see Blommaart, E. F. C.
Scheller, H. V., see Scott, M. P.
Scheller, K., see Burmester, T.
Schenk, G., Leeper, F. J., England, R., Nixon, P. F., Duggleby, R. G.: The role of His113 and His114 in pyruvate decarboxylase from *Zymomonas mobilis* 248: 63
Scheynius, A., see Schmidt, M.
Schiebel, H.-M., see Lindigkeit, R.
Schild, H., see Arnold, D.
Schilling, K., see Maubach, G.
Schiltz, E., see Herter, S. M.
Schirmer, R. H., see Nordhoff, A.
Schlaak, M., see Gehlhar, K.
Schledz, M., see Bonk, M.
Schletter, J., see El-Samalouti, V. T.
Schleuning, W.-D., see Haendler, B.

Schmid, M., see Hoenke, S.
Schmid, R., see Glasemacher, J.
Schmid, R., see Göthel, S. F.
Schmid, T. M., see Fernandes, R. J.
Schmidt, A., Sindermann, J., Peyman, A., Uhlmann, E., Will, D. W., Müller, J. G., Breithardt, G., Buddecke, E.: Sequence-specific antiproliferative effects of antisense and end-capping-modified antisense oligodeoxynucleotides targeted against the 5′-terminus of basic-fibroblast-growth-factor mRNA in coronary smooth muscle cells 248: 543
Schmidt, E., see Apeler, H.
Schmidt, M., see Rümenapp, U.
Schmidt, M., Zargari, A., Holt, P., Lindbom, L., Hellman, U., Whitley, P., van der Ploeg, I., Härfast, B., Scheynius, A.: The complete cDNA sequence and expression of the first major allergenic protein of *Malassezia furfur*, Mal f 1 246: 181
Schmitt, E., Panvert, M., Mechulam, Y., Blanquet, S.: General structure/function properties of microbial methionyl-tRNA synthetases 246: 539
Schmitt, H. D., see Ballensiefen, W.
Schmitt, N. F., see Holtman, W. L.
Schmitz, B., see Hall, H.
Schmitz, R., see Gram, H.
Schmitz, W., Conzelmann, E.: Stereochemistry of peroxisomal and mitochondrial β-oxidation of α-methylacyl-CoAs 244: 434
Schmutzler, C., see Jakobs, T. C.
Schneider, A., see Wang, J.
Schneider, G., see Meshalkina, L.
Schneider, H., see Scheiner-Bobis, G.
Schneider, K., Gollan, U., Dröttboom, M., Selsemeier-Voigt, S., Müller, A.: Comparative biochemical characterization of the iron-only nitrogenase and the molybdenum nitrogenase from *Rhodobacter capsulatus* 244: 789
Schneider, K., see Müller, A.
Schneider, K.-H., see Apeler, H.
Schneider, S., see Poleev, A.
Schneidereit, M., see Apeler, H.
Schneider-Hirsch, S., see Bauer, U.-M.
Schnorrenberg, G., see Rist, B.
Schön, A., see Arends, S.
Schöneck, R., Billaut-Mulot, O., Numrich, P., Ouaissi, M. A., Krauth-Siegel, R. L.: Cloning, sequencing and functional expression of dihydrolipoamide dehydrogenase from the human pathogen *Trypanosoma cruzi* 243: 739
Schoner, W., see Brinkmann, K.
Schönheit, P., see Glasemacher, J.
Schots, A., see Bruggeman, Y. E.
Schott, M. K., see Nordhoff, A.
Schousboe, I., see Røjkjær, R.
Schousboe, S. L., see Egelund, R.
Schräder, T., see Becker, D.
Schraml, J., see Maras, M.
Schramm, B., see Fackler, O. T.
Schramm, G., see Gehlhar, K.
Schreiber, G., see Aldred, A. R.
Schreiner, G., see Goubeaud, M.
Schrempf, H., see Zeltins, A.
Schriefer, A., see Grangeiro, T. B.
Schroeder, J.-M., see Coulin, F.
Schubach, B., see Menéndez, C.
Schubert, D., see Nordhoff, A.
Schubert, W., see Prasch, T.
Schuchman, E. H., see Ferlinz, K.
Schulenberg, B., Wellmer, F., Lill, H., Junge, W., Engelbrecht, S.: Cross-linking of chloroplast F_0F_1-ATPase subunit ε to γ without effect on activity – ε and γ are parts of the rotor 249: 134
Schulthess, T., see Brancaccio, A.
Schultz, J. E., see Maubach, G.
Schulz, G. E., see Wild, K.
Schulz, H., see He, X.-Y.
Schulz, R., see Tensen, C.
Schulze, B., see Trieschmann, L.
Schulze, C., see Guse, A. H.
Schulze, E., see Trieschmann, L.
Schulze-Osthoff, K., see Bauer, M. K. A.
Schutkowski, M., Jakob, M., Landgraf, G., Born, I., Neubert, K., Fischer, G.: Probing substrate backbone function in prolyl oligopeptidase catalysis – Large positional effects of peptide bond monothioxylation 245: 381
Schütt, C., see Stelter, F.
Schüttke, I., see Haendler, B.
Schütz, G., see Taraviras, S.
Schutzbach, J. S., see Forsee, W. T.
Schwager, S. U. L., see Brandt, W. F.
Schwald, F., see Illenberger, D.
Schwarzbauer, J. E., see Maurer, P.
Schwecke, T., see König, A.
Schweda, E. K. H., see Risberg, A.
Schweizer, E., see Stuible, H.-P.
Schwerdtfeger, R. M., see Chiaraluce, R.
Schwidetzky, U., see Haendler, B.
Scott, A. G., see Duve, H.
Scott, M. P., Kjœr, B., Scheller, H. V., Golbeck, J. H.: Redox titration of two [4Fe-4S] clusters in the photosynthetic reaction center from the anaerobic green sulfur bacterium *Chlorobium vibrioforme* 244: 454
Scotto, C., see Delphin, C.
Scrutton, N. S., see Wilson, E. K.
Seckl, J. R., Chapman, K. E.: *Minireview series*. The 11β-hydroxysteroid dehydrogenase system, a determinant of glucocorticoid and mineralocorticoid action. Medical and physiological aspects of the 11β-hydroxysteroid dehydrogenase system 249: 361
Secundo, F., see Phillips, R. S.
Sedláček, J., see Konvalinka, J.
Sedlacek, J., see Lange-Savage, G.
Sehlstedt, U., see Tuite, E.
Seidel, A., see Müller, F.
Seimiya, M., Watanabe, Y., Kurosawa, Y.: Identification of POU-class homeobox genes in a freshwater sponge and the specific expression of these genes during differentiation 243: 27
Seip, S., Lanz, R., Gutknecht, R., Flükiger, K., Erni, B.: The fructose transporter of *Bacillus subtilis* encoded by the *lev* operon – Backbone assignment and secondary structure of the IIB^{Lev} subunit 243: 306
Selim, T. E., Ghoneim, H. R., Uknis, A. B., Colman, R. W., DeLa Cadena, R. A.: High-molecular-mass and low-molecular-mass kininogens block plasmin-induced platelet aggregation by forming a complex with kringle 5 of plasminogen/plasmin 250: 532
Selinger, Z., see Zor, T.
Selsemeier-Voigt, S., see Schneider, K.
Semeriva, M., see Cerini, C.
Sen, P. C., see Bhattacharyya, D.
Senbongi, N., see Shibata, N.
Senchenkova, S. N., see Knirel, Y. A.
Senchenkova, S. N., Shashkov, A. S., Knirel, Y. A., McGovern, J. J., Moran, A. P.: The O-specific polysaccharide chain of *Campylobacter fetus* serotype A lipopolysaccharide is a partially O-acetylated 1,3-linked α-D-mannan 245: 637
Senyuk, V. I., see Becker, C.
Seo, H. S., Choi, C. H., Kim, H. Y., Jeong, J. Y., Lee, S. Y., Cho, M. J., Bahk, J. D.: Guanine-nucleotide binding and hydrolyzing kinetics of ORrab2, a rice small GTP-binding protein expressed in *Escherichia coli* 249: 293
Seol, J. H., Yoo, S. J., Shin, D. H., Shim, Y. K., Kang, M.-S., Goldberg, A. L., Chung, C. H.: The heat-shock protein HslVU from *Escherichia coli* is a protein-activated ATPase as well as an ATP-dependent proteinase 247: 1143
Serganov, A., Rak, A., Garber, M., Reinbolt, J., Ehresmann, B., Ehresmann, C., Grunberg-Manago, M., Portier, C.: Ribosomal protein S15 from *Thermus thermophilus* – Cloning, sequencing, overexpression of the gene and RNA-binding properties of the protein 246: 291
Serra, E., Zemzoumi, K., Dissous, C.: Deletion analysis of the *Schistosoma mansoni* 28-kDa glutathione *S*-transferase gene promoter in mammalian cells – Importance of a proximal activator-protein-1 site 248: 113
Serrano, L., see Bruix, M.
Setaka, M., see Yokoyama, K.
Sette, C., see El Bawab, S.
Seydel, U., see Fukuoka, S.
Seyer, R., see Carnazzi, E.
Shaanan, B., see Zor, T.
Shabalin, K. A., see Bagiyan, F. G.
Shafiee, A., see Motamedi, H.
Shafiee, M., see Pelicano, H.
Shall, S., see Aoufouchi, S.
Shaltiel, S., see Gechtman, Z.
Shanbhag, V. P., Stigbrand, T., Jensen, P. E. H.: The contact zones in human α_2-macroglobulin – Functional domains important for the regulation of the trapping mechanism 244: 694
Shapiro, A. B., Corder, A. B., Ling, V.: P-glycoprotein-mediated Hoechst 33342 transport out of the lipid bilayer 250: 115
Shapiro, A. B., Ling, V.: Extraction of Hoechst 33342 from the cytoplasmic leaflet of the plasma membrane by P-glycoprotein 250: 122
Shapiro, A. B., Ling, V.: Positively cooperative sites for drug transport by P-glycoprotein with distinct drug specificities 250: 130
Sharma, B., see Jagath, J. R.
Sharma, Y., Chandani, S., Sukhaswami, M. B., Uma, L., Balasubramanian, D., Fairweil, T.: Modified helix-loop-helix motifs of calmodulin – The influence of the exchange of helical regions on calcium-binding affinity 243: 42
Sharon, N., see Adar, R.
Sharon, N., see Siebert, H.-C.

Sharp, T. V., Witzel, J. E., Jagus, R.: Homologous regions of the α subunit of eukaryotic translational initiation factor 2 (eIF2α) and the vaccinia virus K3L gene product interact with the same domain within the dsRNA-activated protein kinase (PKR) 250: 85
Shashkov, A. S., see Knirel, Y. A.
Shashkov, A. S., see Senchenkova, S. N.
Shaver, R. T., see Aspinall, G. O.
Shaw, A. R. E., see Slupsky, J. R.
Shaw, P. M., see Lerche, C.
Shaw, P.-C., Mulot, S., Ma, S.-K., Xu, Q.-F., Yao, H.-B., Wu, S., Lu, X.-H., Dong, Y.-C.: Structure/function relationship study of Tyr14 and Arg22 in trichosanthin, a ribosome-inactivating protein 245: 423
Shaw, S. M., see Irvine, H. S.
Shearer, G., see Debnam, P. M.
Shibata, N., Senbongi, N., Hosoya, T., Kawahara, K., Akagi, R., Suzuki, A., Kobayashi, H., Suzuki, S., Okawa, Y.: Demonstration of the presence of α-1,6-branched side chains in the mannan of *Candida stellatoidea* 246: 477
Shih, M. J., Edinger, J. W., Creighton, D. J.: Diffusion-dependent kinetic properties of glyoxalase I and estimates of the steady-state concentrations of glyoxalase-pathway intermediates in glycolyzing erythrocytes 244: 852
Shim, Y. K., see Seol, J. H.
Shimizu, K., see Kawachi, H.
Shimizu, S., see Kataoka, M.
Shimizu, S., see Liu, J.-Q.
Shimizu, S., see Ogawa, J.
Shimohigashi, Y., see Nobuhisa, I.
Shimoi, H., see Kitagaki, H.
Shimonaka, M., see Mizuno, K.
Shimotohno, K., see Urvil, P. T.
Shin, D. H., see Seol, J. H.
Shin, D., see Burks, A. W.
Shinkawa, A., see Yaoi, K.
Shirai, R., see Tanaka, K.
Shirai, T., see Tanaka, K.
Shoshan, M. C., see Ljungdahl, S.
Shoshan-Barmatz, V., see Feng, W.
Shugar, D., see Wielgus-Kutrowska, B.
Shutov, A. D., see Becker, C.
Siccardi, A. G., see Corti, A.
Sicot, F.-X., Exposito, J.-Y., Masselot, M., Garrone, R., Deutsch, J., Gaill, F.: Cloning of an annelid fibrillar-collagen gene and phylogenetic analysis of vertebrate and invertebrate collagens 246: 50
Sidoli, A., see Corti, A.
Sidoli, A., see Tamborini, E.
Siebert, H.-C., Adar, R., Arango, R., Burchert, M., Kaltner, H., Kayser, G., Tajkhorshid, E., Von Der Lieth, C.-W., Kaptein, R., Sharon, N., Vliegenthart, J. F. G., Gabius, H.-J.: Involvement of laser photo-CIDNP(chemically induced dynamic nuclear polarization)-reactive amino acid side chains in ligand binding by galactoside-specific lectins in solution 249: 27
Siezen, R. J., see van Kraaij, C.
Sigfridsson, K., Young, S., Hansson, Ö.: Electron transfer between spinach plastocyanin mutants and photosystem 1 245: 805
Sigmund, C. D., see Jones, C. A.
Silva-Filha, M. H., Nielsen-LeRoux, C., Charles, J.-F.: Binding kinetics of *Bacillus sphaericus* binary toxin to midgut brush-border membranes of *Anopheles* and *Culex* sp. mosquito larvae 247: 754
Silvestrini, M. C., see van Pouderoyen, G.
Simon, J., see Lenger, R.
Simonen, M., Keller, H., Heim, J.: The BH3 domain of Bax is sufficient for interaction of Bax with itself and with other family members and it is required for induction of apoptosis 249: 85
Simons, R. W., see Babic, S.
Sindermann, J., see Schmidt, A.
Sinervirta, R., see Korhonen, V.-P.
Singh, I. S., see Mei, X.
Singh, K., see Danielsen, E.
Sinz, K., see Kopitz, J.
Sjövall, J., see Stieger, B.
Sjövall, J., see Zhang, J.
Skjødt, K., see Krogh, T. N.
Skurat, A. V., Lim, S.-S., Roach, P. J.: Glycogen biogenesis in rat 1 fibroblasts expressing rabbit muscle glycogenin 245: 147
Slonimski, P. P., see Brasseur, G.
Slupsky, J. R., Kamiguti, A. S., Rhodes, N. P., Cawley, J. C., Shaw, A. R. E., Zuzel, M.: The platelet antigens CD9, CD42 and integrin $\alpha_{IIb}\beta_{IIIa}$ can be topographically associated and transduce functionally similar signals 244: 168
Smirnov, I. V., see Basu, H. S.
Smith, A. G., see Roper, J. M.
Smith, A. T., see Hill, A. P.
Smith, B., see d'Ortho, M.-P.
Smith, B., see Knäuper, V.
Smith, J. J., Thomson, A. J., Proudfoot, A. E. I., Wells, T. N. C.: Identification of an Fe(III)-dihydroxyphenylalanine site in recombinant phosphomannose isomerase from *Candida albicans* 244: 325
Snippe, L., see Calkhoven, C. F.
Soares, M. B., see Ho, P. L.
Sobel, A., see Ozon, S.
Sobrio, F., see Delorme, C.
Sodek, L., see Gaziola, S. A.
Söderqvist, H., Imreh, G., Kihlmark, M., Linnman, C., Ringertz, N., Hallberg, E.Intracellular distribution of an integral nuclear pore membrane protein fused to green fluorescent protein – Localization of a targeting domain 250: 808
Soejima, M., see Koda, Y.
Soetens, O., see Crabeel, M.
Sogawa, K., see Numayama-Tsuruta, K.
Söhngen, S. M., Stahlmann, A., Harris, J. R., Müller, S. A., Engel, A., Markl, J.: Mass determination, subunit organization and control of oligomerization states of keyhole limpet hemocyanin (KLH) 248: 602
Sokolova, E. A., see Zamolodchikova, T. S.
Sola-Penna, M., Ferreira-Pereira, A., dos Passos Lemos, A., Meyer-Fernandes, J. R.: Carbohydrate protection of enzyme structure and function against guanidinium chloride treatment depends on the nature of carbohydrate and enzyme 248: 24
Soler-González, A. S., Fersht, A. R.: Helix stability in barstar peptides 249: 724
Soller, M., Bownes, M., Kubli, E.: Mating and sex peptide stimulate the accumulation of yolk in oocytes of *Drosophila melanogaster* 243: 732
Sollerbrant, K., see Ljungdahl, S.
Sollewijn Gelpke, M. D., see van den Hombergh, J. P. T. W.
Solomon, M. S., see Kamath-Loeb, A. S.
Solomon, P. S., Lane, I., Hanson, G. R., McEwan, A. G.: Characterisation of the pterin molybdenum cofactor in dimethylsulfoxide reductase of *Rhodobacter capsulatus* 246: 200
Somoza, J. R., see Kanaani, J.
Sonderegger, P., see Lierheimer, R.
Song, E., see Arnold, S.
Song, Y., see Su, Y.
Songyang, Z., see Ruzzene, M.
Sonnenbichler, J., Kovács, T.: Influence of the *Gloeophyllum* metabolite oosponol and some synthetic analogues on protein and RNA synthesis in target cells 246: 45
Sonnier, M., see Lacroix, D.
Sonnino, S., see Chigorno, V.
Soong, C.-L., see Ogawa, J.
Soppa, J., Link, T. A.: The TATA-box-binding protein (TBP) of *Halobacterium salinarum* – Cloning of the *tbp* gene, heterologous production of TBP and folding of TBP into a native conformation 249: 318
Sorgenfrei, O., Duin, E. C., Klein, A., Albracht, S. P. J.: Changes in the electronic structure around Ni in oxidized and reduced selenium-containing hydrogenases from *Methanococcus voltae* 247: 681
Sorokin, L. M., see Frieser, M.
Sorokine, O., see Mackay, E. A.
Sorrell, T. C., see Wright, L. C.
Sottrup-Jensen, L., see Egelund, R.
Souček, M., see Konvalinka, J.
Sowder, R. C. II, see O'Keefe, B. R.
Spadaccini, A., see Busfield, S. J.
Spannagel, C., Vaillier, J., Arselin, G., Graves, P.-V., Velours, J.: The subunit f of mitochondrial yeast ATP synthase – Characterization of the protein and disruption of the structural gene *ATP17* 247: 1111
Spielmann, P., see Wenger, R. H.
Spindler-Barth, M., see Kayser, H.
Sprenger, G. A., see Wiegert, T.
Sprenger, I., see Goldmann, W. H.
Sprinzl, M., see Nawrot, B.
Sprinzl, M., see Vornlocher, H.-P.
St John Manning, B., see Piétri-Rouxel, F.
Stacker, S. A., see Koblizek, T. I.
Stahl, J., see Müller-Newen, G.
Stahlmann, A., see Söhngen, S. M.
Stahmann, K.-P., Böddecker, T., Sahm, H.: Regulation and properties of a fungal lipase showing interfacial inactivation by gas bubbles, or droplets of lipid or fatty acid 244: 220
Staijen, I. E., Hatzimanikatis, V., Witholt, B.: The AlkB monooxygenase of *Pseudomonas oleovorans* – Synthesis, stability and level in recombinant *Escherichia coli* and the native host 244: 462
Stalmans, W., see Wera, S.
Stanley, J. S., see Burks, A. W.
Stansfield, I., Kushnirov, V. V., Jones, K. M., Tuite, M. F.: A conditional-lethal translation termination defect in a *sup45* mutant of the yeast *Saccharomyces cerevisiae* 245: 557
Staudenmann, W., see Dainese Hatt, P.
Staunton, J., see König, A.

Steede, N. K., see Bramhall, E. A.
Stefano, G. B., see Chopin, V.
Stein, M., see García-Sánchez, M. I.
Stein, M., see Mittard, V.
Steinmetz, I., see Nimtz, M.
Stellacci, E., see Coccia, E. M.
Stelter, F., Bernheiden, M., Menzel, R., Jack, R. S., Witt, S., Fan, X., Pfister, M., Schütt, C.: Mutation of amino acids 39–44 of human CD14 abrogates binding of lipopolysaccharide and *Escherichia coli* 243: 100
Stemmer, C., Ritt, C., Igloi, G. L., Grimm, R., Grasser, K. D.: Variability in *Arabidopsis thaliana* chromosomal high-mobility-group-1-like proteins 250: 646
Stenberg, Y., Julenius, K., Dahlqvist, I., Drakenberg, T., Stenflo, J.: Calcium-binding properties of the third and fourth epidermal-growth-factor-like modules in vitamin-K-dependent protein S 248: 163
Stenflo, J., see Stenberg, Y.
Stengelin, S., see Kramer, W.
Stephan, U. W., see Giritch, A.
Sterchi, E. E., see Eldering, J. A.
Sterchi, E. E., see Hahn, D.
Sterin-Speziale, N., see Di Pietro, S. M.
Steuber, J., Krebs, W., Dimroth, P.: The Na^+-translocating NADH:ubiquinone oxidoreductase from *Vibrio alginolyticus* – Redox states of the FAD prosthetic group and mechanism of Ag^+ inhibition 249: 770
Stevanović, S., see Arnold, D.
Stevens, A., Augusteyn, R. C.: Binding of 1-anilinonaphthalene-8-sulfonic acid to α-crystallin 243: 792
Steward, M. W., see Lelièvre, D.
Stewart, A. F., see Ringrose, L.
Steyaert, J.: *Review.* A decade of protein engineering on ribonuclease T_1 – Atomic dissection of the enzyme-substrate interactions 247: 1
Stieger, B., Zhang, J., O'Neill, B., Sjövall, J., Meier, P. J.: Differential interaction of bile acids from patients with inborn errors of bile acid synthesis with hepatocellular bile acid transporters 244: 39
Stigbrand, T., see Shanbhag, V. P.
Stöckel, J., Döring, K., Malotka, J., Jähnig, F., Dornmair, K.: Pathway of detergent-mediated and peptide ligand-mediated refolding of heterodimeric class II major histocompatibility complex (MHC) molecules 248: 684
Stoffel, W., see Weiss, B.
Stoffer, B. B., see Christensen, T.
Stoilov, P., see Chakarov, S.
Stolc, V., see Rushton, J. J.
Stoppini, M., Bellotti, V., Mangione, P., Merlini, G., Ferri, G.: Use of anti-(β2 microglobulin) mAb to study formation of amyloid fibrils 249: 21
Stossel, T. P., see Fujita, H.
Stösser, R., see Holzhütter, H.-G.
Stoyloff, R., Strecker, A., Bode, L., Franke, P., Ludwig, H., Hucho, F.: *Priority paper.* The glycosylated matrix protein of Borna disease virus is a tetrameric membrane-bound viral component essential for infection 246: 252
St-Pierre, S., see Labelle, M.
Strasser, A. W. M., see Hülseweh, B.
Strauss, A., see Kieweg, V.
Strauss, A. W., see Eder, M.
Strauss, M., see Herwig, S.
Strecker, A., see Stoyloff, R.
Streicher, H., see Adar, R.
Streutker, M. R., see Hagting, A.
Strid, Å., see Kalbin, G.
Strijland, A., see Renkema, G. H.
Stringfellow, J. M., Cairns, S. S., Cornish, A., Cooper, R. A.: Haloalkanoate dehalogenase II (DehE) of a *Rhizobium* sp. – Molecular analysis of the gene and formation of carbon monoxide from trihaloacetate by the enzyme 250: 789
Strnad, M., see Filgueira de Azevedo, W.
Strobl, B., see Arming, S.
Strobl, B., see Vlasak, R.
Štrop, P., see Konvalinka, J.
Strosberg, A. D., see Piétri-Rouxel, F.
Strotmann, H., see Hisabori, T.
Strydom, D. J., Bond, M. D., Vallee, B. L.: An angiogenic protein from bovine serum and milk – Purification and primary structure of angiogenin-2 247: 535
Stuible, H.-P., Meier, S., Schweizer, E.: Identification, isolation and biochemical characterization of a phosphopantetheine:protein transferase that activates the two type-I fatty acid synthases of *Brevibacterium ammoniagenes* 248: 481
Stuible, H.-P., Meurer, G., Schweizer, E.: Heterologous expression and biochemical characterization of two functionally different type I fatty acid synthases from *Brevibacterium ammoniagenes* 247: 268
Stumph, W. E., see Su, Y.
Stupperich, E., see Poppe, L.
Stuurman, N., see Sasse, B.
Su, Y., Song, Y., Wang, Y., Jessop, L., Zhan, L., Stumph, W. E.: Characterization of a *Drosophila* proximal-sequence-element-binding protein involved in transcription of small nuclear RNA genes 248: 231
Suarez-Huerta, N., see Wilkin, F.
Subramanian, A. R., see Weglöhner, W.
Suchi, M., see Sano, H.
Suer, W., see Müller, A.
Sugimoto, A., see Yamaguchi, T.
Sugiyama, H., see Caceres-Cortes, J.
Sui, L.-m., see Beck, K.
Sukhaswami, M. B., see Sharma, Y.
Sumper, M., see Kröger, N.
Sun, J., see Yuda, M.
Sun, L., Kantrowitz, E. R., Galley, W. C.: Room temperature phosphorescence study of phosphate binding in *Escherichia coli* alkaline phosphatase 245: 32
Sung, U., O'Rear, J. J., Yurchenco, P. D.: Localization of heparin binding activity in recombinant laminin G domain 250: 138
Superti-Furga, A., see Rossi, A.
Sutcliffe, M. J., see Hill, A. P.
Sutcliffe, M., see Khan, K. K.
Suzuki, A., Rothstein, S.: Structure and regulation of ferredoxin-dependent glutamase synthase from *Arabidopsis thaliana* – Cloning of cDNA, expression in different tissues of wild-type and *gltS* mutant strains, and light induction 243: 708
Suzuki, A., see García-Sánchez, M. I.
Suzuki, A., see Shibata, N.
Suzuki, A., see Yokoyama, K.
Suzuki, N., see Hoshino, K.
Suzuki, S., see Shibata, N.
Suzuki, Y., Nobiki, M., Matsuda, M., Sawai, T.: *Bacillus thermoamyloliquefaciens* KP1071 α-glucosidase II is a thermostable M_r 540000 homohexameric α-glucosidase with both exo-α-1,4-glucosidase and oligo-1,6-glucosidase activities 245: 129
Svensson, B., see Christensen, T.
Svensson, C., see Ljungdahl, S.
Svensson, M., see Tamborini, E.
Svensson, P., Bläsing, O. E., Westhoff, P.: Evolution of the enzymatic characteristics of C_4 phospho*enol*pyruvate carboxylase – A comparison of the orthologous *PPCA* phospho*enol*pyruvate carboxylases of *Flaveria trinervia* (C_4) and *Flaveria pringlei* (C_3) 246: 452
Swank, R. T., see Jones, C. A.
Szymanski, P. T., see Tang, J. X.

Tabak, H. F., see Rottensteiner, H.
Tabak, H. F., see Verleur, N.
Tabone, J., see Kamath-Loeb, A. S.
Tachibana, Y., see Satoh, M.
Tada, T., see Sano, H.
Taguchi, H., see Jeon, B.-S.
Tai, T., see Yokoyama, K.
Tailor, P., see Couture, C.
Taipalensuu, J., Andreasson, E., Eriksson, S., Rask, L.: Regulation of the wound-induced myrosinase-associated protein transcript in *Brassica napus* plants 247: 963
Taipalensuu, J., Eriksson, S., Rask, L.: The myrosinase-binding protein from *Brassica napus* seeds possesses lectin activity and has a highly similar vegetatively expressed wound-inducible counterpart 250: 680
Taipalensuu, J., Falk, A., Ek, B., Rask, L.: Myrosinase-binding proteins are derived from a large wound-inducible and repetitive transcript 243: 605
Tajbakhsh, M., see Tuckey, R. C.
Tajkhorshid, E., see Siebert, H.-C.
Takadera, T., Ohyashiki, T.: Apoptotic cell death and caspase 3 (CPP32) activation induced by calcium ionophore at low concentrations and their prevention by nerve growth factor in PC12 cells 249: 8
Takahashi, M., see Tuite, E.
Takahashi, M., see Wittung, P.
Takahashi, S. Y., see Watabe, S.
Takahashi, T., see Kihara, T.
Takahashi, T., see Yaoi, K.
Takai, M., see Kanaori, K.
Takamatsu, H., Bunai, K., Horinaka, T., Oguro, A., Nakamura, K., Watabe, K., Yamane, K.: Identification of a region required for binding to presecretory protein in *Bacillus subtilis* Ffh, a homologue of the 54-kDa subunit of mammalian signal recognition particle 248: 575
Takeda, S., Kobayashi, T., Taniguchi, H., Hayashi, H., Maéda, Y.: Structural and functional domains of the troponin complex revealed by limited digestion 246: 611
Takemori, H., Halder, S. K., Nonaka, Y., Fujii, T., Ohta, M., Hatano, O., Okamoto, M.: Polyadenylation-mediated translational regulation of maternal *P*450(11β) mRNA in frog oocytes 250: 197
Takeshita, S., see Umemura, K.
Takigawa, M., see Davies, D.
Tam, B. M., see Hill, A. P.
Tam, M. F., see Hsiao, Y.-M.

Tamaru, T., see Hirose, T.
Tamborini, E., Faccini, S., Lidholm, J., Svensson, M., Brandazza, A., Longhi, R., Groenlund, H., Sidoli, A., Arosio, P.: Biochemical and immunological characterization of recombinant allergen Lol p 1 249: 886
Tampé, R., see Urlinger, S.
Tamura, K., see Mori, S.
Tan, E. M. L., see Aho, S.
Tanaka, A., see Kawachi, H.
Tanaka, A., see Umemura, K.
Tanaka, E., see Koizumi, N.
Tanaka, K., Ohmi, S. I., Sawada, T., Shirai, R., Hashimoto, Y., Iwasaki, S., Kaibuchi, K., Kanaho, Y., Shirai, T., Terada, Y., Kimura, K., Nagata, S., Fukui, Y.: A target of phosphatidylinositol 3,4,5-trisphosphate with a zinc finger motif similar to that of the ADP-ribosylation-factor GTPase-activating protein and two pleckstrin homology domains 245: 512
Tanaka, K., see Mori, S.
Tanaka, M., see Oba, Y.
Tanaka, M., see Yamaguchi, T.
Tanaka, N., see Kunugi, S.
Tanaka, Y., see Fujiwara, H.
Tanaka, Y., Yoshida, T., Watanabe, K., Izumi, Y., Mitsunaga, T.: Characterization, gene cloning and expression of isocitrate lyase involved in the assimilation of one-carbon compounds in *Hyphomicrobium methylovorum* GM2 249: 820
Tancredi, T., see Crescenzi, O.
Tang, J. X., Szymanski, P. T., Janmey, P. A., Tao, T.: Electrostatic effects of smooth muscle calponin on actin assembly 247: 432
Tanguay, R. L., see Le, H.
Taniguchi, H., see Takeda, S.
Tao, T., see Tang, J. X.
Tapp, E., see Rümenapp, U.
Tarantino, C., see Tossi, A.
Taraviras, S., Schütz, G., Kelsey, G.: Generation of inhibitory mutants of hepatocyte nuclear factor 4 244: 883
Tarbouriech, N., see Vincent, C.
Tardif, C., see Mackay, E. A.
Taremi, S., see Wiekowski, M.
Tarnus, C., see Mackay, E. A.
Tartare-Deckert, S., see Sawka-Verhelle, D.
Tasinato, A., see Clément, S.
Tatsui, A., see Nobuhisa, I.
Taube, R., Avidan, O., Hizi, A.: The fidelity of misinsertion and mispair extension throughout DNA synthesis exhibited by mutants of the reverse transcriptase of human immunodeficiency virus type 2 resistant to nucleoside analogs 250: 106
Taube, R., see Rubinek, T.
Taupin, C. M.-J., Härtlein, M., Leberman, R.: Seryl-tRNA synthetase from the extreme halophile *Haloarcula marismortui* – Isolation, characterization and sequencing of the gene and its expression in *Escherichia coli* 243: 141
Tautu, O. S., see Zickermann, I.
Tawfik, D. S., Lindner, A. B., Chap, R., Eshhar, Z., Green, B. S.: Efficient and selective *p*-nitrophenyl-ester-hydrolyzing antibodies elicited by a *p*-nitrobenzyl phosphonate hapten 244: 619
Tay, T. S., see Pech, C. M.
Teichmann, T., Guan, C., Kristoffersen, P., Muster, G., Tietz, O., Palme, K.: Cloning and biochemical characterization of an anionic peroxidase from *Zea mays* 247: 826
Teisner, B., see Krogh, T. N.
Teissère, M., see Abousalham, A.
Teissié, J., see Raffy, S.
Teixeira, C. M. G., see Gaziola, S. A.
Teixeira, M., see Giuffrè, A.
Teixeira, M., see Pereira, I. A. C.
Tempel, M., see Goldmann, W. H.
Temussi, P. A., see Crescenzi, O.
Tenhunen, J., see Ulmanen, I.
Tenkanen, M., see Saloheimo, M.
Tensen, C., Okuzawa, K., Blomenröhr, M., Rebers, F., Leurs, R., Bogerd, J., Schulz, R., Goos, H.: Distinct efficacies for two endogenous ligands on a single cognate gonadoliberin receptor 243: 134
Terada, Y., see Tanaka, K.
Teraoka, H., see Chibazakura, T.
Terashima, H., see Satoh, M.
Tercero, J. A., see Barrasa, M. I.
Tersariol, I. L. S., Dietrich, C. P., Nader, H. B.: Uncoupling of actomyosin adenosinetriphosphatase by heparin and its fragments 245: 40
Tersteegen, A., Linder, D., Thauer, R. K., Hedderich, R.: Structures and functions of four anabolic 2-oxoacid oxidoreductases in *Methanobacterium thermoautotrophicum* 244: 862
Testa, U., see Coccia, E. M.
Thauer, R. K., see Goubeaud, M.
Thauer, R. K., see Harms, U.
Thauer, R. K., see Klein, A. R.
Thauer, R. K., see Künkel, A.
Thauer, R. K., see Sauer, K.
Thauer, R. K., see Tersteegen, A.
Thauer, R. K., see Vorholt, J. A.
Thelin, N., see Berggård, T.
Thiede, B., Salnikow, J., Wittmann-Liebold, B.: C-terminal ladder sequencing by an approach combining chemical degradation with analysis by matrix-assisted-laser-desorption ionization mass spectrometry 244: 750
Thies, W.-G., see Müller, A.
Thøgersen, H. C., see Ellgaard, L.
Thomas, G., Haavik, J., Cohen, P.: Participation of a stress-activated protein kinase cascade in the activation of tyrosine hydroxylase in chromaffin cells 247: 1180
Thomas, G., see Tournier, C.
Thomas-Oates, J. E., see Lommerse, J. P. M.
Thomas-Oates, J. E., see Vinogradov, E. V.
Thomm, M., see Roovers, M.
Thomson, A. J., see Smith, J. J.
Thöny-Meyer, L., Künzler, P.: Translocation to the periplasm and signal sequence cleavage of preapocytochrome *c* depend on *sec* and *lep*, but not on the *ccm* gene products 246: 794
Thorelli, E., Kaufman, R. J., Dahlbäck, B.: Cleavage requirements for activation of factor V by factor Xa 247: 12
Thorne, M., see Rees-Milton, K.
Thorpe, A., see Duve, H.
Thüring, H., see Lequin, O.
Thulasiraman, V., see Xu, Z.
Tietz, O., see Teichmann, T.
Tiffany, K., see Basu, H. S.
Tilbrook, P. A., see Busfield, S. J.
Tilbrook, P. A., see Callus, B. A.
Tilgmann, C., see Ulmanen, I.
Timanova, A., see Barrett, J.
Timmis, K. N., see Armengaud, J.
Timmis, K. N., see Beil, S.
Timpl, R., see Brown, J. C.
Timpl, R., see Costell, M.
Timpl, R., see d'Ortho, M.-P.
Timpl, R., see Hall, H.
Timpl, R., see Maurer, P.
Timpl, R., see Mayer, U.
Tindall, B. J., see Niemetz, R.
Tinton, S., Tran-Nguyen, Q.-N., Buc-Calderon, P.: Role of protein-phosphorylation events in the anoxia signal-transduction pathway leading to the inhibition of total protein synthesis in isolated hepatocytes 249: 121
Tobiasch, E., see van Gool, L.
Tognetti, V. B., see Krapp, A. R.
Tohyama, K., see Tsubokawa, M.
Tollersrud, O. K., Berg, T., Healy, P., Evjen, G., Ramachandran, U., Nilssen, Ø.: Purification of bovine lysosomal α-mannosidase, characterization of its gene and determination of two mutations that cause α-mannosidosis 246: 410
Tolvanen, M., see Gahmberg, C. G.
Tolvanen, M., see Korhonen, V.-P.
Tomas, A. M., Miles, M. A., Kelly, J. M.: Overexpression of cruzipain, the major cysteine proteinase of *Trypanosoma cruzi*, is associated with enhanced metacyclogenesis 244: 596
Tomimori, T., see Asano, N.
Tomita, S., see Kamimura, M.
Tönjes, R. R., Paul, D., Doenecke, D.: Transgenic mice transcribing the human H1° histone gene exhibit a normal phenotype 245: 97
Töpfer-Petersen, E., see Gasset, M.
Törnquist, K., Woodside, M., Grinstein, S.: Sphingosylphosphorylcholine activates an amiloride-insensitive Na^+-H^+–exchange mechanism in GH_4C_1 cells 248: 394
Tort, J., see Roche, L.
Tossi, A., Tarantino, C., Romeo, D.: Design of synthetic antimicrobial peptides based on sequence analogy and amphipathicity 250: 549
Toulmond, A., see Zal, F.
Tournier, C., Thomas, G., Pierre, J., Jacquemin, C., Pierre, M., Saunier, B.: Mediation by arachidonic acid metabolites of the H_2O_2-induced stimulation of mitogen-activated protein kinases (extracellular-signal-regulated kinase and c-Jun NH_2-terminal kinase) 244: 587
Tourwe, D., see Goossens, F.
Tözsér, J., Yin, F. H., Cheng, Y.-S. E., Bagossi, P., Weber, I. T., Harrison, R. W., Oroszlan, S.: Activity of tethered human immunodeficiency virus 1 protease containing mutations in the flap region of one subunit 244: 235
Traincard, F., see Etchebehere, L. C.
Tran, Q. H., Bongaerts, J., Vlad, D., Unden, G.: Requirement for the proton-pumping NADH dehydrogenase I of *Escherichia coli* in respiration of NADH to fumarate and its bioenergetic implications 244: 155

Tran-Dinh, S., Hoerter, J. A., Mateo, P., Bouet, F., Herve, M.: A simple mathematical model and practical approach for evaluating citric acid cycle fluxes in perfused rat hearts by ^{13}C-NMR and ^{1}H-NMR spectroscopy 245: 497
Tran-Nguyen, Q.-N., see Tinton, S.
Tranum-Jensen, J., see Zitzer, A.
Traub, W. H., see Haseley, S. R.
Treml, K., see Bieberich, E.
Trieschmann, L., Schulze, E., Schulze, B., Grossbach, U.: The histone H1 genes of the dipteran insect, *Chironomus thummi*, fall under two divergent classes and encode proteins with distinct intranuclear distribution and potentially different functions 250: 184
Tripodi, M., see Bravo, E.
Tritsch, D., see Potier, N.
Troalen, F., see Frère-Gallois, V.
Tron, P., see Brasseur, G.
Trudelle, Y., see Lelièvre, D.
Trueb, B., see Kopp, M. U.
Tryggvason, K., see Groffen, A. J. A.
Tsarbopoulos, A., see Wiekowski, M.
Tschesche, H., see Betz, M.
Tsou, C.-L., see Chen, Y.
Tsubokawa, M., Tohyama, Y., Tohyama, K., Asahi, M., Inazu, T., Nakamura, H., Saito, H., Yamamura, H.: Interleukin-3 activates Syk in a human myeloblastic leukemia cell line, AML193 249: 792
Tsujimoto, M., see Adachi, H.
Tsukada, K., see Chibazakura, T.
Tsukada, K., see Hiroki, T.
Tsuruo, T., see Yamane, K.
Tuckey, R. C., Woods, S. T., Tajbakhsh, M.: Electron transfer to cytochrome *P*-450scc limits cholesterol-side-chain-cleavage activity in the human placenta 244: 835
Tuckwell, D. S., see Davies, D.
Tuena De Gómez-Puyou, M., see García, J. J.
Tuena De Gómez-Puyou, M., see Ostoa-Saloma, P.
Tuena de Gómez-Puyou, M., see Ramírez-Silva, L.
Tuite, E., Sehlstedt, U., Hagmar, P., Nordén, B., Takahashi, M.: Effects of minor and major groove-binding drugs and intercalators on the DNA association of minor groove-binding proteins RecA and deoxyribonuclease I detected by flow linear dichroism 243: 482
Tuite, M. F., see Stansfield, I.
Turano, P., see Banci, L.
Turina, P., see Cappellini, P.
Turk, V., see Žerovnik, E.
Turner, D. D., see Hill, A. P.
Turner, D. L., Costa, H. S., Coutinho, I. B., Legall, J., Xavier, A. V.: Assignment of the ligand geometry and redox potentials of the trihaem ferricytochrome c_3 from *Desulfuromonas acetoxidans* 243: 474
Turner, D. L., see Salgueiro, C. A.
Turner, N., see McDevitt, D.
Turowski, P., Favre, B., Campbell, K. S., Lamb, N. J. C., Hemmings, B. A.: Modulation of the enzymatic properties of protein phosphatase 2A catalytic subunit by the recombinant 65-kDa regulatory subunit PR65α 248: 200
Tyas, L., see Moon, R. P.
Tziatzios, C., see Nordhoff, A.
Uebel, S., see Urlinger, S.
Ueda, M., see Kawachi, H.
Ueda, M., see Umemura, K.
Ueda, T., Sakamaki, K., Kuroki, T., Yano, I., Nagata, S.: Molecular cloning and characterization of the chromosomal gene for human lactoperoxidase 243: 32
Uehara, K., Muramatsu, T.: Molecular cloning and characterization of β-1,4-galactosyltransferase expressed in mouse testis 244: 713
Uematsu, T., see Yoshioka, T.
Uhlmann, E., see Schmidt, A.
Uhlmann, H., Iametti, S., Vecchio, G., Bonomi, F., Bernhardt, R.: Pro108 is important for folding and stabilization of adrenal ferredoxin, but does not influence the functional properties of the protein 248: 897
Uknis, A. B., see Selim, T. E.
Ulmanen, I., Peränen, J., Tenhunen, J., Tilgmann, C., Karhunen, T., Panula, P., Bernasconi, L., Aubry, J.-P., Lundström, K.: Expression and intracellular localization of catechol *O*-methyltransferase in transfected mammalian cells 243: 452
Ulmer, A. J., see El-Samalouti, V. T.
Ulvsbäck, M., Lundwall, Å.: Cloning of the semenogelin II gene of the rhesus monkey – Duplications of 360 bp extend the coding region in man, rhesus monkey and baboon 245: 25
Uma, L., see Sharma, Y.
Umemura, K., Atomi, H., Kanai, T., Takeshita, S., Kanayama, N., Ueda, M., Tanaka, A.: Derepression of gene expression mediated by the 5′ upstream region of the isocitrate lyase gene of *Candida tropicalis* is controlled by two distinct regulatory pathways in *Saccharomyces cerevisiae* 243: 748
Unden, G., see Tran, Q. H.
Urano, S., Asai, Y., Makabe, S., Matsuo, M., Izumiyama, N., Ohtsubo, K., Endo, T.: Oxidative injury of synapse and alteration of antioxidative defense systems in rats, and its prevention by vitamin E 245: 64
Urbanke, C., see Grangeiro, T. B.
Urlinger, S., Kuchler, K., Meyer, T. H., Uebel, S., Tampé, R.: Intracellular location, complex formation, and function of the transporter associated with antigen processing in yeast 245: 266
Urvil, P. T., Kakiuchi, N., Zhou, D.-M., Shimotohno, K., Kumar, P. K. R., Nishikawa, S.: Selection of RNA aptamers that bind specifically to the NS3 protease of hepatitis C virus 248: 130
Usova, E. V., Eriksson, S.: The effects of high salt concentrations on the regulation of the substrate specificity of human recombinant deoxycytidine kinase 248: 762
Uusi-Oukari, M., see Korhonen, V.-P.
Vaglio, P., see Sarno, S.
Vaillier, J., see Spannagel, C.
Väisänen, S., Juntunen, K., Itkonen, A., Vihko, P., Mäenpää, P. H.: Conformational studies of human vitamin-D receptor by antipeptide antibodies, partial proteolytic digestion and ligand binding 248: 156
Valdez, B. C., Henning, D., Perumal, K., Busch, H.: RNA-unwinding and RNA-folding activities of RNA helicase II/Gu – Two activities in separate domains of the same protein 250: 800
Valdez, S. N., see Papouchado, M. L.
Valembois, P., see Lassegues, M.
Vallee, B. L., see Strydom, D. J.
Vallejo, C. G., see Carrodeguas, J. A.
Vallon, R., Müller, R., Moosmayer, D., Gerlach, E., Angel, P.: The catalytic domain of activated collagenase I (MMP-1) is absolutely required for interaction with its specific inhibitor, tissue inhibitor of metalloproteinases-1 (TIMP-1) 244: 81
Valsecchi, M., see Chigorno, V.
van Aelst, I., see Masure, S.
Van Beeumen, J. J., see Van Driessche, G.
Van Beeumen, J., see Devreese, B.
Van Beeumen, J., see Gielens, C.
van Beizen, R., see Chevallet, M.
Van Bemmelen, M. X. P., see Etchebehere, L. C.
van Bennekum, A. M., see Lansink, M.
van Beuningen-de Vaan, M. M. J. A. C. M., see Heikoop, J. C.
van Dam, P. J., Reijerse, E. J., Hagen, W. R.: Identification of a putative histidine base and of a non-protein nitrogen ligand in the active site of Fe-hydrogenases by one-dimensional and two-dimensional electron spin-echo envelope-modulation spectroscopy 248: 355
Van Damme, E. J. M., Roy, S., Barre, A., Citores, L., Mostafapous, K., Rougé, P., Van Leuven, F., Girbés, T., Goldstein, I. J., Peumans, W. J.: Elderberry (*Sambucus nigra*) bark contains two structurally different Neu5Ac(α2,6)Gal/GalNAc-binding type 2 ribosome-inactivating proteins 245: 648
Van Damme, J., see Denolf, P.
Van Damme, J., see Froyen, G.
van Damme, J., see Masure, S.
Van de Casteele, M., see Sanchez, R.
van de Vondervoort, P. J. I., see van den Hombergh, J. P. T. W.
van den Berg, M., see Renkema, G. H.
van den Boogaart, P., see Heikoop, J. C.
van den Bosch, H., see de Vet, E. C. J. M.
van den Broek, J. A., see Nordhoff, A.
van den Burg, B., see Veltman, O. R.
Van Den Heuvel, L. P. W. J., see Groffen, A. J. A.
van den Hombergh, J. P. T. W., Sollewijn Gelpke, M. D., van de Vondervoort, P. J. I., Buxton, F. P., Visser, J.: Disruption of three acid proteases in *Aspergillus niger* – Effects on protease spectrum, intracellular proteolysis, and degradation of target proteins 247: 605
van der Heijden, R., see Ramos-Valdivia, A. C.
van der Ploeg, I., see Schmidt, M.
Van Dijken, P., Bergsma, J. C. T., Van Haastert, P. J. M.: Phospholipase-C-independent inositol 1,4,5-trisphosphate formation in *Dictyostelium* cells – Activation of a plasma-membrane-bound phosphatase by receptor-stimulated Ca^{2+} influx 244: 113
Van Dorsselaer, A., see Mackay, E. A.
Van Dorsselaer, A., see Potier, N.
Van Dorsselaer, A., see Roecklin, D.

Van Driessche, G., Ciurli, S., Hochkoeppler, A., Van Beeumen., J. J.: The primary structure of *Rhodoferax fermentans* high-potential iron-sulfur protein, an electron donor to the photosynthetic reaction center 244: 371
Van Eynde, A., see Wera, S.
van Gool, L., Meyer, R., Tobiasch, E., Cziepluch, C., Jauniaux, J.-C., Mincheva, A., Lichter, P., Poirier, G. G., Bürkle, A., Küpper, J.-H.: Overexpression of human poly(ADP-ribose) polymerase in transfected hamster cells leads to increased poly(ADP-ribosyl)ation and cellular sensitization to γ irradiation 244: 15
Van Haastert, P. J. M., see Van Dijken, P.
Van Herzeele, N., see Lasters, I.
van Kraaij, C., Breukink, E., Rollema, H. S., Siezen, R. J., Demel, R. A., de Kruijff, B., Kuipers, O. P.: Influence of charge differences in the C-terminal part of nisin on antimicrobial activity and signaling capacity 247: 114
Van Leuven, F., see Van Damme, E. J. M.
Van Miegem, V., see Giordanengo, V.
Van Obberghen, E., see Sawka-Verhelle, D.
Van Ophem, P. W., see Norin, A.
van Peij, N. N. M. E., Brinkmann, J., Vršanská, M., Visser, J., de Graaff, L. H.: β-Xylosidase activity, encoded by *xlnD*, is essential for complete hydrolysis of xylan by *Aspergillus niger* but not for induction of the xylanolytic enzyme spectrum 245: 164
van Pouderoyen, G., Cigna, G., Rolli, G., Cutruzzolà, F., Malatesta, F., Silvestrini, M. C., Brunori, M., Canters, G. W.: Electron-transfer properties of *Pseudomonas aeruginosa* [Lys44, Glu64]azurin 247: 322
Van Rie, J., see Denolf, P.
van Roermund, C. W. T., see Verleur, N.
Van Roermund, C. W. T., see Verleur, N.
van Wijk, K.-J., see Kettunen, R.
Vandekerckhove, J., see Peelman, F.
Vandekerckhove, J., see Pillot, T.
Vandenbol, M., see Landrieu, I.
Vanderesse, R., see Lecouvey, M.
Vanhoof, G., see Goossens, F.
Vanloo, B., see Peelman, F.
Vanloo, B., see Pillot, T.
Vanoni, M., see Esposito, F.
Varin, L., see Marsolais, F.
Vass, I., see Dalla Chiesa, M.
Vassiliou, G.: Pharmacological concentrations of suramin inhibit the binding of α_2-macroglobulin to its cell-surface receptor 250: 320
Vaudry, H., see Oulyadi, H.
Vaughan, L., see Hall, H.
Vaupel, M., see Künkel, A.
Vecchio, G., see Uhlmann, H.
Vedadi, M., Meighen, E.: Critical glutamic acid residues affecting the mechanism and nucleotide specificity of *Vibrio harveyi* aldehyde dehydrogenase 246: 698
Veerkamp, J. H., see Di Pietro, S. M.
Veerkamp, J. H., see Groffen, A. J. A.
Vega, J. M., see García-Sánchez, M. I.
Végh, M., see Marton, A.
Velours, J., see Giraud, M.-F.
Velours, J., see Spannagel, C.
Veltman, O. R., Vriend, G., Hardy, F., Mansfeld, J., van den Burg, B., Venema, G., Eijsink, V. G. H.: Mutational analysis of a surface area that is critical for the thermal stability of thermolysin-like proteases 248: 433
Venema, G., see Veltman, O. R.
Vepsäläinen, J., see Hakalehto, E.
Verducci, J., see Delaforge, M.
Verger, R., see Abousalham, A.
Verleur, N., Elgersma, Y., Van Roermund, C. W. T., Tabak, H. F., Wanders, R. J. A.: Cytosolic aspartate aminotransferase encoded by the *AAT2* gene is targeted to the peroxisomes in oleate-grown *Saccharomyces cerevisiae* 247: 972
Verleur, N., Hettema, E. H., van Roermund, C. W. T., Tabak, H. F., Wanders, R. J. A.: Transport of activated fatty acids by the peroxisomal ATP-binding-cassette transporter Pxa2 in a semi-intact yeast cell system 249: 657
Vermaas, W., see Manna, P.
Vernhet, L., see Hichami, A.
Véron, M., see Etchebehere, L. C.
Verpoorte, R., see Ramos-Valdivia, A. C.
Veríssimo, P., see Costa, J.
Vervoort, J., see Berg, A.
Vetere, A., Ferro, S., Bosco, M., Cescutti, P., Paoletti, S.: All-transglycolytic synthesis and characterization of sialyl(α2−3)galactosyl(β1−4)xylosyl-*p*-nitrophenyl(β1−, an oligosaccharide derivative related to glycosaminoglycan biosynthesis 247: 1083
Vial, C., see Raimbault, C.
Viale, A. M., see Checa, S. K.
Vienet, R., see Colin, S.
Vignais, P. V., see Escriou, V.
Vignais, P. V., see Fuchs, A.
Vigny, P., see Lelièvre, D.
Vihinen-Ranta, M., Kakkola, L., Kalela, A., Vilja, P., Vuento, M.: Characterization of a nuclear localization signal of canine parvovirus capsid proteins 250: 389
Vihko, P., see Väisänen, S.
Vilardaga, J.-P., Di Paolo, E., Bialek, C., De Neef, P., Waelbroeck, M., Bollen, A., Robberecht, P.: Mutational analysis of extracellular cysteine residues of rat secretin receptor shows that disulfide bridges are essential for receptor function 246: 173
Vilas, U., see Vlasak, R.
Vilja, P., see Vihinen-Ranta, M.
Villaverde, J., Cladera, J., Padrós, E., Rigaud, J.-L., Duñach, M.: Effect of nucleotides on the thermal stability and on the deuteration kinetics of the thermophilic F_0F_1 ATP synthase 244: 441
Villaverde, J., see Cladera, J.
Villeret, V., see Legrain, C.
Vincent, C., Tarbouriech, N., Härtlein, M.: Genomic organization, cDNA sequence, bacterial expression, and purification of human seryl-tRNA synthase 250: 77
Vincon, M., see Delphin, C.
Vinogradov, E. V., Bock, K., Petersen, B. O., Holst, O., Brade, H.: The structure of the carbohydrate backbone of the lipopolysaccharide from *Acinetobacter* strain ATCC 17905 243: 122
Vinogradov, E. V., Müller-Loennies, S., Petersen, B. O., Meshkov, S., Thomas-Oates, J. E., Holst, O., Brade, H.: Structural investigation of the lipopolysaccharide from *Acinetobacter haemolyticus* strain NCTC 10305 (ATCC 17906, DNA group 4) 247: 82
Vinogradov, E. V., Pantophlet, R., Haseley, S. R., Brade, L., Holst, O., Brade, H.: Structural and serological characterisation of the O-specific polysaccharide from lipopolysaccharide of *Acinetobacter calcoaceticus* strain 7 (DNA group 1) 243: 167
Vinogradov, E. V., see Knirel, Y. A.
Vinogradov, S. N., see Zal, F.
Visser, A. J. W. G., see Bruggeman, Y. E.
Visser, J., see Peij, van N. N. M. E.
Visser, J., see van den Hombergh, J. P. T. W.
Vita, C., see Cotton, J.
Vitale, P., see Braghetta, P.
Vlad, D., see Tran, Q. H.
Vlasak, R., Vilas, U., Strobl, B., Kreil, G.: cDNA cloning and expression of secreted *Xenopus laevis* dipeptidyl aminopeptidase IV 247: 107
Vliegenthart, J. F. G., see Lommerse, J. P. M.
Vliegenthart, J. F. G., see Siebert, H.-C.
Vock, P., see Eder, M.
Vock, P., see Kieweg, V.
Vogt, L., see Lierheimer, R.
Völker, C., see Bieberich, E.
Volpin, D., see Braghetta, P.
Von Der Lieth, C.-W., see Siebert, H.-C.
von Döhren, H., see Dieckmann, R.
von Itzstein, M., see Albouz-Abo, S.
von Knoblauch, K., see Weglöhner, W.
Von Lintig, J., see Bonk, M.
von Mikecz, A., see Hemmerich, P.
Von Tersch, R. L., see Phillips, R. S.
Vondrášek, J., see Konvalinka, J.
Vorholt, J. A., Thauer, R. K.: The active species of 'CO_2' utilized by formylmethanofuran dehydrogenase from methanogenic Archaea 248: 919
Vornlocher, H.-P., Scheible, W.-R., Faulhammer, H. G., Sprinzl, M.: Identification and purification of translation initiation factor 2 (IF2) from *Thermus thermophilus* 243: 66
Vorotyntseva, T. I., see Zamolodchikova, T. S.
Vrána, O., see Žaludová, R.
Vredenbregt-Heistek, J. C., see Holtman, W. L.
Vreeling-Sindelárová, H., see Blommaart, E. F. C.
Vrhovski, B., Jensen, S., Weiss, A. S.: Coacervation characteristics of recombinant human tropoelastin 250: 92
Vriend, G., see Veltman, O. R.
Vršanská, M., see van Peij, N. N. M. E.
Vuento, M., see Vihinen-Ranta, M.

Wada, K., see Satoh, M.
Wada, M., see Kataoka, M.
Wada, Y., see Sano, H.
Waddell, T. G., see Heinrich, R.
Waddell, T. G., see Meléndez-Hevia, E.
Waelbroeck, M., see Vilardaga, J.-P.
Wagner, E., see Wild, K.
Wagner, J., see Mackay, E. A.
Wagner, P.: Phosphorylation mutants of p53 show differential complex formation with putative dehydrogenase Tms1 of fission yeast 248: 441

Wagner, R., see Heinemann, M.
Wahn, F., see Rümenapp, U.
Wakagi, T., see Jeon, B.-S.
Wakarchuk, W. W., see Gilbert, M.
Walker, K. P. III, see Black, S. D.
Walker, T., see McDowell, H. E.
Wanders, R. J. A., see Verleur, N.
Wandrey, C., see Daussmann, T.
Wang, A. H.-J., see Caceres-Cortes, J.
Wang, B., see Koda, Y.
Wang, C. C., see Kanaani, J.
Wang, F., see Bauer, U.-M.
Wang, J., Mazar, A., Quan, N., Schneider, A., Henkin, J.: Plasminogen activation by pro-urokinase in complex with its receptor – Dependence on a tripeptide (Spectrozyme plasmin) 247: 256
Wang, W.-Y., see Hsiao, Y.-M.
Wang, Y., see Lim, K. L.
Wang, Y., see Su, Y.
Wang, Z.-X., see Chen, Y.
Wassenaar, T., see Zitzer, A.
Wasylewski, Z., see Małecki, J.
Watabe, K., see Takamatsu, H.
Watabe, S., Hiroi, T., Yamamoto, Y., Fujioka, Y., Hasegawa, H., Yago, N., Takahashi, S. Y.: SP-22 is a thioredoxin-dependent peroxide reductase in mitochondria 249: 52
Watabe, S., see Hirayama, Y.
Watanabe, F., see Chibazakura, T.
Watanabe, K., see Tanaka, Y.
Watanabe, M., Aoyagi, Y., Ohta, A., Minnikin, D. E.: Structures of phenolic glycolipids from *Mycobacterium kansasii* 248: 93
Watanabe, T., see Satoh, M.
Watanabe, Y., see Seimiya, M.
Waterfield, C. J., see Nicolaou, A.
Watkins, S., see Minchiotti, L.
Watson, D. C., see Gilbert, M.
Watson, S. P., see Börsch-Haubold, A. G.
Wattiaux, R., see Jadot, M.
Wattiaux-De Coninck, S., see Jadot, M.
Weber, E., see Maubach, G.
Weber, I T., see Tözsér, J.
Weber, I. T., Wu, J., Adomat, J., Harrison, R. W., Kimmel, A. R., Wondrak, E. M., Louis, J. M.: Crystallographic analysis of human immunodeficiency virus 1 protease with an analog of the conserved CA-p2 substrate – Interactions with frequently occurring glutamic acid residue at P2′ position of substrates 249: 523
Weber, J., see Konvalinka, J.
Weber, K., see Guse, A. H.
Weber, V., Wernitznig, A., Hager, G., Harata, M., Frank, P., Wintersberger, U.: Purification and nucleic-acid-binding properties of a *Saccharomyces cerevisiae* protein involved in the control of ploidy 249: 309
Webster, M., see Penrose, J. F.
Wechselberger, C., see Arming, S.
Weglöhner, W., Jünemann, R., von Knoblauch, K., Subramanian, A. R.: Different consequences of incorporating chloroplast ribosomal proteins L12 and S18 into the bacterial ribosomes of *Escherichia coli* 249: 383
Weidemann, A., see Paliga, K.
Weidmann, M., see Hundsberger, T.
Weigert, C., see Netzker, R.
Weiler, E. W., see Schaller, F.
Weimar, T., see Meyer, B.
Weiner, H., see Zhou, J.
Weintraub, A., see Kjellberg, A.
Weintraub, A., see Knirel, Y. A.
Weintraub, A., see Landersjö, C.
Weintraub, A., see Linnerborg, M.
Weirich, J., Goffrini, P., Kuger, P., Ferrero, I., Breunig, K. D.: Influence of mutations in hexose-transporter genes on glucose repression in *Kluyveromyces lactis* 249: 248
Weiss, A. S., see Vrhovski, B.
Weiss, B., Stoffel, W.: Human and murine serine-palmitoyl-CoA transferase – Cloning, expression and characterization of the key enzyme in sphingolipid synthesis 249: 239
Weller, U., see Zitzer, A.
Wellmer, F., see Schulenberg, B.
Wells, T. N. C., see Coulin, F.
Wells, T. N. C., see Smith, J. J.
Wels, G., see Gadda, G.
Wendisch, V. F., see Ruffert, S.
Wenger, R. H., Rolfs, A., Kvietikova, I., Spielmann, P., Zimmermann, D. R., Gassmann, M.: The mouse gene for hypoxia-inducible factor-1α – Genomic organization, expression and characterization of an alternative first exon and 5′ flanking sequence 246: 155
Wenz, I., see Maubach, G.
Wera, S., Van Eynde, A., Stalmans, W., Bollen, M.: Inhibition of translation by mRNA encoding NIPP-1, a nuclear inhibitor of protein phosphatase-1 247: 411
Wernitznig, A., see Weber, V.
Wess, G., see Kramer, W.
Westhoff, P., see Svensson, P.
Weston, S. A., see Davies, D.
Westphal, A. H., see Hengeveld, A. F.
Wettenhall, R. E. H., see Williamson, N. A.
Weyland, C., see Kramer, W.
Whisson, M. E., see Guppy, M.
Whitford, D., see Kelly, G. P.
Whitham, S., see Guppy, M.
Whitley, P., see Schmidt, M.
Wickham, G. S., see Been, M. D.
Widmalm, G., see Kjellberg, A.
Widmalm, G., see Knirel, Y. A.
Widmalm, G., see Landersjö, C.
Widmalm, G., see Linnerborg, M.
Wiederanders, B., see Maubach, G.
Wiegert, T., Sahm, H., Sprenger, G. A.: Expression of the *Zymomonas mobilis gfo* gene for NADP-containing glucose:fructose oxidoreductase (GFOR) in *Escherichia coli* – Formation of enzymatically active preGFOR but lack of processing into a stable periplasmic protein 244: 107
Wiekowski, M., Prosser, D., Taremi, S., Tsarbopoulos, A., Jenh, C.-H., Chou, C.-C., Lundell, D., Zavodny, P., Narula, S.: Characterization of potential antagonists of human interleukin 5 demonstrates their cross-reactivity with receptors for interleukin 3 and granulocyte-macrophage colony-stimulating factor 246: 625
Wieland, H. A., see Rist, B.
Wielgus-Kutrowska, B., Kulikowska, E., Wierzchowski, J., Bzowska, A., Shugar, D.: Nicotinamide riboside, an unusual, non-typical, substrate of purified purine-nucleoside phosphorylases 243: 408
Wierzchowski, J., see Wielgus-Kutrowska, B.
Wiesner, R., see Holzhütter, H.-G.
Wikner, C., see Meshalkina, L.
Wild, K., Grafmüller, R., Wagner, E., Schulz, G. E.: Structure, catalysis and supramolecular assembly of adenylate kinase from maize 250: 326
Wild, T. F., see Daviet, L.
Wilkie, S. E., see Bellingham, J.
Wilkin, F., Suarez-Huerta, N., Robaye, B., Peetermans, J., Libert, F., Dumont, J. E., Maenhaut, C.: Characterization of a phosphoprotein whose mRNA is regulated by the mitogenic pathways in dog thyroid cells 248: 660
Wilkinson, S. G, see Haseley, S. R.
Wilkinson, S. G., see Haseley, S. R.
Wilks, A. F., see Koblizek, T. I.
Will, D. W., see Schmidt, A.
Will, H., see Butler, G. S.
Will, H., see Chang, S.-F.
Will, H., see d'Ortho, M.-P.
Willbold, D., Hoffmann, S., Rösch, P.: Secondary structure and tertiary fold of the human immunodeficiency virus protein U (Vpu) cytoplasmic domain in solution 245: 581
Williams, R., see Naït-Kaoudjt, R.
Williams, S., Couture, C., Gilman, J., Jascur, T., Deckert, M., Altman, A., Mustelin, T.: Reconstitution of T cell antigen receptor-induced Erk2 kinase activation in Lck-negative JCaM1 cells by Syk 245: 84
Williams, S., see Couture, C.
Williamson, G., see Kroon, P. A.
Williamson, N. A., Raliegh, J., Morrice, N. A., Wettenhall, R. E. H.: Post-translational processing of rat ribosomal proteins – Ubiquitous methylation of Lys22 within the zinc-finger motif of RL40 (carboxy-terminal extension protein 52) and tissue-specific methylation of Lys4 in RL29 246: 786
Willis, R. L., see Massey, H. C. Jr
Wilson, E. K., Scrutton, N. S., Cölfen, H., Harding, S. E., Jacobsen, M. P., Winzor, D. J.: An ultracentrifugal approach to quantitative characterization of the molecular assembly of a physiological electron-transfer complex – The interaction of electron-transferring flavoprotein with trimethylamine dehydrogenase 243: 393
Wilson, J. C., see Albouz-Abo, S.
Wind, C., see Häger, K.-P.
Windolph, S., Alves, J.: Influence of divalent cations on inner-arm mutants of restriction endonuclease *Eco*RI 244: 134
Winkler, J., Lünsdorf, H., Jockusch, B. M.: Energy-filtered electron microscopy reveals that talin is a highly flexible protein composed of a series of globular domains 243: 430
Winkler, J., Lünsdorf, H., Jockusch, B. M.: Flexibility and fine structure of smooth-muscle α-actinin 248: 193
Winkler, L., see Müller, F.
Winkler, T., see Kayser, H.
Winterhalter, K. H., see Kopp, M. U.
Wintersberger, U., see Weber, V.
Winzor, D. J., see Wilson, E. K.
Wipat, A., see Göthel, S. F.
Wisner, A., see Arocas, V.

Wiśniewski, J. R., Hessler, K., Claus, P., Zechel, K.: Structural and functional consequences of mutations within the hydrophobic cores of the HMG1-box domain of the *Chironomus* high-mobility-group protein 1a 243: 151
Witholt, B., see Kraak, M. N.
Witholt, B., see Staijen, I. E.
Witt, S., see Stelter, F.
Wittmann-Liebold, B., see Kitakawa, M.
Wittmann-Liebold, B., see Thiede, B.
Wittung, P., Ellouze, C., Maraboeuf, F., Takahashi, M., Nordèn, B.: Thermochemical and kinetic evidence for nucleotide-sequence-dependent RecA-DNA interactions 245: 715
Witzel, J. E., see Sharp, T. V.
Wjasow, C., see Backer, J. M.
Wlodawer, A., see Costa, J.
Woehlke, G., see Bott, M.
Wolff, J., see Rai, S. S.
Wolff, N., Delepelaire, P., Ghigo, J.-M., Delepierre, M.: Spectroscopic studies of the C-terminal secretion signal of the *Serratia marcescens* haem acquisition protein (HasA) in various membrane-mimetic environments 243: 400
Wollin, R., see Linnerborg, M.
Wollmer, A., see Kalai, M.
Wollmer, A., see Müller-Newen, G.
Wondrak, E. M., see Weber, I. T.
Wong, H., Bowie, J. H., Carver, J. A.: The solution structure and activity of caerin 1.1, an antimicrobial peptide from the Australian green tree frog, *Litoria splendida* 247: 545
Woo, A. L., see Croyle, M. L.
Woods, S. T., see Tuckey, R. C.
Woodside, M., see Törnquist, K.
Wouters, D., see Adjadj, E.
Wray, V., see Nimtz, M.
Wright, L. C., Nouri-Sorkhabi, M. H., May, G. L., Danckwerts, L. S., Kuchel, P. W., Sorrell, T. C.: Changes in cellular and plasma membrane phospholipid composition after lipopolysaccharide stimulation of human neutrophils, studied by ^{31}P NMR 243: 328
Wrzosek, A., see Bandorowicz-Pikuła, J.
Wu, F. Q., see Romi-Lebrun, R.
Wu, J., see Weber, I. T.
Wu, J.-W., see Chen, Y.
Wu, S., see Shaw, P.-C.
Wünsch, E., see Čeřovský, V.
Wuyts, A., see Froyen, G.
Wyszko, E., Barciszewska, M.: Purification and characterization of transcription factor IIIA from higher plants 249: 107

Xavier, A. V., see Pereira, I. A. C.
Xavier, A. V., see Salgueiro, C. A.
Xavier, A. V., see Turner, D. L.
Xin, X.-Q., see Gielens, C.
Xodo, L. E., Pirulli, D., Quadrifoglio, F.: A kinetic study of triple-helix formation at a critical R · Y sequence of the murine c-Ki-*ras* promoter by (A,G)- and (G,T) oligonucleotides 248: 424
Xu, G.-J., see Chen, Y.
Xu, J., see Kaloyanova, D.
Xu, K., see Penrose, J. F.
Xu, Q.-F., see Shaw, P.-C.
Xu, Z., Pal, J. K., Thulasiraman, V., Hahn, H. P., Chen, J.-J., Matts, R. L.: The role of the 90-kDa heat-shock protein and its associated cohorts in stabilizing the heme-regulated eIF-2α kinase in reticulocyte lysates during heat stress 246: 461
Xue, Y., see Zhang, J.

Yago, N., see Watabe, S.
Yamada, H., see Kataoka, M.
Yamada, H., see Liu, J.-Q.
Yamada, M., see Sakamoto, T.
Yamada, Y., see Brown, J. C.
Yamada, Y., see Costell, M.
Yamaguchi, T., Hashizume, T., Tanaka, M., Nakayama, M., Sugimoto, A., Ikeda, S., Nakajima, H., Horio, F.: Bilirubin oxidation provoked by endotoxin treatment is suppressed by feeding ascorbic acid in a rat mutant unable to synthesize ascorbic acid 245: 233
Yamaji, T., Miyake, Y., Kozutsumi, Y., Kawasaki, T.: Neutral glycosphingolipids induce cell-cell aggregation of a variety of hematopoietic cell lines 247: 21
Yamamoto, Y., see Watabe, S.
Yamamoto, Y.: ^{1}H-NMR study of inter-segmental hydrogen bonds in sperm whale and horse apomyoglobins 243: 292
Yamamura, H., see Sada, K.
Yamamura, H., see Tsubokawa, M.
Yamane, K., Kawabata, M., Tsuruo, T.: A DNA-topoisomerase-II–binding protein with eight repeating regions similar to DNA-repair enzymes and to a cell-cycle regulator 250: 794
Yamane, K., see Takamatsu, H.
Yamasaki, N., see Kimura, M.
Yamashita, M., see Katsu, Y.
Yanagi, Y., see Kunugi, S.
Yanagisawa, S.: Dof DNA-binding domains of plant transcription factors contribute to multiple protein-protein interactions 250: 403
Yanaka, N., see Kotera, J.
Yang, H., Park, S.-M., Nolan, W. G., Lu, C.-D., Abdelal, A. T.: Cloning and characterization of the arginine-specific carbamoyl-phosphate synthetase from *Bacillus stearothermophilus* 249: 443
Yang, S.-Y., see He, X.-Y.
Yano, I., see Ueda, T.
Yano, M., Izui, K.: The replacement of Lys620 by serine desensitizes *Escherichia coli* phospho*enol*pyruvate carboxylase to the effects of the feedback inhibitors L-aspartate and L-malate 247: 74
Yano, T., Kobayashi, A., Kurata, S., Natori, S.: Purification and characterisation of cathepsin B mRNA 3′-untranslated-region-binding protein (CBBP), a protein that represses cathepsin B mRNA translation 245: 260
Yao, H.-B., see Shaw, P.-C.
Yaoi, K., Kadotani, T., Kuwana, H., Shinkawa, A., Takahashi, T., Iwahana, H., Sato, R.: Aminopeptidase N from *Bombyx mori* as a candidate for the receptor of *Bacillus thuringiensis* Cry1Aa toxin 246: 652
Yasukochi, Y., see Chibazakura, T.
Yazaki, K., see Hayakawa, Y.
Yee, A. A., Marat, K., O'Neil, J. D. J.: The interactions with solvent, heat stability, and ^{13}C-labelling of alamethicin, an ion-channel-forming peptide 243: 283
Yeoh, G. C. T., see Pech, C. M.
Yin, F. H., see Tözsér, J.
Yokosawa, H., see Fujimuro, M.
Yokota, S., see Bun-Ya, M.
Yokote, K., see Mori, S.
Yokoyama, K., Suzuki, M., Kawashima, I., Karasawa, K., Nojima, S., Enomoto, T., Tai, T., Suzuki, A., Setaka, M.: Changes in composition of newly synthesized sphingolipids of HeLa cells during the cell cycle – Suppression of sphingomyelin and higher-glycosphingolipid synthesis and accumulation of ceramide and glucosylceramide in mitotic cells 249: 450
Yonezawa, N., Mitsui, S., Kudo, K., Nakano, M.: Identification of an N-glycosylated region of pig zona pellucida glycoprotein ZPB that is involved in sperm binding 248: 86
Yoo, B. K., see Hong, J. W.
Yoo, J.-S., see Hong, J. W.
Yoo, S. J., see Seol, J. H.
Yoshida, T., see Tanaka, Y.
Yoshikuni, M., see Oba, Y.
Yoshioka, T., Ohno, H., Uematsu, T.: Purification and characterization of an *Aspergillus oryzae*-produced carboxylesterase that catalyzes O-deacetylation of a fully acetylated O-glucoside of *N*-phenylacetohydroxamic acid 248: 58
Young, S., see Sigfridsson, K.
Yuda, M., Higuchi, K., Sun, J., Kureishi, Y., Ito, M., Chinzei, Y.: Expression, reconstitution and characterization of prolixin-S as a vasodilator – A salivary gland nitric-oxide-binding hemoprotein of *Rhodnius prolixus* 249: 337
Yurchenco, P. D., see Sung, U.

Zabala, J. C., see Pérez, M.
Zaccai, G., see Madern, D.
Zachowski, A., see Beleznay, Z.
Zähringer, U., see Fukuoka, S.
Zakharkin, S. O., Gordadze, A. V., Korochkina, S. E., Mathiopoulos, K. D., della Torre, A., Beneš, H.: Molecular cloning and expression of a hexamerin cDNA from the malaria mosquito, *Anopheles gambiae* 246: 719
Žákovská, A., see Žaludová, R.
Zal, F., Green, B. N., Lallier, F. H., Vinogradov, S. N., Toulmond, A.: Quaternary structure of the extracellular haemoglobin of the lugworm *Arenicola marina* – A multi-angle-laser-light-scattering and electrospray-ionisation–mass-spectrometry analysis 243: 85
Žaludová, R., Žákovská, A., Kašpárková, J., Balcarová, Z., Kleinwächter, V., Vrána, O., Farrell, N., Brabec, V.: DNA interactions of bifunctional dinuclear platinum(II) antitumor agents 246: 508

Zamolodchikova, T. S., Sokolova, E. A., Alexandrov, S. L., Mikhaleva, I. I., Prudchenko, I. A., Morozov, I. A., Kononenko, N. V., Mirgorodskaya, O. A., Da, U., Larionova, N. I., Pozdnev, V. F., Ghosh, D., Duax, W. L., Vorotyntseva, T. I.: Subcellular localization, substrate specificity and crystallization of duodenase, a potential activator of enteropeptidase 249: 612
Zannoni, D., see Bernhard, M.
Zappia, V., see Ingrosso, D.
Zardi, L., see d'Ortho, M.-P.
Zargari, A., see Schmidt, M.
Zarzecki, P., see Petersson, C.
Zavodny, P., see Wiekowski, M.
Zechel, K., see Wiśniewski, J. R.
Zeindl-Eberhart, E., Jungblut, P. R., Otto, A., Kerler, R., Rabes, H. M.: Further characterization of a rat hepatoma-derived aldose-reductase-like protein – Organ distribution and modulation *in vitro* 247: 792
Zekhnini, Z., see Feller, G.
Zeltins, A., Schrempf, H.: Specific interaction of the *Streptomyces* chitin-binding protein CHB1 with α-chitin – The role of individual tryptophan residues 246: 557
Zemel, R. R., see Gigant, B.
Zemzoumi, K., see Serra, E.
Zerial, A., see Gervais, V.
Žerovnik, E., Jerala, R., Kroon-Žitko, L., Turk, V., Lohner, K.: Characterization of the equilibrium intermediates in acid denaturation of human stefin B 245: 364
Zhan, L., see Su, Y.
Zhang, J., see Stieger, B.
Zhang, J., Xue, Y., Jondal, M., Sjövall, J.: 7α-Hydroxylation and 3-dehydrogenation abolish the ability of 25-hydroxycholesterol and 27-hydroxycholesterol to induce apoptosis in thymocytes 247: 129
Zhang, Y., see Backer, J. M.
Zheleva, D., see Hankamer, B.
Zhou, D.-M., see Urvil, P. T.
Zhou, J., Weiner, H.: Binding of thyroxine analogs to human liver aldehyde dehydrogenases 245: 123
Zhuang, J., Engel, A., Pagès, J.-M., Bolla, J.-M.: The *Campylobacter jejuni* porin trimers pack into different lattice types when reconstituted in the presence of lipid 244: 575
Zhukov, A., Ingelman-Sundberg, M.: Selective fast degradation of cytochrome *P*-450 2E1 in serum-deprived hepatoma cells by a mechanism sensitive to inhibitors of vesicular transport 247: 37
Zickermann, I., Tautu, O. S., Link, T. A., Korn, M., Ludwig, B., Richter, O.-M. H.: Expression studies on the ba_3 quinol oxidase from *Paracoccus denitrificans* – A bb_3 variant is enzymatically inactive 246: 618
Zimmer, G., see Balakirev, M. Y.
Zimmermann, D. R., see Wenger, R. H.
Zimmermann, N., Jung, G.: The three-dimensional solution structure of the lantibiotic murein-biosynthesis-inhibitor actagardine determined by NMR 246: 809
Zingali, R. B., see Arocas, V.
Ziolkowski, A., see Knirel, Y. A.
Zitzer, A., Palmer, M., Weller, U., Wassenaar, T., Biermann, C., Tranum-Jensen, J., Bhakdi, S.: Mode of primary binding to target membranes and pore formation induced by *Vibrio cholerae* cytolysin (hemolysin) 247: 209
Zor, T., Bar-Yaacov, M., Elgavish, S., Shaanan, B., Selinger, Z.: Rescue of a mutant G-protein by substrate-assisted catalysis 249: 330
Zorich, G. P., see Rushton, J. J.
Zuber, J. F., see Gram, H.
Zucchelli, S., see Gadda, G.
Zundel, G., see Nadolny, C.
Zuzel, M., see Slupsky, J. R.
Zwieb, C., see Black, S. D.

Keyword index

abc1 nuclear mutant 246: 103
ABO antigen 246: 750
absorbance 245: 505
acetaldehyde 245: 589
acetate formation 244: 561
acetate metabolism 245: 497
acetyl-CoA carboxylase 246: 259
acetyl-CoA synthetase (ADP-forming) 244: 561
acetylation 244: 265
acetylglucosaminyltransferase I 249: 701
acetylglutamate synthase 250: 232
acetyltransferase 244: 352
acid denaturation 245: 364; 247: 224
acid sphingomyelinase 243: 511
acidic fibroblast-growth factor 248: 30
Acinetobacter 243: 122; 243: 167; 244: 761; 245: 470; 245: 477; 247: 815; 247: 82
Acinetobacter baumannii 244: 147; 250: 617
actagardine 246: 193
actin 247: 843; 250: 447
actin binding 243: 624
actin-binding protein 247: 432
actin bundle 247: 432
actin network 246: 373
actin organization 247: 1136
α-actinin 248: 193
activation 243: 209; 244: 653; 246: 204; 247: 12; 248: 369; 248: 567
activation energy 248: 424
activation-function-2 domain 244: 883
activator 244: 301; 247: 801
activator protein 244: 426
activator protein-1 247: 44; 247: 503
activator-protein-1 site 248: 113
active site 244: 128; 246: 344; 248: 913; 250: 539
active site of esterase 248: 245
active transport 246: 228
actomyosin adenosinetriphosphatase 243: 624
actomyosin interface 250: 484
acyl-CoA 245: 600
acyl-CoA dehydrogenase 246: 548
acyl-CoA oxidase 244: 434
acyltransferase 249: 45
adenine-nucleotide translocator 245: 813
[ω-(adenosin-5′-*O*-yl)alkyl]cobalamin 245: 398
adenosine kinase 248: 930
adenosine 3′,5′-diphosphate ribose 246: 602
adenosinetriphosphatase 244: 31; 246: 228; 247: 1143
adenovirus 248: 660
adenylate cyclase 243: 643
adenylate domain 247: 1074
adherens junction 247: 1136
adhesion 245: 215
adipogenic hormone 243: 128
ADP-ribosylation factor 246: 388; 248: 407; 249: 812
ADP-ribosylation-factor nucleotide-binding-site opener 248: 407
adrenal cortex 249: 52
β_3-adrenoceptor 247: 1174
adrenodoxin 244: 835; 248: 897
adrenodoxin reductase 244: 835
adrenoleukodystrophy 249: 657
affinity chromatography 244: 940
affinity column 249: 838
affinity labeling 245: 418; 247: 59
aggregation 243: 650; 247: 21; 249: 862
aging 244: 378
A-kinase-anchoring protein 246: 425
alamethicin 243: 283
alanine 244: 761
albumin 245: 676; 247: 1000
Alcaligenes eutrophus 245: 441; 248: 179
alcohol dehydrogenase 247: 914; 248: 889
aldehyde 249: 365
aldehyde dehydrogenase 245: 123; 246: 698
aldehyde dismutation 248: 889
aldose reductase 243: 274
aldose-reductase-like protein 247: 792
aldosterone biosynthesis 248: 252
alkaline degradation 250: 55
alkaline phosphatase 245: 32; 250: 168
alkaloid uptake 245: 626
alkane monooxygenase 244: 462
alkene 247: 635
alkylglycerol 250: 242
allatostatin 250: 727
allergen mutant 249: 886
allergenic activity 247: 217
allergy 246: 181
allosteric enzyme 249: 350
allosteric inhibition 247: 74
allosteric regulation 243: 442
allostery 247: 1063
alteration of specificity 248: 296
alternative substrate 250: 286
Alzheimer 244: 414; 245: 355; 250: 354; 250: 705
Alzheimer amyloid peptide 243: 650
amidotransferase 245: 418
amine oxidase 250: 377
amino acid modification 247: 491
amino acid sequence 243: 437; 244: 192; 244: 371; 245: 402; 246: 496; 247: 476; 247: 614; 248: 43; 248: 445; 249: 838
amino methylation 247: 1009
amino-acid-sequence repeat 244: 604
amino-propeptide 245: 434
aminoacyl-tRNA 247: 59; 249: 408
aminoacyl-tRNA synthetase 243: 268; 244: 310; 246: 539
aminoacyl-tRNA synthetase from bovine pancreas 244: 780
aminoacyl-tRNA-synthetase complex 243: 259
aminoendopeptidase 245: 283
aminopeptidase 245: 283
aminopeptidase N 246: 652; 248: 748
AML193 249: 792
ammodytin L 246: 772
ammonium assimilation 244: 258
AMP-activated protein kinase 246: 259
amphipathic 250: 549
amphipathic helix 247: 545; 249: 708
amphipathic β sheet 245: 300
amplified expression 247: 581
α-amylase 249: 505
amyloid 249: 662
β-amyloid peptide 245: 355
β-amyloid precursor protein 244: 414
amyloid precursor protein 250: 705
amyloid-precursor-like protein 1 250: 354
amyloidosis 249: 21
anaerobic bacteria 243: 577
anaerobic conditions 249: 343
anaerobic regulation 246: 646
analog 243: 690; 248: 156
analytical ultracentrifugation 243: 393; 247: 770
anatoxin 247: 1118
Androctonus australis 246: 496
Androctonus australis hector STR1 polypeptide 247: 1118
androgen 249: 39; 250: 440
angiogenesis 247: 535; 250: 712
angiogenesis inhibition 248: 30
angiogenin 247: 535
1-anilinonaphthalene-8-sulfonic acid 243: 792
animal lectin 243: 770
anisotropy 245: 790
annelid 246: 50
annexin IV 248: 238
annexin VI 248: 238
Anopheles gambiae 246: 719; 247: 754
anoxia 249: 121
antagonism 247: 66
antagonist 247: 906
Antarctic 244: 186
anthocyanin 249: 45
anthocyanin biosynthesis 249: 45
anthraquinone 249: 161
anti-(human immunodeficiency virus) 245: 47
anti-insect toxin 246: 496
anti-lipopolysaccharide antibody 250: 418
anti-tumor agent 243: 518; 243: 527
antibacterial 247: 614
antibacterial peptide 250: 549
antibiotic A201A 245: 54
antibody 243: 344; 244: 471
antibody-binding domain 249: 393
anticancer drug 245: 307; 248: 104
anticancer effect 246: 508
antifreeze protein 247: 44
antifungal peptide 244: 743
antigen 244: 801
antigen processing 249: 171
antigenic determinant 250: 163
antigenic region 248: 692
antimicrobial activity 247: 114
antimicrobial peptide 247: 545
antioxidant 245: 233; 250: 600
antioxidative enzyme 245: 64
antiparasitic drug 245: 273
antisense oligodeoxynucleotide 248: 543
antitermination 248: 338
antizyme 250: 223
apamin 245: 457
Apis mellifera 243: 775
apolipoprotein AI 245: 642
apolipoprotein E 243: 650
apomyoglobin 243: 292
apoprotein 248: 481

apoptosis 246: 581; 247: 129; 249: 8; 249: 85; 250: 467; 250: 7
apparent mineralocorticoid excess 249: 361
aptamer 248: 130
Arabidopsis thaliana 243: 708; 245: 156; 249: 415; 249: 61; 250: 646
arachidonic acid 244: 587; 246: 112; 248: 149
Archaea 244: 53; 244: 561; 247: 1038; 247: 1046; 248: 362; 249: 318; 249: 607; 249: 905; 250: 332; 250: 383
archaeal elongation factor 1α 243: 468
archaeal elongation factor 1β 243: 468
Archaeoglobus fulgidus 248: 445
Arenicola 243: 85
arginine 250: 232
L-arginine:glycine amidinotransferase 247: 483
arginine kinase 244: 343
arginine-rich motif 245: 549
argininosuccinate synthetase 249: 669
ARG7 250: 232
aromatic metabolism 243: 577
aromatic-ring reduction 243: 577
arrestin 248: 261
ART-2 retroposon 246: 772
Artemia 243: 225
Artemia franciscana 250: 514
Arthrobacter 248: 385
aryl-hydrocarbon receptor 246: 486
aryl-hydrocarbon-receptor nuclear translocator 246: 486
arylphorin receptor 244: 713; 247: 695
ascorbate 245: 233; 246: 638
ascorbate peroxidase 248: 347
Ashbya gossypii 244: 220
asparagine 243: 268
aspartate aminotransferase 247: 972
aspartate transcarbamoylase 247: 1063
aspartic endopeptidase 246: 133
aspartic protease 243: 695; 244: 552
Aspergillus 247: 605
Aspergillus fumigatus 243: 315
Aspergillus niger 245: 164
Aspergillus oryzae 248: 58
assembly 246: 674
assignment 246: 477
astacin family 247: 920; 247: 933
astrocyte 244: 587
asymmetric half-sites 244: 301
atherosclerosis 250: 600
ATP 247: 762; 248: 238; 250: 467
ATP citrate-lyase 247: 497
ATP level 246: 259
ATP release 249: 622
ATP synthase 247: 1111; 248: 496
ATP-binding-cassette transporter 245: 266; 249: 657
ATP-dependent protease 247: 1143
ATP-driven proton translocation 248: 496
ATP/ADP ratio 249: 350
ATP17 gene 247: 1111
A+U-binding protein 244: 890
A+U-rich element 244: 890
A+U-rich sequence 247: 169
aurintricarboxylic acid 248: 30
autoactivation 243: 160; 246: 204
autoantibody 246: 350
autocrine 244: 923
autocrine loop 246: 502
autolysis 248: 433
autophosphorylation 244: 780
autoradiography 249: 473
autoregulation 247: 114
auxin 250: 377
axonin-related protein 250: 630
axonin-1 243: 502
azide binding 247: 688
azurin 250: 249

b-type cytochrome 244: 226; 245: 505
Bacillus methanolicus 244: 426
Bacillus PS3 244: 441
Bacillus sphaericus 247: 754
Bacillus subtilis 243: 306; 245: 708; 249: 505
Bacillus subtilis Ffh 248: 575
Bacillus thermoamyloliquefaciens 245: 129
Bacillus thuringiensis 245: 797; 246: 652; 248: 748
bacterial expression 250: 476
bacterial flagella 250: 19
bacterial outer membrane 247: 614
bacteriophage T4 245: 573
bacteriorhodopsin 246: 674
baculovirus 244: 81; 248: 535; 249: 803
banana fruit (ripening) 247: 642
barley 243: 202; 244: 31; 248: 452
β barrel 247: 770
barstar 249: 724
Bar1 protease 247: 142
base-off analog of coenzyme-B_{12} 250: 303
basement membrane 243: 115; 245: 745; 250: 39
basic fibroblast-growth factor 247: 503
Bax 249: 85
Bcl-x_L 249: 85
Bcl-2 249: 85; 250: 467
benzodiazepine-like peptide 248: 872
benzoyl-CoA 243: 577
benzoyl-CoA reductase 244: 840
N-benzoyl-L-tyrosyl-*p*-aminobenzoic acid hydrolase 247: 920; 247: 933
p-benzoylphenylalanine 244: 400
7-(*N*-benzyloxycarbonyl-glycyl-prolyl-amido)-4-methylcoumarin (Z-Gly-Pro-NH-Mec) 244: 900
berenil 244: 318
bifunctional adduct 249: 370
bile acid 244: 39; 249: 456
bile-salt-dependent lipase 243: 299
biliary steroid 246: 92
bilirubin 245: 233; 246: 658
binding 246: 119; 247: 209; 249: 601
binding domain 250: 364
binding site 245: 745; 248: 347
binding-reaction model 250: 638
biochemical oscillator 245: 182
biodegradation 247: 190; 247: 833
biological activity 244: 192; 246: 705
biomineralization 250: 99
biosynthesis 243: 181; 244: 39; 245: 137; 246: 690; 248: 767; 250: 661; 250: 758
biotechnology 246: 350
biotin 245: 103; 250: 590
2′,7′-bis(2-carboxyethyl)-5(6)-carboxyfluorescein 243: 219
Blastobacter 243: 322
blue copper protein 245: 805
Bombyx mori 246: 652; 248: 786
bombyxin 245: 774
bombyxin receptor 245: 774
Bordetella pertussis 243: 643
Borna disease virus 246: 252
Bov-B long interspersed repeated DNA 246: 772
bovine cDNA 243: 437; 246: 410
bovine erythrocyte 247: 248
bovine rhodopsin 243: 174
bovine seminal plasma protein PDC-109 250: 735
bradykinin 244: 471
brain 243: 726
branch-point enzyme 246: 32
branched-chain fatty acid 244: 434
Brassica napus 243: 605
breast cancer 249: 421
breast carcinoma 248: 583
brefeldin A 249: 812
Brevibacterium ammoniagenes 247: 268; 248: 481
bromodeoxyuridine 248: 669; 249: 232
brush-border membrane 246: 367
Burkholderia cepacia 246: 360
Burkholderia pseudomallei 250: 608

^{13}C labeling 243: 283
c-Fgr 245: 701; 246: 433
c-*fos* 244: 45
c-Jun 249: 648
c-Ki-*ras* promoter 248: 424
c-*kit* 248: 149
^{13}C-NMR 243: 597; 245: 497; 246: 638
^{13}C-^{15}N coupling 243: 597
C-terminal deletion mutant 247: 372
C-terminal extension protein 246: 786
C-terminal heterogeneity 244: 334
C-terminal sequencing 244: 750
C-terminal Src kinase 246: 433
C-type lectin 243: 630; 248: 550
cadmium 250: 249
Caenorhabditis elegans 245: 252
caged nucleotide 244: 343; 247: 1197; 250: 773
caged phosphate 247: 1197
calcitriol 248: 156; 250: 63
calcium 244: 31; 246: 611; 247: 659; 248: 459; 249: 8
calcium binding 244: 134; 244: 904; 248: 163; 248: 209; 248: 433; 250: 72
calcium folding effector 249: 505
calcium mobilization 249: 547
calcium signaling 245: 411
calcium uptake 247: 801
calcium-release channel 247: 955
Calliphora vicina 247: 695
calmodulin 243: 42; 244: 31; 244: 904; 249: 127
calmodulin binding 243: 643
calorimetry 245: 715; 248: 938
calponin 243: 624; 247: 432
calvatic acid 245: 663
cAMP 247: 1151; 248: 660; 248: 820; 249: 330
cAMP-dependent histone kinase 243: 612
cAMP-dependent protein kinase 246: 425; 247: 860; 248: 820

cAMP-receptor protein 243: 660
cAMP-responsive element 248: 120
cAMP-responsive-element-binding protein 248: 120
Campylobacter fetus 245: 637
Campylobacter jejuni porin 244: 575
Canavalia brasiliensis 248: 43
Candida stellatoidea 246: 477
Candida tropicalis 243: 748; 250: 205
canine parvovirus 250: 389
cap structure 247: 461
cap-binding protein 247: 461
cap-binding protein complex 247: 461
carbamoyl phosphate 247: 1063
carbamoyl-phosphate synthetase 249: 443
carbohydrate structure 244: 334
carbohydrate structure analysis 247: 386
carbonic anhydrase 244: 755
carbon/nitrogen regulation 248: 415
carbonyl reduction 249: 365
carboxylesterase 248: 58; 248: 700
Carcinus maenas 250: 727
3-*O*-[(*R*)-1-carboxyethyl]-D-glucose 247: 951
carcinustatin 250:
cardiac 248: 814
cardiac glycoside 248: 488
cardiolipin 249: 350
cardiomyocyte 247: 801
cardiomyopathy 250: 484
carnitine 247: 1029
carnitine acyltransferase 247: 1029
carnitine octanoyltransferase 247: 1029
carnitine palmitoyltransferase 244: 1
carotenoid 247: 942
carp 246: 380
cascade activation 247: 605
α_{S1}-casein 248: 872; 249: 1
casein kinase 243: 719
casein kinase 2 248: 290
caspase 250: 7
caspase-3 (CPP32) 249: 8
catabolic-enzyme-encoding plasmid 250: 524
catabolism 249: 473
catabolite repression 245: 708; 249: 248
catalase 245: 402
catalysis 248: 63
catalytic antibody 244: 619; 244: 619; 246: 471
catalytic mechanism 246: 1; 247: 1
catalytic mutant 245: 693
catalytic property 250: 369
catalytic RNA 245: 1; 247: 396; 247: 741
catecholamine 243: 452
catfish 249: 510
cathelicidin 250: 549
cathepsin 244: 414; 245: 373
cathepsin B 245: 260
cathepsin D 249: 171
cathepsin E 249: 171
cathepsin L 244: 140
cathepsin S 250: 745
cbaA 246: 291
CC-chemokine receptor 1 248: 507
CCAAT box 250: 502
CCAAT/enhancer-binding protein 243: 128
CCAAT/enhancer-binding protein α 247: 44; 249: 113
Cdc2 249: 481
Cdk inhibitor 248: 1
cDNA 243: 134, 243: 762; 248: 856; 249: 838
cDNA cloning 245: 252; 245: 283; 246: 181; 246: 681; 246: 756; 250: 144
cDNA library 246: 50
cDNA sequence 243: 708
CD11/CD18 245: 215
CD4 245: 47; 245: 581; 245: 768
CD9 244: 168
CD14 243: 100; 250: 418
CD26 247: 107
CD36 antigen 243: 344
cell adhesion 243: 543; 246: 233
cell attachment 247: 1136
cell cycle 243: 518; 243: 527; 246: 581; 246: 736; 248: 1; 249: 13; 249: 232; 249: 450
cell differentiation 249: 797
cell transfection 244: 15
cell wall 243: 315; 249: 905
cell-adhesion molecule 250: 630
cell-division cycle 247: 136
cell-matrix interaction 250: 39
cell-to-cell contact 244: 568
cellobiohydrolase I 245: 617
cellobiose 247: 262
cellodextrin 247: 262
cellular processing 246: 23
cellular signaling 247: 703
cellulase 249: 584
cephalosporinase 244: 186
ceramide 249: 450
cerebrospinal fluid 250: 354
cestode 250: 269
cGMP 249: 434
CGP 48664 249: 232
channeling 246: 283; 247: 1063; 250: 158
chaperone 243: 225; 246: 103; 246: 127; 247: 380; 247: 942
chaperonin 244: 627
chaperonin-containing t-complex polypeptide 1 (CCT) γ gene 247: 877
Chaps 243: 798; 249: 293
characterization 244: 700; 249: 239
charged residue 247: 114
Che Y 243: 384
chemical defense 245: 626
chemical modification 243: 636; 244: 810
chemical N-methylation 248: 296
chemokine 243: 762; 248: 507
Chironomus 250: 184
α-chitin 246: 557
β-chitin 246: 557
chitin binding 246: 557
chitinase 244: 279
chitotriosidase 244: 279
Chlamydia 244: 66
Chlamydomonas reinhardtii 243: 374
chloride channel 246: 367
7-chloro-4-nitrobenzo-2-oxa-1,3-diazole 247: 955
chlorobenzene 247: 190
Chlorobium 244: 454; 249: 630
chloronerva 244: 310
chlorophyll-binding protein 247: 666
chloroplast 245: 340; 248: 724
chloroplast ATP synthase 247: 1158
chloroplast import 247: 942
chloroplast translation 249: 383
CHO-K1 cell 244: 520
3-[(3-cholamidopropyl)dimethylammonio]-2-hydroxy-1-propanesulfonate (Chapso) 243: 798
cholecystokinin-C receptor 246: 502
cholesterol 245: 490; 246: 92
cholesterol oxidase 250: 369
choline 247: 1029
chondrocyte 247: 620; 248: 741
chondrodysplasia 248: 741
chondroitin sulfate 248: 767
chondrosarcoma 247: 620
Chondrus crispus 244: 858
chromaffin cell 247: 1180
chromatin 244: 494; 250: 646
chromatin structure 250: 184
chromatin-associated protein 249: 70
chromogranin 248: 692
chromosome 249: 98
chromosome mapping 244: 1
chylomicron 246: 92
α-chymotrypsin 247: 231
chymotrypsin inhibitor 249: 733; 249: 870
Cinchona 249: 161
circular dichroism 243: 482; 243: 782; 244: 53; 245: 355; 246: 166; 246: 211; 246: 320; 246: 59; 247: 1019; 247: 339; 247: 425; 248: 872; 248: 938; 249: 142; 249: 724; 249: 878; 250: 705; 250: 735; 250: 745
cisplatin 243: 782; 249: 370
citrate synthase 248: 49
citric acid cycle 245: 497
cleavable complex 250: 794
cleavage-stage histone 247: 784
cloning 244: 755; 248: 535; 248: 807; 249: 239
Clostridium 247: 262
Clostridium aminobutyricum 248: 380
clumping factor 247: 416
CMP-sialic acid transporter 248: 187
CO formation 250: 789
coacervation 250: 92
coagulation 245: 25; 247: 121; 249: 39
coagulation protein S 246: 147
cobalamin 250: 783
cobalt coordination 247: 688
coculture 244: 98
(Coβ-5′-deoxyadenosin-5′-yl)-(*p*-cresol-yl)cobamide 250: 303
coenzyme binding 245: 123
coenzyme B_{12} 249: 180
coenzyme B_{12} analog 245: 398
coenzyme F430 243: 110
coenzyme M 249: 280
coenzyme specificity 250: 578
coexpression 247: 30
cofactor 244: 789
cofilin 248: 834
coiled coil 249: 142; 249: 325
colchicine 244: 378; 246: 420; 249: 265
cold-active enzyme 248: 49
collagen 245: 434; 245: 751; 246: 274; 246: 50; 249: 489
collagen II 247: 620
collagen VI 247: 200
collagen amino proteinase 247: 620
collagen binding 248: 209
collagen like 243: 630

collagenase-3 248: 369
collectin 244: 675
colony-forming unit-erythroid 249: 637
colorectal cancer 248: 225
common nuclear-matrix protein 244: 479
compact state 245: 781
compatible solutes 247: 572
competitive inhibition 245: 182; 245: 381
complementation analysis 246: 518
complex 247: 380
$\alpha_3\beta_3\gamma$ complex 247: 1158
complex assembly 243: 259
complex formation 248: 200; 248: 441
complex I 246: 800; 250: 451
compound I 243: 72
computer simulation 245: 71
concanavalin A 243: 299
conditional-lethal mutant 245: 557
conformation 244: 613; 246: 665; 248: 156; 249: 895
conformational change 243: 160; 244: 343; 244: 361; 247: 1063; 249: 325
conformational flexibility 245: 32
connexin 244: 89
contact zone 244: 694
cooperativity 247: 1127; 249: 622
coordination type 250: 72
copper 247: 322
copper coordination 247: 688
copper-thiolate complex 245: 521
core oligosaccharide 248: 592; 250: 55
core-lipid A backbone 247: 402
core-lipid A region 243: 122; 243: 701; 247: 82
coronary smooth muscle cell 248: 543
corrinoid 243: 670; 250: 783
corrinoid enzyme 249: 280
corticosterone 249: 361
cortisol 249: 361
cortisone 249: 361
Corydalis sempervirens 245: 294
Corynebacterium glutamicum 247: 572
COS 1 cell expression 246: 681
cosmid library 246: 530
covalently bound flavin 244: 858
creatine 247: 483
creatine kinase 247: 1197; 250: 773
Crithidia fasciculata 248: 913
critical concentration 250: 425
cross-link 246: 508
cross-linking 248: 37; 248: 724
cross-talk 249: 421
crotalinae snake 249: 838
crucifer 247: 981
cruciform DNA 247: 852
crustacean neuropeptide 250: 727
cruzipain 244: 596
crystal contact 250: 326
crystal packing 248: 313
crystal structure 249: 523
crystallin 243: 415
α-crystallin 243: 792; 247: 380
crystalline inclusion 245: 402
CtaB 246: 618
CTLL-2 cells 247: 21
Cu hyperfine structure 245: 521
CuA site 245: 521
Culex pipiens 247: 754
cultured fetal hepatocyte 249: 669
curvature 244: 318
Cut5 250: 794
cyanobacteria 244: 258; 244: 869; 247: 666
cyclic adenosine diphosphoribose 245: 411
cyclic α-1,4-glucan 248: 171
cyclin 246: 736; 248: 1
cyclin B 249: 854
cyclin-dependent kinase 243: 518; 243: 527; 247: 518; 248: 1
cycloartenol 246: 518
cyclooxygenase 243: 726
cyclopeptide 247: 1019
Cylindrotheca fusiformis 250: 99
Cynara cardunculus 243: 695
Cyprinus carpio 246: 380
CYP1 244: 301
CYP3A 250: 150
CYP3A4 247: 625
CYP3A7 247: 625
cystatin 244: 140
cysteine 244: 378; 246: 173
cysteine metabolism 248: 741
cysteine oxidation 245: 663
cysteine protease 250: 745
cysteine-protease inhibitor 245: 364
cysteine-rich secretory protein 250: 440
cystic fibrosis 246: 360
cystic fibrosis transmembrane regulator 246: 367
cytochrome 249: 630
cytochrome *b* subunit 248: 179
cytochrome ba_3 246: 291; 250: 332
cytochrome bc_1 complex 246: 103; 249: 762
cytochrome b_5 245: 349; 249: 270
cytochrome *c* 249: 716
cytochrome *c* biogenesis 246: 794
cytochrome *c* reductase 249: 739
cytochrome c_3 243: 474; 244: 721
cytochrome c_7 243: 474
cytochrome *P*-450 244: 98; 247: 37; 248: 401; 248: 707; 250: 276
cytochrome *P*-450 1A2 245: 17
cytochrome *P*-450scc 244: 835
cytochrome $P\text{-}450_{11\beta}$ 248: 252
cytochrome-*c* oxidase 245: 521; 246: 618; 248: 99; 249: 350
cytochrome-*c* peroxidase 243: 72
cytogenetic analysis 246: 719
cytokine 248: 615; 250: 751
cytolysin 247: 209
cytoskeleton 243: 430; 247: 1136; 248: 193; 248: 827
cytosol 244: 829
cytosolic chaperonin 247: 877
cytosolic phospholipase A_2 245: 751
cytoxicity 249: 223
C_4 photosynthesis 246: 452
C_4 plant metabolism 250: 326

daffodil 247: 942
DEAD-box protein 250: 800
5′-deazaflavin 247: 280
dechlorination 247: 190
decorin 248: 521; 248: 767
deglycosylated pepleomycin 244: 818
deglycosylation 249: 286
dehalogenase 250: 789
11-dehydrocorticosterone 249: 361
dehydroepiandrosterone 247: 625
dehydrogenase 245: 600; 250: 158
5′-deiodinase 247: 288
delivery 245: 1
delta virus 247: 741
denaturation 244: 407; 246: 658; 247: 884; 248: 567; 248: 80
denatured malate dehydrogenase 246: 127
denitrification 248: 401
3-deoxy-D-*manno*-2-octulosonate-8-phosphate synthase 244: 66
deoxycytidine kinase 248: 762
1-deoxymannojirimycin 249: 286
deoxynucleotide pool 244: 286
deoxyribonuclease 249: 786
deoxyribonuclease I 243: 482; 244: 494
deoxyribonuclease activity 247: 852
depression 244: 900
desensitization to aspartate 247: 74
design 245: 1
Desulfovibrio 248: 445
Desulfovibrio vulgaris 248: 355
Desulfuromonas 248: 323
detergent 248: 684; 250: 168
detyrosination 244: 265
development 248: 644; 248: 794
developmental gene expression 243: 442
dexamethasone 248: 401
dextran sulfate 246: 204
di-iron 247: 635
diabetes 245: 760
diapause 243: 225
4,4,4′,5′-dibenzo-3,3′-diethyl-9-methyl-thiacarbocyanine bromide 243: 42
dibenzofuran 247: 833
dicarbonyl reagent 244: 810
Dictyostelium 244: 113
Dictyostelium discoideum 243: 442; 248: 820
dicyclohexylcarbodiimide 243: 336; 247: 820
2,4-dienoyl-CoA reductase 248: 516
dietary fat 246: 92
differential scanning calorimetry 244: 441; 250: 735
differential screening 248: 225
differential splicing 249: 1
differentiation 243: 128; 243: 27; 246: 581; 249: 77; 250: 459
diffusion-limited rate 244: 852
(2-5)di(guanylate) triphosphate 248: 558
dihydrofolate reductase 249: 13
dihydrolipoamide dehydrogenase 248: 362
dihydropyrimidinase 243: 322
1α,25-dihydroxyvitamin D_3 250: 63
N,*N*-dimethyl-4-nitrosoaniline 248: 889
dimer 243: 422
dimer stability 247: 348
dimerization 244: 120
dimethylsulfoxide 243: 283
dimethylsulfoxide reductase 246: 200
dinuclear complex 246: 508
diol dehydratase (*Salmonella typhimurium* gene overexpressed in *E. coli*) 250: 303
dioxin 247: 833
dioxygenase 247: 190
dipeptidyl aminopeptidase 247: 107
dipeptidylpeptidase IV 246: 243
diphthine synthetase 247: 1038

Diptera 244: 713; 245: 199; 246: 719
direct reverse-transcriptase PCR 247: 30
disease resistance 244: 743
disruption 247: 605
distamycin 244: 318
distribution 249: 473
disulfide bond 243: 437; 243: 630; 244: 192
disulfide bridge 246: 173; 247: 1158; 248: 879; 249: 518
disulfide reductase 244: 226
divalent cation 248: 385
divinyl ether 245: 137
DNA 244: 818; 246: 508
DNA bending 243: 151
DNA binding 243: 151; 244: 120; 244: 134; 244: 613; 245: 684; 246: 486; 250: 646
DNA-binding domain 244: 883
DNA-binding protein 245: 573; 247: 981
DNA damage 244: 15; 245: 307
DNA-binding protein 245: 573; 247: 981
DNA enzyme immunoassay 247: 98
DNA helicase 250: 47
DNA methylation 249: 489
DNA methyltransferase 246: 1
DNA packaging 243: 247
DNA recognition 246: 1
DNA repair 244: 15; 245: 573; 250: 794
DNA replication 244: 286
DNA sequence 245: 103; 246: 530
DNA synthesis 250: 106; 250: 395
DNA-binding protein 245: 573; 247: 981
DNA-dependent protein kinase 247: 1166
DnaK 248: 848
DNA–protein interaction 250: 184
dog 248: 660
Dolichos biflorus lectin 244: 242
dolichyl-phosphate β-D-mannosyltransferase 244: 953
domain 243: 437
domain localization 243: 502
domain movement 247: 1074
domain structure 244: 544; 246: 611
dopuin 249: 518
double-mutant cycle 247: 1
down-regulation 249: 156; 249: 92
doxorubicin 246: 186
Drosophila 244: 294; 245: 191; 245: 199; 250: 30
Drosophila glutamyl-prolyl-tRNA synthetase 244: 176
Drosophila melanogaster 243: 732; 247: 470
drug design 247: 356
drug interaction 248: 488
drug resistance 245: 307; 247: 238
drug-resistant mutant 250: 106
dsRNA 248: 558
dsRNA-activated protein kinase (PKR) 250: 85
dual activities 245: 129
dual substrate specificity 250: 326
duodenal gland 249: 612
duodenase 249: 612
duroquinol 250: 567
dye-linked alcohol dehydrogenase 247: 280
dynamic light scattering 250: 447
dynamics 245: 349
α-dystroglycan 246: 166
dystrophin/utrophin-associated protein 248: 634
D1 reaction center protein 247: 441
D1 turnover 248: 731

early-region-2 transcription factor 246: 736
ecdysone 245: 191; 247: 695
ecdysone receptor 248: 786; 248: 856
ecdysteroid 248: 786
*Eco*RI 244: 134
efflux 247: 572
eIF-2α 250: 85
eIF-2α phosphorylation 246: 461
elastin 250: 92
elcatonin 247: 231
elderberry 245: 648
electrochemistry 245: 116
electroinsertion 250: 315
electron 247: 322
electron microscopy 243: 430; 246: 166; 248: 193
electron spin-echo envelope modulation 248: 355
electron transfer 245: 805; 249: 401; 249: 630
electron-spectroscopic imaging 243: 430; 248: 193
electron-transfer flavoprotein 243: 393; 245: 600
electropermeabilization 250: 315
electrophoresis 248: 329
electrophoretic mobility-shift assay 250: 342
electrospray 243: 274
electrospray-ionization MS 243: 85; 248: 879; 249: 325
electrostatic interaction 244: 134
electrostatics 247: 432
elicitation 249: 161
β-elimination 244: 658
elongation 247: 826
elongation factor Tu 247: 59; 249: 408
embryonal carcinoma cell 244: 706
embryonic 248: 864
emission anisotropy 246: 127
enantioselection 246: 658
3′ end formation 247: 461
endo-1,3-β-glucanase 243: 315
endo-1,5-α-L-arabinase 245: 708
endocytosis 244: 713; 247: 695
endoglucanase 249: 584
endonuclease VII 245: 573
endoplasmic reticulum 245: 266; 245: 720; 247: 37; 250: 808
endoplasmic reticulum localization 246: 681
endoplasmic reticulum retention 247: 933
endoplasmic reticulum retention signal 248: 304
endothelial cell 246: 727
endothelin 244: 520; 248: 139
endothelin B receptor 248: 139
endothelin receptor 249: 803
endothelin-converting enzyme 244: 520
endothelium 244: 774
endotoxin 245: 233
δ-endotoxin 246: 652
energy conservation 250: 467; 250: 783
enhanced transport 247: 673
enhancer 247: 44
enoyl-CoA hydratase 244: 890
Entamoeba histolytica 247: 348
Enterococcus faecalis 246: 574
enteropathogenic *Escherichia coli* 244: 449
envelope protein 246: 820
environmental stress 246: 259
enzymatic degradation 244: 750
enzymatic detoxification 244: 852
enzymatic semisynthesis 247: 231
enzyme 245: 465; 248: 24; 248: 807
enzyme activity 250: 432
enzyme bifunctionality 250: 232
enzyme inactivation 247: 380
enzyme inhibition 245: 663
enzyme kinetics 243: 408; 244: 235; 248: 762; 250: 158
enzyme mechanism 244: 646; 244: 953
enzyme nomenclature 250: 1
enzyme purification 244: 635
enzyme stability 244: 220
enzyme-enzyme interaction 248: 925
epidermal-growth-factor module 248: 163
epidermal-growth-factor receptor 247: 1190
epidermal-growth-factor-like domain 244: 334
epididymis 250: 440
epitope analysis 245: 334
epitope mapping 249: 690
epoxide 247: 635
epoxide hydrolase 245: 490
EPR 243: 72; 244: 325; 244: 789; 247: 681; 248: 323; 248: 355; 249: 180; 250: 451
EPV20 protein 243: 437
equine lysozyme 250: 72
Erwinia carotovora 250: 55
Erythrina agglutinin 249: 27
Erythrina variegata 249: 870
erythrocyte 246: 638
erythrocyte glycolysis 245: 71
erythrocyte membrane 244: 918
erythrocyte resealing 244: 918
erythropoiesis 249: 637
erythropoietin 245: 482; 246: 155; 249: 77; 250: 459
erythropoietin receptor 249: 637
Escherichia coli 243: 336; 243: 660; 244: 155; 244: 407; 246: 119; 246: 565; 247: 567; 247: 74; 248: 516
Escherichia coli flavodoxin 244: 384
Escherichia coli K12 247: 716
Escherichia coli RNA polymerase 247: 884; 247: 990
ester hydrolysis 244: 619; 246: 471
esterase 248: 245
esterification 244: 513
estrogen receptor 249: 113
ethanolamine 250: 395
ether phospholipid 247: 511
18-ethynylprogesterone 248: 252
Ets–activator-protein-1 site 243: 49
eukaryotic DNA repair 248: 669
eukaryotic release factor 245: 557
eukaryotic ribosomal protein 246: 786
evolution 243: 191; 243: 27; 244: 176; 244: 527; 244: 713; 245: 199; 245: 25; 245: 745; 246: 452; 246: 50; 248: 209; 248: 864; 250: 698
excimer 244: 378
exercise 243: 460
exo-α-mannanase 249: 286
exo-α-1,4-glucosidase 245: 129

exon definition 247: 461
exonuclease III 243: 684
exopolysaccharide 250: 608
expanded transition-state analog 244: 619
expressed sequence tag 248: 225; 249: 415
expression 243: 141; 244: 21; 245: 283; 248: 49; 248: 814; 250: 260; 250: 77
expression in bacteria 249: 684
expression in *Escherichia coli* 246: 530; 247: 826
expression in mammalian cell 249: 684
expression of recombinant heterodimeric protein 248: 550
expression regulation 247: 588
extracellular matrix 248: 209; 249: 489; 250: 751
extracellular proteolysis 247: 256
extracellular-signal-regulated kinase 245: 84; 249: 648
extremophile 244: 186

F-actin 248: 834
facilitated diffusion 246: 1
α-factor pheromone 247: 142
factor V 247: 12
factor Xa 247: 12
factor XII 246: 204; 247: 491
FAD 248: 380
FAD pyrophosphatase 249: 777
fadH gene 248: 516
Fasciola hepatica 245: 373
fast glycolytic muscle 247: 870
fast skeletal muscle 246: 380
fast-atom-bombardment MS 244: 580; 246: 360
fatty acid 250: 269
fatty acid hydroperoxide 245: 137
fatty acid metabolism 245: 490
fatty acid oxidation 246: 548
fatty acid synthase 247: 268; 248: 481
fatty acid synthase variants 247: 268
fatty-acid transporter 249: 657
fatty-acid-binding protein 249: 510
feedback 245: 182
Fe(III)-dopamine complex 244: 325
ferredoxin 247: 833; 250: 364
ferredoxin-$NADP^+$ reductase 249: 556
ferredoxin:thioredoxin reductase 244: 226
ferrichrome transport 247: 770
ferricyanide reduction 246: 638
ferritin 247: 470; 250: 764
ferrochelatase 246: 32
fertilization 243: 543
fetal development 249: 675
fetal programming 249: 361
feto-acinar pancreatic protein 243: 299
fetuin 247: 709
fibrillogenesis 245: 434; 249: 21
fibrinogen 247: 416
fibrinolysis 244: 946; 250: 532
fibroblast-growth factor 2 249: 473
fibrous sheath 246: 425
fidelity 247: 238; 250: 106
filamentous fungus 243: 315; 245: 164; 248: 415
filamin 246: 373
fish 249: 786
fish oocyte 249: 846
fission yeast 248: 441
FK506 gene cluster 244: 74
FK506-binding protein 244: 59
flagellin 250: 19
flap mutant 244: 235
flash photolysis 243: 365
flavanone 3β-hydroxylase 249: 748
Flaveria 246: 452
flavin 249: 393; 249: 770
flavin cofactor 249: 777
flavoenzyme 250: 369
flavonoid biosynthesis 249: 748
flavonol 247: 1056
flavoprotein 243: 739
flavoprotein oxidase 249: 393
flexible loop 248: 313
flow cytometry 249: 232
FLP recombinase 248: 903
fluorescence 244: 251; 245: 715; 246: 166; 246: 420; 249: 265; 250: 115
fluorescence properties 248: 80
fluorescence resonance energy transfer 250: 122
fluorescence spectroscopy 246: 320; 247: 425
fluorescent ouabain 249: 301
fluorogenic acceptor 245: 143
fluorophore-assisted carbohydrate electrophoresis 244: 706
flux control 243: 191
FMN 244: 384
FMN phosphohydrolase 249: 777
foam cell formation 250: 600
folding 246: 674; 247: 425
folding and secretion 249: 505
folding intermediate 245: 364; 246: 328; 248: 684; 249: 505
follipsin 245: 392
food allergy 245: 334
force-field parameter 249: 716
formaldehyde 247: 280
formaldehyde/alcohol dehydrogenase 248: 282
formamidopyrimidine-DNA glycosylase 250: 492
formate dehydrogenase 246: 646
formyl-peptide 249: 531
formylmethanofuran dehydrogenase 248: 919
Forssman antigen 244: 242
Fos/Jun heterodimer 243: 49
four-way DNA junction 249: 576
Fourier-transform infrared spectroscopy 244: 343; 247: 1197; 250: 705; 250: 72
fourth-derivative spectrum 248: 567
fragment stability 243: 384
free energy 243: 191
frequency-domain fluorometry 244: 53
frog H1M (B4) protein 247: 784
frog skin secretion 247: 107
fucosyltransferase 246: 750
fuel gauge 246: 259
fuel homeostasis 244: 1
fumarate respiration 244: 155
functional cooperativity 247: 1
functional site 243: 344
functional unit 248: 879
fungus 244: 220; 245: 617
furin-like convertase 244: 520
fusion peptide 249: 895
FUT2 246: 750

F_0F_1 ATP synthase 243: 336; 244: 441; 247: 820
F_0F_1 ATP synthase cross-linking 249: 134
F_1 245: 813; 249: 622; 250: 150

α-galactosidase inhibitor 248: 296
galactosylceramide 247: 21
β-D-glucoside α-1,3-xylosyltransferase 245: 143
β-1,4-galactosyltransferase 244: 706
galanin 249: 601
galectin 249: 27
gametocyte 249: 98
ganglioside 248: 527; 250: 661
gap junction 244: 89
garlic (*Allium cepa* L) 245: 137
gastrin-binding protein 246: 502
gastrin-Gly 246: 502
gastrointestinal peptide 249: 518
Gas6 246: 147
gel mobility 244: 613
gelatinase B 244: 21
gelsolin 246: 373; 248: 834
gene 248: 807
gene cloning 248: 171
gene cluster 245: 54
gene control 250: 342
gene disruption 244: 74
gene expression 244: 494; 246: 155; 246: 719; 246: 756; 247: 826; 247: 877; 248: 10; 248: 856; 249: 465
gene family 246: 394
gene inhibition 245: 1
gene regulation 248: 644; 248: 676; 249: 675
gene sequence 248: 49
gene structure 248: 15
gene targeting 244: 487
gene transcription 249: 669
gene 200 cluster 249; 258
genetic defect 246: 548
genetic engineering 244: 743
genetic variant 247: 476
genomic DNA analysis 246: 394
genomic organization 246: 410
genomic structure 243: 32; 250: 653
Gentiana triflora 249: 45
germ cell nuclear factor 244: 120; 249: 826
girdle band 250: 99
GlgS protein 246: 301
GlnB 244: 869
globin 248: 864
β-globin cluster 248: 669
globular domain 250: 138
Gloeophyllum abietinum 246: 45
glomerular basement membrane 247: 175
4-α-glucanotransferase 248: 171
glucoamylase 244: 128; 249: 286; 250: 638
glucocorticoid 246: 112; 249: 669
glucocorticoid metabolism 249: 355
glucocorticoid receptor 249: 361
glucocorticoid therapy 249: 355
glucosamine-6-phosphate synthase 245: 418
glucose 247: 1000; 247: 497
glucose dehydrogenase 247: 659
glucose effect 245: 147
glucose repression 243: 748; 245: 324
glucose transport 249: 248
glucose uptake 245: 324

glucose-regulated protein 248: 120
glucose:fructose oxidoreductase 244: 107
α-glucosidase 249: 797
glucosylceramide 247: 21
glutamate decarboxylase 246: 350
glutamate dehydrogenase 247: 224
glutamate synthase 243: 708; 250: 364
glutamate transporter 248: 535
glutamine synthetase 244: 258; 248: 644
γ-glutamylcysteine 250: 670
glutathione 243: 219; 249: 465; 250: 670
glutathione peroxidase 247: 248
glutathione *S*-transferase 245: 589; 248: 113
glutathione-*S*-transferase gene expression 243: 49
GLUT1 247: 306
GLUT4 247: 306
glyceraldehyde-3-phosphate dehydrogenase 246: 78; 250: 286; 250: 296
glycerol dehydratase 245: 398
glycerol dehydratase (*Citrobacter freundii* gene overexpressed in *Escherichia coli*) 250: 303
glycerone-phosphate synthase 247: 511
glycine 245: 289
glycoconjugate 249: 905
glycoform 243: 299
glycogen 245: 147; 246: 301
glycogen synthase 245: 147
glycogenin 245: 147
glycolipid 243: 543
glycolipid ai 248: 93
glycolysis 243: 191; 244: 161; 244: 527
glycophorin A 250: 315
glycoprotein 243: 543; 245: 215; 245: 47; 246: 252; 247: 386; 248: 86; 249: 195; 249: 684; 249: 690; 249: 786
glycoprotein Ib 244: 168
glycosaminoglycan 247: 1083; 248: 475
β-glycosidase 244: 53
glycosomes 250: 698
glycosphingolipid 247: 21; 249: 450
glycosylated alloalbumin 247: 476
glycosylated protein 247: 535
glycosylation 243: 695; 244: 334; 244: 400; 247: 142; 250: 354
glycosylation mutant 248: 187
glycosylphosphatidylinositol 243: 502
glycosylphosphatidylinositol anchor 250: 168
glycosylphosphatidylinositol-specific phospholipase D 243: 502
GLY1 gene 245: 289
goldfish 249: 854
Golgi 249: 812
Golgi apparatus 243: 719; 247: 558; 248: 187
gonadoliberin receptor 243: 134
gonadotropin 245: 656
gp130 domain 247: 425
granule 250: 432
granulocyte chemotactic protein-2 243: 762
granulocyte-macrophage-colony-stimulating-factor receptor 246: 625
grass pollen allergen 247: 217
Grb2 246: 633
green fluorescent protein 250: 808
green-sulfur bacteria 249: 630
GroEL 244: 627
GroES 244: 627
gross-cystic-disease fluid protein 15 245: 208
growth temperature 249: 443
GTP 245: 720
GTP binding 246: 388; 248: 840
GTP-binding protein 249: 293; 249: 330
GTP-binding-protein-coupled receptor 243: 134
GTP hydrolysis 249: 330
GTPase 247: 59
guanine-exchange factor 247: 703
guanine-nucleotide-binding regulatory protein 243: 10; 246: 71; 248: 139; 249: 846
guanine-nucleotide-binding-regulatory-protein-coupled receptor 247: 1174; 248: 261; 249: 415
guanine-nucleotide-binding-regulatory-protein-coupled receptor kinase 245: 533; 248: 261
guanosine triphosphatase 243: 66; 246: 690; 249: 293
guanosine 3′,5′-bis(diphosphate) 247: 990
gymnosperm 246: 763
G1/S transition 248: 1
G2/M transition 248: 1

H^+ symporter 247: 1102
^{1}H-NMR 246: 665; 249: 576
haemocyanin 248: 879
Haemophilus 243: 701
Haemophilus influenzae 246: 320
Hafnia alvei 244: 580; 245: 668
haloalkanoic acid 250: 789
Halobacterium salinarum 249: 318
halophile 243: 141; 248: 362; 249: 607
hammerhead 247: 396
hatching-enzyme gene 250: 502
H/D exchange of amide protons 249: 325
head-to-tail polymerization 250: 30
heat shock 246: 461; 248: 120; 249: 427
heat-shock protein 243: 460; 245: 156; 245: 738; 247: 1143
heat-shock protein (70 kDa) 248: 848
heat-shock/α-crystallin protein 243: 225
HeLa cell 249: 450
Helicobacter pylori 248: 592
α-helix 245: 549; 250: 549
Helix pomatia 249: 195
helix stability 249: 724
helix-loop-helix inhibitor of DNA binding/differentiation protein 247: 870
helix-loop-helix motif 243: 42
helix-turn-helix motif 244: 735
heme 248: 347
heme binding 246: 794
heme oxygenase 245: 233
heme oxygenase isozyme 247: 725
heme oxygenase-2-related gene 247: 725
heme regulatory element 247: 725
heme structure 245: 505
heme-regulated eIF-2α kinase 246: 461
hemochrome 243: 365
hemocyanin 247: 688; 248: 602; 249: 195
hemocyte 246: 820
hemoglobin 243: 365; 243: 85; 248: 864
hemolin 250: 630
hemoprotein 247: 725; 249: 337
hen egg-white lysozyme 245: 781
heparan sulfate proteoglycan 247: 175
heparin 245: 40; 246: 233; 247: 1000; 248: 475; 250: 138
heparin and hemorrhagic activity 245: 40
heparin, inhibition of actomyosin 245: 40
heparin-binding protein 250: 735
hepatic cholesterol metabolism 246: 92
hepatic cytochrome *P*-450 250: 150
hepatic lipase 247: 148
hepatic nuclear factor 1 247: 148
hepatic nuclear factor 4 247: 148
hepatitis C virus 248: 130; 250: 47
hepatitis delta virus 247: 741
hepatocyte 244: 876; 244: 98; 249: 675
hepatocyte nuclear factor-4 244: 883
hepatocyte-growth factor 243: 753
hepatoma 247: 37
hepatoma cell 247: 1091
HepG2 cells 245: 143
heptosyltransferase 247: 716
herbicide binding 248: 731
herbimycin A 247: 1190
herpes simplex virus 245: 266
herpes simplex virus 1 protease 247: 890
heterodimer formation 248: 684
heterodisulfide reductase 244: 226
heterogeneous nuclear ribonucleoprotein 244: 479
heterogeneous nuclear ribonucleoprotein C 247: 169
heterogeneous ribonucleoprotein particle 246: 602
heterologous expression 245: 386; 246: 23; 247: 268
heteronuclear NMR 243: 306; 246: 301
hexamerin 244: 713; 245: 191; 245: 199; 246: 719
hexose oxidase 244: 858
hexose transport 245: 324
high pressure 248: 567
high spin 244: 840
high-density lipoprotein 245: 642; 249: 708
high-mobility-group (HMG) domain 250: 646
high-mobility-group (HMG) protein 250: 646
high-mobility-group protein 1 (HMG1) 243: 151; 243: 782; 250: 403
high-mobility-group-protein-1-box domain 243: 151
high-potential iron-sulfur protein 244: 371
high-spin heme 246: 618
Hill coefficient 249: 350
2-His-1-carboxylate facial triad 250: 625
histidase 250: 212
histidine low pK_a 250: 712
histidine protonation 250: 712
histidinemia 250: 212
histone 243: 247; 244: 294; 244: 780; 245: 97
histone H1 250: 184
histone 2A 249: 427
histone-like nucleoid-structuring protein 244: 767
HL60 cell line 249: 531
HNK-1 carbohydrate 246: 233
HOE/BAY 793 248: 313
Hoechst 33342 250: 115; 250: 122; 250: 130
Holliday junction 249: 576
homeobox gene 243: 27

homocysteine 244: 876
honey-bee 243: 775; 249: 797
Hordeum vulgare 243: 695
hormone 244: 801; 249: 675
hormone binding 245: 123
hoxZ gene 248: 179
HPLC 247: 709
HslU 247: 1143
HslV 247: 1143
Hsp90 246: 461
HS1 protein 245: 701
HU protein 247: 852
HU-like protein 249: 70
human 247: 1174; 250: 77
human brain 248: 527
human embryonic kidney cell 248: 407
human endothelial cell 247: 596
human factor XII 243: 160
human glandular kallikrein 246: 440
human glutathione reductase 245: 273
human hepatocyte 247: 596
human immunodeficiency virus 245: 768; 247: 238; 247: 558; 247: 843; 249: 592
human immunodeficiency virus 1 244: 568; 246: 38; 250: 559
human immunodeficiency virus glycoprotein 120 245: 208
human immunodeficiency virus protease 244: 235; 249: 523
human immunodeficiency virus 1 protease 248: 313
human immunodeficiency virus 1 Vpu 245: 581
human immunodeficiency virus 2 246: 38; 250: 106
human interleukin 5 246: 625
human liver 247: 625
human meprin 247: 920; 247: 933
human pancreatic juice 243: 299
human placenta glutathione transferase 245: 663
human seminal-plasma glycoprotein 17 245: 208
human serum albumin 247: 476
human skin fibroblast 250: 320
human stefin B 245: 364
HXT gene 249: 248
hybrid 249: 701
hybrid complex 249: 762
hybrid ribosome assembly 249: 383
hydantoinase 243: 322
hydrodynamics 247: 339
hydrogen bond 247: 914
hydrogen peroxide 244: 587
hydrogen respiration 248: 179
hydrogenase 245: 116; 248: 355
hydrogenase processing 245: 441
α/β hydrolase fold 245: 490
hydrophobic binding site 250: 269
hydrophobic interaction 243: 792; 246: 252; 247: 896
hydrophobicity pattern 249: 724
hydrostatic pressure 250: 276
D-2-hydroxy-4-methylvalerate dehydrogenase 244: 203; 244: 213
4-hydroxybutyryl-CoA dehydratase 248: 380
25-hydroxycholesterol 247: 129
27-hydroxycholesterol 247: 129
hydroxycinnamoyl-CoA:tyramine *N*-(hydroxycinnamoyl)transferase 247: 1127
hydroxyicosatetraenoic acid 244: 513
hydroxyl radical 249: 556
26-hydroxylase 248: 707
7α-hydroxylation 247: 129
hydroxymethylglutaryl-CoA reductase 246: 259
hydroxymycolic acid 250: 758
hydroxysteroid dehydrogenase 249: 355
11β-hydroxysteroid dehydrogenase 249: 361; 249: 355; 249: 365
hydroxyurea 249: 401
hyperammonemic rabbit 243: 597
hyperoxia 245: 64
hypertension 249: 361
hyperthermophile 244: 561; 247: 1046: 247: 224
hyperthermophilic archaeon 248: 171
hyperthermophilic enzyme 245: 386
Hyphomicrobium 249: 820
hypopharyngeal gland 249: 797
hypoxia 243: 233; 246: 155
hysteretic activation 246: 85
H1° expression 245: 97

IF3 249: 564
IgA protease 245: 482
IgE reactivity 247: 217
IgE-binding epitope 245: 334
ileal transport 249: 456
imidase 243: 322
imide 243: 322
immobilized enzyme 247: 248
immunity 248: 217
immunocytochemistry 243: 452
immunoevasive protein 246: 820
immunogenicity 249: 895
immunoglobulin gene superfamily 250: 630
immunolocalization 250: 99
immunomodulator 249: 733
immunophilin 244: 59
in vitro activation 248: 481
in vitro assembly 249: 592
in vitro chloroplast import 246: 32
in vitro mutagenesis 247: 810
in vitro reconstitution 246: 78
in vitro selection 248: 130
in vivo 250: 177
in vivo protein folding 248: 848
in vivo study 249: 630
inactivation 246: 471
inactivation rate constant 248: 925
inactive mutant 250: 773
indoleamine 250: 377
induced circular dichroism 246: 658
inducible gene expression 249; 258
inducible protein 247: 614
induction 245: 164; 245: 17; 246: 186
inert probe complex 243: 684
infection 243: 543
infection inhibition 246: 252
inflammation 243: 543
influenza neuraminidase 247: 332
infrared spectroscopy 244: 441; 250: 773
inhibition 247: 1127
inhibition kinetics 249: 180; 250: 745
inhibition of transglycosylation 246: 193
inhibition/inhibitor 243: 58
inhibitor 244: 829; 245: 123; 250: 177
inhibitor testing 250: 559
initiation factor 243: 66
initiation site 247: 896
inositol monophosphatase 246: 211
inositol 1,3,4,5,6-pentakisphosphate 244: 113
inositol 1,3,4,5,6-pentakisphosphate 3,6-bisphosphatase 244: 113
inositol 1,4,5-trisphosphate 244: 113
inositolphospholipid 243: 10; 249: 812
inositolphospholipid 3-kinase 245: 512; 247: 306; 249: 637
insect 248: 217; 248: 535; 248: 707; 248: 856
insect cell 249: 803
insect immunity 247: 614; 250: 630
insect sodium channel 243: 93
insecticidal-crystal-protein-binding protein 248: 748
insulin 245: 774; 247: 306; 247: 497; 250: 395
insulin action 245: 91
insulin receptor 245: 91; 250: 411
insulin secretion 244: 1
insulin-dependent diabetes mellitus 246: 350
insulin-receptor substrate-1 245: 91
integrin 244: 168; 245: 215; 246: 274
inter-phylum hybrid enzyme 243: 612
intercellular adhesion molecule 245: 215
interface 244: 220
interferon 246: 736; 248: 558
interferon α 247: 298; 247: 762
interleukin-1β-converting enzyme 246: 394
interleukin-3 249: 792
interleukin-3 receptor 246: 625
interleukin-5 receptor 246: 625
interleukin-6 249: 690
interleukin-6 receptor 249: 690
interleukin-8 250: 63
intermediate filament 250: 30
internal hydrogen bond 243: 292
internalization 243: 643
interstitial collagenase 247: 503
intracellular calcium 249: 803; 250: 689
intracellular pH 248: 394
intracellular transport 247: 920; 247: 933
intrahepatic cholestasis 244: 39
intrinsic fluorescence 248: 930
intrinsic guanosine triphosphatase 243: 468
intrinsic protein fluorescence 246: 690
intron/exon 244: 176; 250: 77
invasion 250: 751
invertebrate 243: 233; 245: 745; 250: 514
ion channel 243: 283
ionic strength 243: 174; 245: 781
iron 250: 625
iron coordination site 249: 748
iron metabolism 244: 310; 249: 149
iron protein 244: 789
iron transport 249: 149
iron-regulatory element 247: 470
iron-regulatory protein 250: 764
iron-sulfur cluster 244: 454; 245: 116; 248: 380; 250: 451
iron-sulfur cluster assembly 248: 897
iron-sulfur protein 244: 226; 244: 840; 247: 833
γ-irradiation 244: 15
irreversible modification 248: 925
isocitrate dehydrogenase 250: 578
isocitrate lyase 243: 748; 249: 820

isoform 244: 1; 246: 420; 247: 217; 248: 786; 249: 113
isolated hepatocytes 249: 121
isolation 248: 93
isolation of transporters 247: 673
isomerization 247: 596
isopentenyl-diphosphate isomerase 249: 161
isoprenoid biosynthesis 249: 61
isopropylmalate dehydrogenase 250: 578
isothermal amplification 243: 358
isotope enrichment 244: 384

Janus family of tyrosine kinases 247: 298
Janus kinase 248: 615
Janus kinase 2 249: 637
jasmonic acid 245: 294
Jun N-terminal kinase 249: 648

40-kDa receptor-associated protein 248: 583
65-kDa regulatory subunit 248: 200
3-ketoacyl-CoA thiolase 245: 252
ketomycolic acid 250: 758
ketone and quinone detoxification 249: 365
keyhole limpet 248: 602
KH domain 249: 309
KHT2 249: 248
kidney 243: 770; 246: 367
kinase cascade 246: 259
kinase inhibitor 243: 527
kinetic analysis 248: 80
kinetic folding mechanism 243: 660
kinetic investigation 245: 398
kinetic parameter 245: 693
kinetic studies 248: 245
kinetics 243: 72; 244: 251; 245: 608; 245: 663; 246: 420; 246: 452; 247: 248; 248: 424; 248: 930; 249: 223; 249: 265; 249: 370; 249: 443; 250: 383
kinin 247: 652
kininogen 247: 652; 250: 532
KIT 249: 637
Klebsiella pneumoniae 246: 530
Kluyveromyces waltii 248: 903; 249: 803
Kunitz-family protein 249: 870
Kw recombinase 248: 903

α-lactalbumin 250: 72
β-lactamase 244: 186
D-lactate dehydrogenase 244: 213
lactate transport 246: 574
Lactobacillus delbrueckii bulgaricus 244: 203; 244: 213
lactoferrin 249: 149
β-lactoglobulin 245: 482
lactoperoxidase 243: 32
lactosamine repeat 245: 428
ladder sequencing 244: 750
laminin 246: 233; 247: 339; 248: 15; 250: 138
laminin isoform 246: 727
lantibiotic 244: 501; 246: 193; 246: 809
larval serum protein 245: 191; 245: 199
Lck 245: 84; 246: 447
leader peptidase 246: 794
lecithin-cholesterol acyltransferase 249: 708
lectin 243: 543; 245: 648; 248: 225; 249: 27; 249: 684; 250: 680
lectin-like protein 246: 557
leech 249: 733
legume lectin 248: 43
legumin 246: 763
lens 244: 89
Lens esculenta 250: 377
leukocyte 245: 215; 248: 507
leukocytosis 244: 21
leukotriene 246: 112; 248: 807
$LiBD_4$ 246: 565
ligand binding 244: 544
light induction 248: 415
light scattering 250: 425
light-dependent gene expression 243: 708
limited digestion 246: 611
limited proteolysis 247: 1074; 248: 775; 248: 925; 250: 260; 250: 7
linear dichroism 243: 482
linkage region 248: 521
linker histone 250: 184
lipase 244: 220
lipid 248: 394; 250: 115; 250: 122
lipid-binding protein 250: 269
lipid-protein interaction 249: 708
lipid-reactive mycobacillin 247: 673
lipoamide dehydrogenase 243: 739
lipopolysaccharide 243: 100; 243: 122; 243: 167; 243: 328; 243: 701; 244: 147; 244: 580; 244: 761; 245: 470; 245: 477; 245: 637; 245: 668; 246: 360; 246: 565; 247: 402; 247: 567; 247: 716; 247: 815; 247: 82; 247: 951; 248: 217; 248: 592; 249: 758; 250: 418; 250: 617
lipopolysaccharide biosynthesis 244: 66
lipopolysaccharide structure 250: 55
80-kDa lipopolysaccharide-binding membrane protein (LMP80) 250: 418
lipopolysaccharide-binding protein 250: 418
liposome 243: 400; 250: 168; 250: 315
lipoteichoic acid 244: 913
lipoxygenase 245: 608
5-lipoxygenase 246: 112
lipoxygenase isoenzyme 248: 452
5-lipoxygenase-activating protein 246: 112
lithium 246: 211
liver 243: 240; 244: 39; 249: 510; 249: 838
liver cells 246: 186
liver-specific gene expression 247: 148
localization 249: 612; 250: 138
Lolium perenne 249: 886
long chain 245: 600
long terminal repeat 244: 568
loop region 247: 1074
loop segment 248: 282
low pH 245: 781
low-density lipoprotein 250: 600
low-density-lipoprotein-receptor-related protein 248: 270; 250: 320
low-molecular-mass GTP-binding protein 246: 71
lumazine protein 245: 790
lung 248: 507
lyase 244: 658
Lycium chinense 248: 296
lymphocyte 250: 689
Lyn 246: 433
lyotropic salt 245: 386
lysin 245: 581
lysine catabolism 247: 364
lysine chemoaffinity labeling 246: 344
lysine methylation 244: 904
lysine 2-oxoglutarate reductase 247: 364
lysosomal α-mannosidase 246: 410
lysosomal trafficking 243: 511
lysosome 243: 240; 249: 862
lysosome-associated membrane protein 249: 862
lysozyme 245: 428
L12 249: 383

α_2-macroglobulin 244: 140; 244: 694; 250: 320
α_2-macroglobulin-receptor-associated protein 244: 544
α_2-macroglobulin-receptor/low-density-lipoprotein-receptor-related protein 244: 544
macrophage 244: 279; 244: 513; 248: 507
macrophage metalloelastase 247: 588
magnesium 246: 211
magnesium cofactor 243: 684
magnesium ion 245: 71
maize 247: 826
major histocompatibility antigen type I 249: 21
major histocompatibility complex 248: 684
malaria 243: 344; 244: 552
Malassezia furfur 246: 181
malate dehydrogenase 249: 607
malignant melanoma 244: 923
malignant transformation 247: 1091
malonate decarboxylase 245: 103; 246: 530
Malonomonas rubra 245: 103
malonyl-CoA 244: 1
mammalian cells 243: 259; 244: 286
mammalian fertilization 248: 86
mammalian 54-kDa subunit of signal-recognition particle 248: 575
Manduca sexta 248: 748
D-mannan 245: 637
mannan 246: 477
mannan-binding protein 243: 770
mannooligosaccharide 246: 477
mannosidase 249: 701
mannosidosis 246: 410
mannosyltransferase 244: 953
Man_9-mannosidase 246: 681
marsupial 248: 864
mass spectrometry 243: 274; 243: 630; 244: 334; 244: 371; 245: 589; 246: 336; 247: 1009; 247: 476; 248: 43; 248: 445
mathematical modeling 243: 191; 245: 608
mating 243: 732
matrix metalloprotease 244: 21; 244: 81; 247: 356; 247: 588; 248: 369
matrix-assisted-laser-desorption ionization MS 244: 750
matrix-assisted-laser-desorption ionization time of flight 244: 580
maturation-inducing hormone 249: 846
mechanism 243: 684; 244: 203; 245: 1; 245: 490; 249: 223
mechanism-based inactivator 248: 252
mechanosensitive channel 247: 572
medium-chain dehydrogenase/reductase 248: 282
megakaryocyte 243: 209
Megasphaera elsdenii 245: 116; 248: 355
Megathura crenulata 248: 602
meiosis resumption 246: 602
melanocortin receptor 244: 923

α-melanotropin 244: 923
membrane 243: 328; 245: 797
membrane association 247: 511
membrane binding 247: 942
membrane damage 247: 209
membrane domain 248: 938
membrane fusion 243: 650
membrane glycoprotein 247: 1091
membrane permeabilization 250: 549
membrane potential 245: 813
membrane protein 244: 462; 244: 675; 246: 674; 247: 770; 248: 814
membrane reconstitution 247: 581
membrane transport 246: 228
membrane-bound hydrogenase 248: 179
membrane-protein purification 244: 940
menadiol 250: 567
menaquinone 244: 155
mersacidin 244: 501; 246: 193
metabolic channeling 249: 61
metabolic design 244: 527
metabolic flux 245: 497
metabolic regulation 250: 467
metabolic regulator 244: 767
metabolism 244: 513; 244: 527; 247: 596; 249: 662; 250: 150
metabolon 246: 283
metacyclogenesis 244: 596
metalloprotease 244: 653; 249: 648
metamorphosis 248: 856
metarhodopsin I/metarhodopsin II equilibrium 243: 174
Metasequoia 246: 763
methane monooxygenase 248: 72
Methanobacterium thermoautotrophicum 244: 862
methanofuran 248: 919
methanogenesis from CO_2 248: 919
methanogenesis from methanol 249: 280
methanogenic Archaea 243: 110; 243: 670; 244: 226; 244: 862; 245: 386; 248: 919; 250: 783
methanol 247: 280
methanol dehydrogenase 244: 426
methanol metabolism 243: 670
methanol:*N*,*N*′-dimethyl-4-nitrosoaniline oxidoreductase 247: 280
Methanosarcina barkeri 243: 670; 244: 226; 248: 889; 248: 919
methionine adenosyltransferase 250: 653
methionine synthase 244: 876
methyl-coenzyme-M reductase 243: 110
3-methyladenine 243: 240
methylation 246: 786
24-methylene lophenol 246: 518
O^6-methylguanine-DNA methyltransferase 250: 492
methylglyoxal 244: 852
methyljasmonate induced 243: 605
(*R*)-methylmalonyl-CoA mutase (*Propionibacterium shermanii*) 250: 303
methylmalonyl-CoA analog 249: 180
methylmalonyl-CoA decarboxylase 250: 590
methylotroph 249: 820
methyltransferase 243: 670; 249: 280; 250: 783
Mg^{2+}-ATPase 243: 58; 250: 524
micelle 243: 400; 244: 913
microbial surface components recognizing adhesive matrix molecules 247: 416
microcalorimetry 244: 441
microfilament 247: 183
microglia 243: 726
α_1-microglobulin 245: 676
β2-microglobulin 249: 21
microinjection 250: 389
microsomal reductase 249: 365
microspectrofluorometry 249: 895
microtubule 244: 265; 247: 183
Micrurus 250: 144
milk 245: 482
mineralocorticoid receptor 249: 361
minichromosome-maintenance protein 247: 136
mitochondria 243: 268; 245: 449; 245: 813; 247: 1111; 249: 52; 250: 197; 250: 205; 250: 514
mitochondrial metabolism 249: 777
mitochondrial permeability transition 246: 710
mitochondrial protein 244: 1
mitochondrial replication 247: 52
mitochondrial respiratory chain 246: 103
mitochondrial targeting 243: 739
mitogen-activated protein kinase 244: 45; 244: 587; 245: 241; 245: 730; 247: 1180; 249: 120; 249: 420; 249: 637; 250: 395
38-kDa mitogen-activated protein kinase 245: 751
mitogenesis inhibitor 248: 30
mitosis 247: 136
mixed micelles 248: 374
mixed-valence complex 245: 521
mmdADCB genes 250: 590
modeling 247: 1019; 249: 393
MoeA 250: 524
Mössbauer spectroscopy 248: 380
molecular chaperone 244: 767; 245: 738; 248: 848
molecular cloning 250: 197
molecular cloning and sequencing 248: 550
molecular dynamics 244: 501; 247: 66; 248: 872; 249: 716; 250: 539
molecular evolution 243: 358; 245: 191; 246: 401; 246: 772; 247: 470; 248: 282
molecular mimicry 248: 592
molecular modeling 243: 42; 246: 780; 249: 27; 250: 559
molecular recognition 243: 543; 244: 352; 250: 578
molecular species 247: 1151
mollusca 248: 602
molten globule 245: 364
molybdenum 246: 119
molybdenum cofactor 246: 200
molybdenum-containing enzyme 250: 524
molybdenum-iron protein 246: 311
molybdenum-storage protein 246: 311
molybdopterin cofactor 250: 524
molybdopterin guanine dinucleotide 246: 690
Moniezia expansa 250: 269
monocistronic and polycistronic transcription 244: 735
monoclonal antibody 244: 801; 248: 692; 249: 21; 249: 325; 249: 690
monofunctional adduct 249: 370
mononuclear 250: 625
monooxygenase 247: 635
morphogenesis 250: 99
mouse 243: 181; 247: 588; 248: 807
mRNA 243: 350; 244: 176; 246: 750; 249: 669; 249: 98
mRNA expression 244: 98; 248: 225; 250: 197
mRNA stability 247: 169
mRNA transcript 249: 465
mRNA translation 250: 197
mRNA-binding site 248: 10
multi-angle laser-light scattering 243: 85
multi-ubiquitin chain 249: 427
multidrug resistance 244: 664; 246: 186; 248: 104; 250: 115; 250: 122; 250: 130
multidrug-resistance protein 243: 219
multienzyme complex 244: 176; 246: 78; 246: 85; 250: 260; 250: 286; 250: 296
multiheaded mutant of *Chlorohydra viridissima* 244: 940
multiheme cytochrome 243: 474; 248: 323
multiple sclerosis 246: 59
multiwavelength anomalous diffraction 247: 1009
murein-biosynthesis inhibitor 246: 809
murine 243: 219
murine acquired immunodeficiency syndrome 247: 91
muscle 247: 306
muscle contraction 244: 931
muscle fiber type 247: 30; 247: 98
muscle regulation 246: 611
mutagenesis 243: 100; 243: 365; 244: 520; 245: 441; 246: 698; 247: 1174; 248: 362; 248: 717; 248: 731; 249: 601
mutant 243: 708; 244: 310; 247: 238; 248: 290
mutant strain 247: 402
mutation 244: 1; 249: 134
mutation of Trp52 and of Trp317 250: 638
mutational study 249: 408
Mycobacterium kansasii 248: 93
Mycobacterium tuberculosis 244: 604
Mycobacterium tuberculosis complex 250: 758
myelin/oligodendrocyte glycoprotein 246: 59
myelin/oligodendrocyte glycoprotein-(35–55)-peptide 246: 59
myeloid cell line 249: 792
myogenesis 247: 870
myogenic regulatory factor 247: 98
myoglobin 243: 233; 243: 292
myosin 243: 636; 244: 251; 244: 931
myosin ATPase 245: 40
myosin heavy-chain isoform 247: 30; 247: 98
myosin subfragment 1 243: 624; 246: 380
myrosinase 247: 963
myrosinase-associated protein 247: 963
myrosinase-binding protein 243: 605; 250: 680

^{15}N isotopic shift 243: 597
N-glycan 245: 617; 246: 252
N-glycan chain 247: 1091
N-glycosylation 243: 511; 246: 243
^{15}N-labeled brain metabolite 243: 597
N-linked carbohydrate chain 248: 86; 249: 195
N-methylcalystegine 248: 296

N-terminal and C-terminal pool sequencing of peptides 249: 171
N-terminal deletion mutant 247: 372
N-terminal processing 248: 72
N-terminal sequence 243: 181
N-utilization protein 248: 338
Na^+-H^+ exchange 248: 394
Na^+-translocating NADH:ubiquinone oxidoreductase 249: 770
NAD 244: 426
NADH dehydrogenase 246: 800
NADH dehydrogenase I 244: 155
NADH oxidase 245: 541; 249: 739
NAD(H) redox shuttle 247: 972
NADH:ubiquinone oxidoreductase 246: 800
$NAD(P)^+$ 246: 698
NADP binding 244: 107
NADP-linked isocitrate dehydrogenase 250: 205
NADPH oxidase 249: 531
NADPH–cytochrome *P*-450 reductase 247: 37
Na^+/K^+-exchanging ATPase 244: 829; 248: 488; 248: 717; 249: 301
NarL 246: 618
natriuretic peptide 250: 144
Natronobacterium pharaonis 250: 332
Natronococcus 249: 905
Nef 246: 38; 247: 843
negative cooperativity 245: 32
negatively charged surface 243: 160
Neisseria gonorrhoeae 244: 755
Neisseria meningitidis 249: 187
nerve-growth factor 249: 8
neuraminidase 248: 527
neurogenesis 249: 826
neuron 249: 481
neuronal cell-adhesion molecule 243: 502
neuronal development 249: 434
neuronal-cell nuclear factor 249: 826
neuropathy 249: 662
neuropeptide receptor 244: 940
neuropeptide tyrosine agonist 246: 780
neuropeptide Y 247: 1019
Neurospora crassa 246: 344
neurotoxin 243: 93; 245: 457; 246: 496
neurotransmitter release 249: 540
neutral flavosemiquinone radical 249: 770
neutrophil 243: 328; 245: 505; 246: 71
nickel EPR 243: 110
nickel incorporation 245: 441
Nicotiana tabacum L. 247: 1127
nicotinamide 249: 465
nicotinamide riboside 243: 408
nicotine-derived nitrosamine ketone 249: 365
nicotinoprotein 248: 889
[NiFe]hydrogenase 245: 441; 247: 681
Niphates erecta 245: 47
nisin 247: 114
nitrate reductase 250: 567
nitrate/nitrite regulation 246: 618
nitric oxide 244: 876; 245: 608; 246: 710; 249: 337
nitrite reductase 250: 364
nitrogen assimilation 244: 869
nitrogen regulation 244: 258; 244: 869
nitrogen transfer 245: 418
nitrogenase 244: 789; 244: 840; 246: 311
nitroreductase 248: 401
nitrotriazolone 248: 401
nitrous oxide reductase 245: 521
10-nm filaments 250: 30
NMR 243: 122; 243: 167; 243: 233; 243: 283; 243: 292; 243: 374; 243: 474; 243: 701; 243: 72; 243: 782; 244: 352; 244: 384; 244: 449; 244: 501; 244: 721; 245: 349; 245: 581; 245: 617; 246: 218; 246: 301; 246: 477; 246: 565; 246: 59; 246: 780; 246: 809; 247: 1083; 247: 1118; 247: 386; 247: 425; 247: 545; 247: 567; 247: 66; 247: 709; 247: 82; 248: 329; 248: 338; 248: 872; 249: 27; 249: 758; 249: 878; 250: 712
Nomenclature Committee of the International Union of Biochemistry and Molecular Biology 250: 1
non-allelic deletion 249: 1
non-covalent 243: 274
non-heme 250: 625
non-hepatic-type enzyme 250: 653
non-homologous recombination 247: 518
non-native secondary structure 243: 384
non-ribosomal peptide synthetase 247: 526
non-specific DNA binding 246: 1
non-structural protein 3 250: 47
non-tyrosinatable 244: 265
NS3 protein 248: 130
Nth protein 250: 492
nuclear calmodulin 246: 602
nuclear factor κB 243: 726; 244: 568; 250: 63
nuclear factor Y 246: 142
nuclear hormone receptor 244: 120; 247: 288
nuclear inhibitor of protein phosphatase 1 247: 411
nuclear lamin 250: 30
nuclear localization signal 247: 762; 250: 389
nuclear localization site 247: 860
nuclear matrix 244: 479
nuclear orphan receptor 249: 826
nuclear pore 250: 808
nuclear protein 247: 136
nuclear receptor 244: 883
nuclear ribonuclease P 244: 635
nuclear transport 247: 461
nucleic-acid-binding protein 249: 309
nucleobase transport 247: 1102
nucleolus 250: 800
nucleoside analog 248: 930
nucleosome 243: 247
nucleotide analog 250: 492
nucleotide and amino acid sequences 249: 786
nucleotide binding 247: 1; 247: 762
nucleotide-binding site 244: 627; 250: 773
nucleotide conformation 250: 539
nucleotide sequence 248: 43
nucleotide-sugar transport 248: 187
nucleus 243: 452; 250: 30
NuoE 246: 800
NuoF 246: 800
NusB protein 248: 338

O-acetylation 245: 637
O-antigen 244: 147; 244: 580; 244: 761; 245: 470; 245: 477; 245: 668; 246: 565; 247: 567; 247: 815; 247: 951; 248: 592; 250: 617
O-antigen structure 243: 167
O-glycosidase 247: 709
O-linked oligosaccharides 247: 386
O-linked sugar chain 247: 709
O-polysaccharide 244: 449
O-specific polysaccharide 245: 637
OAF1 247: 776
octadecanoid biosynthesis 245: 294
okadaic acid 248: 120
oleate-response element 247: 776
oligo-1,6-glucosidase 245: 129
(2′-5′)oligoadenylate synthetase 248: 558
(2′-5′)oligoadenylate triphosphate 248: 558
oligoanion 250: 425
oligomeric protein 247: 224
oligonucleotide 243: 782; 249: 370; 249: 576
oligopeptide substrate 244: 235
oligosaccharide 246: 705
oligosaccharide trisphosphate 250: 55
oncogenic transformation 249: 489
ontogenesis 247: 625
oocyte maturation 249: 846; 249: 854
oogenesis 243: 732; 247: 784
oosponol 246: 45
opioid 247: 66
optical spectroscopy 250: 383
optimization 244: 527
Oreochromis mossambicus 249: 786
oriC DNA 247: 852
Oriza sativa L. 247: 364
ornithine acetyltransferase 250: 232
ornithine carbamoyltransferase 247: 1038; 247: 1046; 248: 466
ornithine decarboxylase 250: 223
orphan receptor 244: 120
ORrab2 249: 293
osmolyte 248: 24
osmoregulation 247: 572
osmotic pressure 250: 276
osmotic stress 244: 918
ouabain 248: 488
ouabain-binding site 249: 301
outer-membrane protein 245: 300
ovarian protease 244: 487
overexpression 244: 596; 247: 372; 249: 239
overproduction of subunit c 247: 820
oxidation 244: 161; 247: 1000; 247: 688
β-oxidation 244: 1; 244: 434; 245: 600; 248: 516
oxidation state 249: 716
oxidative injury 245: 64
oxidative pentose phosphate pathway 246: 283
oxidative phosphorylation 243: 336
oxidative stress 249: 556; 250: 670
oxidoreductase 243: 739
12-oxo-phytodienoate reductase 245: 294
12-oxo-phytodienoic acid 245: 294
2-oxoacid oxidoreductase 244: 862
2-oxoglutarate-binding site 249: 748
oxygen 243: 233
oxygen consumption 244: 161
oxygenase 250: 625

oxygenation 248: 452
oxylipin 245: 137

P-glycoprotein 243: 219; 244: 664; 246: 186; 248: 104; 250: 115; 250: 122; 250: 130
^{31}P-NMR 243: 328
P-type ATPase 243: 58
palmitoylation 244: 675
palytoxin 248: 717
pancreatic β-cell 244: 1
paramagnetic 243: 474
paramagnetic shift 244: 721
parasite 245: 373
parasitic wasp 246: 820
parathyroid hormone 249: 878
pattern recognition 248: 217
Pax gene 247: 860
PAX8 247: 860
PCC7-Mz1 cells 249: 826
PCR 246: 181
PCTAIRE 249: 481
PC12 cell 247: 1180; 249: 8; 249: 92
Pectinatus 250: 19
pepleomycin 244: 818
peptidase 250: 1
peptide 244: 675; 246: 665; 249: 601
peptide antibiotic 246: 809; 248: 938
peptide binding 248: 37
peptide evolution 250: 727
peptide inhibitor 249: 142
peptide library 246: 633
peptide processing 247: 107
peptide sequencing 244: 479
peptide structure 243: 400
peptide synthesis 244: 192
peptide synthetase 247: 1074
peptide transport 245: 266; 247: 581
peptide-hormone receptor 244: 400
peptide-lipid interaction 245: 355
peptide-structure determination by NMR 245: 273
peptidoglycan biosynthesis 246: 193
peptidylprolyl *cis-trans*-isomerase 244: 59
perennial rye grass 249: 886
perforin 249: 223
periplasm 244: 107; 246: 794
perlecan 247: 175
permeability 245: 797
peroxidase 246: 756; 247: 826; 248: 347
peroxide reductase 249: 52
peroxisomal disorder 247: 511
peroxisome 244: 434; 245: 402; 247: 511; 247: 776; 247: 972; 249: 657; 250: 205
perturbed angular correlation 250: 249
pH dependence 243: 408
pH effect 245: 71
ΔpH-dependent pathway 249: 497
pH-sensitive ouabain 249: 301
PH-20 hyaluronidase 247: 810
phage display 244: 946; 246: 633; 249: 393
phenobarbital 244: 98
phenol 249: 401
phenol soluble 247: 815
phenolic acid esterase 248: 245
phenolic glycolipid 248: 93
phenylalkanoate ester 248: 245
pheromone response 245: 241
phloroglucinol 243: 577
phorbol ester 244: 89; 248: 1; 249: 156; 249: 531; 249: 92
phosphate analog 243: 636
phosphate binding 245: 32
phosphate migration 247: 716
phosphate transport 244: 604
phosphate-regulated gene 245: 708
3-*sn*-phosphatidylcholine 250: 315
phosphatidic acid 247: 1151
phosphatidylcholine 243: 10
phosphatidylinositol 3-kinase 243: 240; 248: 149
phosphatidylinositol phospholipase C 246: 71
phosphatidylinositol 3,4,5-trisphosphate 245: 512
phospho donor 250: 698
2′-phospho-cyclic-adenosine-diphosphoribose 245: 411
3′-phosphoadenosine 5′-phosphosulfate 247: 1056
phosphodiester 245: 668
phosphodiester bond cleavage 246: 1
phosphodiesterase 249: 434
phospho*enol*pyruvate carboxylase 246: 452; 247: 642; 247: 74
phosphoethanolamine 250: 395
phosphofructokinase 243: 442; 250: 698
phosphoglucomutase-related protein 248: 634
phosphoglyceromutase 243: 306
phospholamban 247: 801; 248: 814
phospholipase A_2 244: 587
phospholipase C δ1 248: 459
phospholipase D 248: 149; 248: 374; 248: 407; 249: 812
phospholipid 243: 328; 245: 355; 248: 374; 249: 708; 250: 242
phospholipid asymmetry 243: 58
phosphomannose isomerase 244: 325
phosphonate hapten 244: 619
phosphopantetheine transferase 248: 481
phosphoprotein 243: 306; 248: 660; 248: 794
phosphorescence 245: 32
phosphoribulokinase 246: 78; 246: 85; 250: 286; 250: 296
phosphorylase 247: 262
phosphorylated rat fetuin 243: 753
phosphorylation 244: 265; 244: 774; 244: 89; 245: 215; 245: 241; 245: 54; 245: 751; 246: 259; 246: 745; 248: 329; 248: 521; 249: 1; 249: 531; 250: 411
phosphorylation and proteolysis 243: 493
phosphorylation mutant 248: 441
phosphorylcholine-binding protein 250: 735
phosphotransferase system 243: 306
phosphotyrosine peptide 245: 701
photoactivable cross-link 245: 774
photoaffinity 247: 906
photoaffinity labeling 244: 400; 244: 627; 247: 762
Photobacterium 245: 790
photoinhibition 247: 441
photolabeling 249: 134
photosynthesis 243: 422; 247: 666
photosynthesis regulation 249: 564
photosynthetic complex 249: 564
photosystem I 244: 454; 245: 805
photosystem II 243: 422; 247: 441; 247: 666; 248: 731
o-phthalaldehyde 246: 344
Physarum polycephalum 250: 308
phytoalexin 249: 161
phytohormone 247: 963
Picea abies 246: 45
Pichia pastoris 244: 21; 247: 332
picosecond-time-resolved fluorescence 244: 361
Pimelia sparsa 244: 318
pipecolate-incorporating enzyme 247: 526
PIP2 247: 776
pituitary 243: 134; 248: 394
pituitary adenylate-cyclase-activating polypeptide 244: 400
pK_a 243: 174
placenta 244: 835
plant 246: 228; 248: 700
plant defence 244: 743
plant DNA-binding protein 250: 403
plant pathogen 244: 743
plant sterol methyltransferase 246: 518
plant thioredoxin *h* 243: 374
plant transcription factor IIIA 249: 107
plasma 244: 161; 245: 676
plasma membrane 247: 1136; 248: 527
plasma sex-steroid-binding protein 247: 339
plasmepsin I 244: 552
plasmin 243: 493
plasmin modulation 250: 532
plasminogen 244: 946; 245: 316; 247: 256; 250: 532
plasminogen activator 247: 169; 248: 270; 248: 676; 248: 775
plasminogen-activator inhibitor 1 243: 493; 248: 583; 248: 775
Plasmodium falciparum 244: 552; 249: 98; 250: 670
plastid protein 249: 70
plastocyanin 245: 805
platelet 243: 209; 243: 344; 244: 161; 245: 751; 248: 827; 249: 547; 250: 532
platelet aggregation 250: 242
platelet integrin 247: 416
platelet-activating factor 250: 242
platelet-derived growth factor 243: 128; 246: 142
platinum drug 246: 508
pleckstrin-homology domain 245: 533; 245: 91
Plutella xylostella 248: 748
point mutation 246: 173; 246: 486; 248: 200
poly(A) 243: 209
poly(A)-binding protein 243: 350
polyadenylation 244: 294; 247: 461
poly(ADP-ribose) polymerase 244: 15; 247: 518; 250: 342
polyamine 249: 232; 250: 223
polyamine analog 243: 247
polycistronic message 244: 74
polydnavirus 246: 820
polyglutamylation 244: 265
polyglycylation 244: 265
polyketide biosynthesis 247: 526
poly(γ-L-glutamine) 249: 905
polylactosamine 245: 428
β-poly(L-malate) 250: 308
polymalatase 250: 308
polymalate depolymerase 250: 308
polymerase C1 250: 432

polymerization 247: 432; 250: 425
polymorphism 246: 756; 249: 1
polymorphonuclear leukocyte 244: 513
polynuclear metal cluster 245: 521
polyol pathway 245: 760
polyoxyethylene 10-lauryl ether 249: 293
poly[(*R*)-3-hydroxyalkanoate] 250: 432
polysaccharide 246: 320; 250: 163
polysaccharide structure 247: 951
polysome 247: 183
polysulfide reductase 246: 646
polythionate 243: 678
polyunsaturated fatty acid 247: 497
porcine ovary 245: 392
pore 245: 797
porin 245: 300
post-translational control 247: 518; 247: 695
post-translational modification 243: 630; 244: 265; 248: 72
post-translational processing 246: 763
potassium channel 245: 457
potassium ion 250: 583
potassium-channel toxin 244: 192
potential 244: 454
POU-class homeobox genes 243: 27
pre-tRNA processing 244: 635
3T3-L1 preadipocyte 243: 128
pregnenolone 244: 835
presteady-state kinetics 250: 638
primary structure 243: 93
primate 245: 25
primer extension 244: 735
processing 243: 181; 244: 279; 247: 920
processing proteinase 243: 202
processivity 250: 47
product inhibition 244: 619
proenzyme activation 245: 392
profollipsin 245: 392
progelatinase A 244: 653
progelatinase B 248: 369
progesterone 244: 664
progesterone receptor 245: 738
prokaryotic expression 247: 175
prolactin-inducible protein 245: 208
proliferation 248: 543; 249: 13; 249: 77; 250: 459
proline isomerization 246: 218
proline-rich sequences 243: 511
prolyl endopeptidase 244: 900
prolyl oligopeptidase 245: 381; 250: 177
promoter 245: 768; 246: 142; 246: 155; 247: 200; 247: 288; 248: 634; 249: 489; 250: 502; 250: 514; 250: 653
promoter activity 247: 503
promoter analysis 248: 113
propanediol dehydratase 245: 398
propeptide 246: 274; 250: 745
Propionigenium modestum 247: 820; 250: 590
proprotein processing 246: 133
prostaglandin 243: 726
prostate cancer 246: 440
prostate-specific antigen 246: 440
protease 245: 373; 247: 605; 250: 1; 250: 559
protease-activated receptor 249: 547
proteasome 249: 427
protection 248: 24
protein 244: 829; 247: 322
protein · inhibitor complex 247: 356
protein binding 250: 39
protein carrier 247: 1091
protein concentration 246: 336
protein conformation 244: 675; 247: 1197
protein crystallography 244: 646
protein deamidation and repair 244: 918
protein denaturation 243: 660
protein disulfide isomerase 248: 37
protein engineering 245: 465; 247: 1; 247: 114; 250: 578
protein export 244: 107
protein expression 246: 181; 246: 350; 247: 890
protein FA 246: 690
protein folding 243: 151; 243: 292; 244: 407; 245: 738; 246: 328; 247: 877; 248: 684; 248: 897; 249: 724
protein fragment 243: 384
protein hydration 249: 716
protein import 249: 762
protein interaction 243: 393; 247: 843
protein kinase 243: 719; 244: 780; 247: 642; 249: 127
protein kinase A 248: 820
protein kinase C 243: 10; 243: 493; 245: 684; 246: 745; 248: 1; 248: 407; 249: 156; 249: 92; 250: 7
protein kinase CK2 248: 290
protein methylation 244: 918
protein module 243: 115
protein NMR 244: 471
protein phosphatase 247: 411; 250: 476
protein phosphatase 2A 245: 156; 248: 200
protein phosphatase-1 (PP1) 244: 931
protein phosphorylation 243: 460; 243: 719; 245: 156; 247: 136; 247: 1166; 248: 290; 249: 121; 249: 156
protein primary structure 248: 700
protein purification 246: 410; 247: 890
protein recognition 249: 270
protein redistribution 250: 680
protein S 248: 163
protein secondary structure 245: 564
protein stability 243: 660; 246: 243; 246: 486; 248: 897; 249: 607
protein structure 243: 374; 244: 352; 246: 218; 246: 301; 246: 328; 247: 1000; 250: 712
protein synthesis 243: 66; 249: 121
protein thermostability 243: 468
protein trafficking 246: 243; 250: 808
protein translocation 246: 794; 248: 575
protein transport 245: 340; 249: 497
protein turnover 247: 37
protein unfolding 248: 80
protein-C inhibitor 248: 475
protein-carbohydrate interaction 244: 242
protein-conformational dynamics 244: 53
protein-dimerization inhibitor 245: 273
protein-DNA interaction 243: 482; 245: 715
protein-kinase inhibitor 243: 518
protein-lipid interaction 244: 675; 249: 862
protein-protein interaction 244: 81; 250: 403
protein-RNA interaction 249: 408
protein-serine/threonine phosphatase 249: 98
protein-storage vacuole 246: 133
protein-tyrosine kinase 243: 49; 245: 701; 246: 433; 246: 447; 248: 615; 248: 827; 249: 792
protein-tyrosine-phosphatase 245: 693
protein-tyrosine-phosphatase α 245: 693
protein-tyrosine-phosphatase ε 245: 693
protein–nucleic-acid interaction 246: 1
proteobacteria 245: 300
proteoglycan 243: 115; 248: 521; 248: 741; 248: 767; 250: 39
proteoliposome 243: 798; 247: 581
proteolysis 243: 240; 247: 906
proteolytic cleavage 243: 21; 248: 72
proteolytic degradation 247: 605
proteolytic enzyme 250: 1
Proteus vulgaris 247: 951
prothrombin 245: 676
protofilament lateral interactions 248: 840
proton pathway 247: 914
proton polarizability 247: 914
proton potential 244: 155
proton pump 250: 332
proton transport 246: 228
proton-mediated interaction 249: 523
protonic slipping 248: 496
protonmotive force 247: 1102
protopectinase 245: 708
protoporphyrin IX 250: 764
protozoan parasite 247: 1102
proximal sequence element 248: 231
proximal-sequence-element-binding protein 248: 231
proximal tubule 246: 367
psbA gene expression 247: 441
pseudogene 246: 394
Pseudomonas oleovorans 244: 462; 250: 432
pseudosubstrates 243: 58
psychrophile 244: 186
psychrophilic bacterium 248: 49
pterin 246: 200
pulmonary surfactant 244: 675
purification 244: 700; 244: 755; 247: 121; 247: 681; 249: 45; 250: 177
purine 243: 518; 243: 527
purine salvage 244: 810
purine-nucleoside phosphorylase 243: 408
Purkinje cell layers 249: 434
pyrene maleimide 244: 378
pyridoxal 5′-phosphate 244: 658; 247: 274; 248: 385
Pyrococcus furiosus 244: 561; 244: 862; 247: 1046
pyrophosphate 249: 622
pyrrole-2-carboxylate 249: 739
pyrrolidine 250: 177
pyrrolizidine alkaloid 245: 626
pyrroloquinoline quinone 247: 659
pyruvate 243: 167
pyruvate decarboxylase 248: 63
pyruvate dehydrogenase complex 244: 352
pyruvate dehydrogenase/decarboxylase 250: 260
pyruvate kinase 250: 583
pyruvate kinase M 245: 174
pyruvate oxidoreductase 244: 862
p203 249: 258
$p21^{waf1/cip1}$ 245: 730
p53 245: 684; 245: 730; 248: 1; 248: 441
$p70^{s6k}$ signaling pathway 247: 449

quantitation 243: 762

quantitative reverse-transcriptase PCR 247: 98
quaternary structure 243: 792; 243: 85; 248: 282; 248: 602; 249: 540
quercetin 247: 1056; 250: 130
quinol 250: 567
quinol oxidase 250: 383
quinone 248: 731
quinoprotein 247: 659

R · R · Y triple helices 248: 424
racemase 244: 434
ram 244: 140
random mutagenesis 248: 488
rapamycin 244: 74; 247: 449; 247: 526
Rappaport zone I 250: 212
Rarobacter faecitabidus protease I 249: 343
Ras 244: 45; 245: 84; 247: 703; 249: 648
Ras-responsive enhancer 243: 49
rat 249: 434; 250: 653
rat brain 244: 829
rat heart 245: 497
rat hepatoma 247: 792
rat liver 243: 719
rat thymocyte 245: 174
RB3/RB3′ 248: 794
Re mutant 247: 716
reaction mechanism 247: 483
reactive arginine residue 244: 810
reactive lysine residue 247: 274
reactive oxygen species 245: 541; 245: 730
RecA 243: 482; 245: 715
receptor 244: 113; 244: 801; 246: 652; 246: 705; 247: 754; 247: 906; 248: 615; 249: 601
β-receptor 246: 142
receptor antagonist 246: 625
receptor tyrosine kinase 244: 774
reciprocal zymogen activation 245: 316
recognition 247: 322; 249: 265
recombinant 247: 12; 250: 138
recombinant allergen 249: 886
recombinant cytochrome *P*-450$_{BM3}$ heme domain 244: 361
recombinant DNA 248: 692
recombinant expression 246: 166
recombinant galactosyltransferase 244: 706
recombinant Lol p 1 249: 886
recombinant peptide 244: 471
recombinant phosphodiesterase 247: 1151
recombinant production 243: 115
recombinant protein 243: 452; 248: 200
recombinant subunit vaccine 247: 332
recombination 245: 573; 245: 715
reconstituted liposome 247: 673
reconstitution 243: 798; 247: 659; 247: 884; 247: 884; 248: 139; 250: 168
recycling 250: 661
recycling rate 250: 689
red seaweed 244: 858
redox 244: 45
redox potential 250: 369
reductive metabolism 249: 365
refolding 244: 251; 246: 127
regulated secretion 246: 388
regulation 246: 119; 249: 584; 250: 63
regulation of DNA replication 244: 286
regulation of metabolism 245: 71
regulation of plasminogen activation 243: 21
regulatory protein 244: 735
regulatory protein phosphorylation 247: 642
regulatory subunit 245: 156
relaxation 245: 349
release 244: 923
renin 243: 181
reproduction 244: 487
residue distribution 249: 518
resistance 248: 707
resistance gene 245: 54
resonance assignment 244: 384
resonance Raman 243: 365
resonance Raman scattering 245: 505
resorcinol 243: 577
response element 247: 497
restrained molecular dynamics 249: 878
restriction endonuclease 246: 1
restriction enzyme 244: 134
restriction point 246: 581
restriction-modification system 246: 1
reticulocyte lysate 247: 160
retinal binding 246: 674
retinoblastoma 246: 581
retinoblastoma protein 246: 736; 248: 1
retinoic acid 247: 596
Rev-responsive element 245: 549
reverse micelle 250: 583
reverse transcriptase 247: 238; 250: 106
reverse-transcription PCR 243: 762
Rhamdia sapo 249: 510
D-rhamnose 246: 360
rheology 246: 373
rhodamine 123 250: 130
Rhodobacter capsulatus 244: 789; 246: 200; 248: 496; 250: 451
Rhodobacter sphaeroides 249: 564
Rhodococcus 249: 739
Rhodoferax fermentans 244: 371
rhodopsin 248: 261
rhodopsin kinase 248: 261
ribonuclease 245: 465; 247: 535; 250: 712
ribonuclease activity 247: 217
ribonuclease T_1 247: 1
ribonucleoprotein 245: 720
ribonucleotide reductase 244: 286; 249: 401
ribosomal flexibility 247: 160
ribosomal gene 247: 981
ribosomal protein 245: 449; 249: 383
ribosomal protein L7 245: 549
ribosomal protein S15 246: 291
ribosomal RNA promoter 247: 990
ribosome biogenesis 247: 314
ribosome structure 248: 10
ribosome-binding site 248: 10
ribosome-inactivating protein 245: 423; 245: 648
ribozyme 247: 741
ribulose-bisphosphate carboxylase 248: 848
rice 247: 364
ricin 245: 423
ring-current shielding 247: 896
RNA 245: 465; 247: 741; 248: 130
RNA · DNA hybrid 250: 492
RNA binding 245: 549
RNA export 247: 461
RNA folding 250: 800
RNA helicase 250: 47; 250: 800
RNA localization 247: 183
RNA polymerase I 247: 314
RNA polymerase II basal transcription 247: 1166
RNA preparation 244: 735
RNA processing 247: 461
RNA splicing 243: 32
RNA transport 249: 309
RNA-binding motif 244: 890
RNA-binding protein 245: 17; 245: 260; 246: 38; 247: 183; 247: 396; 249: 854
RNA-protein interaction 245: 564
rough endoplasmic reticulum 243: 452
royal jelly 249: 797
rpsO 246: 291
rRNA processing 247: 314
rRNA spacer 247: 314
ryanodine receptor 247: 955

7S ribonucleoprotein 249: 107
5S rRNA 249: 107
Saccharomyces cerevisiae 243: 268; 243: 748; 245: 289; 245: 324; 245: 449; 245: 557; 245: 589; 246: 103; 247: 776; 247: 972; 249: 657; 249: 762; 250: 476
saccharopine dehydrogenase 247: 364
salivary gland 249: 337; 250: 440
salt effect 248: 762; 249: 607
salt tolerance 250: 476
Sambucus nigra 245: 648
saposin-like protein 244: 675
sarco(endo)plasmic reticulum Ca^{2+} ATPase 247: 801
sarcoplasmic reticulum 247: 955
satellite DNA 244: 318
scatter factor 243: 753
SCG10 248: 794
Schistosoma mansoni 245: 589; 248: 113
schizophrenia 244: 900
Schizosaccharomyces pombe 250: 476
Schwanniomyces occidentalis 244: 128
scorpion toxin 246: 496
scorpion venom 243: 93; 245: 457; 247: 1118
screening of mixtures 246: 705
SDS removal 246: 336
sea urchin 245: 434; 247: 52
sea urchin embryo 250: 502
sea urchin embryogenesis 247: 784
sea urchin spermatozoa 243: 612
Sec-dependent pathway 249: 497
SecA 248: 724
second messenger 245: 411
secondary structure 244: 343; 245: 465; 248: 338; 249: 270; 250: 705
secretase 244: 414
secretin receptor 246: 173
secretion 243: 209; 243: 400; 247: 142; 250: 354
secretoneurin 246: 665
secretory actin-binding protein 245: 208
secretory component 246: 23
Sec22p 247: 142
seed 243: 605
seed germination 248: 304
seed storage protein 246: 763
segment condensation 247: 231
selective O-deacetylation 248: 58
selectivity 247: 66
selenium 247: 248; 247: 681
selenocysteine 247: 681

selenomethionine 247: 1009
self assembly 250: 19
self-cleaving RNA 247: 741
self-sustained sequence replication 243: 358
semen 245: 25; 249: 39
seminal vesicle 249: 39
senecionine *N*-oxygenase 245: 626
sequence 244: 700; 247: 121; 247: 470
sequence analysis 247: 535
sequence comparison 250: 789
sequencing 249: 733
serine 243: 141; 250: 77
serine esterase 248: 700
serine palmitoyltransferase 249: 239
serine pathway 249: 820
serine protease 246: 440; 248: 270; 248: 775; 248: 80; 249: 612
serine-threonine kinase 244: 604; 249: 481; 250: 411
serpin 248: 270; 248: 475; 248: 775
Sertoli cell 244: 140
serum 244: 900
serum albumin 246: 658
serum mannan-binding protein 243: 770
serum-response element 244: 45
severing inhibitor 248: 834
sex peptide 243: 732
sex-hormone-binding globulin 247: 339
sheep cytosolic serine hydroxymethyltransferase 247: 372
short-chain dehydrogenase/reductase 249: 355; 249: 365
SH2 246: 447; 246: 633
sialic acid 247: 558
sialidase 248: 527
sialylation 245: 428
sialyltransferase 247: 558; 249: 187
sigma factor (σ^{70}) 244: 613
signal 245: 720
signal peptide 245: 340
signal sequence 244: 107
signal transducer and activator of transcription 248: 615; 249: 637; 250: 411
signal transduction 243: 543; 243: 612; 244: 168; 245: 512; 246: 71; 247: 298; 247: 770; 248: 261; 249: 421; 249: 637; 249: 803; 250: 680
signal-peptide binding 248: 575
signal-recognition particle 245: 564; 245: 720
signal-recognition-particle-like particle 248: 575
signaling 245: 324; 248: 615
silk gland 248: 786
silver 250: 249
silver staining 246: 336
simian immunodeficiency virus 246: 38
single chain 245: 656
single fiber analysis 247: 30
single-channel conductance 245: 300
single-stranded-DNA-binding protein 247: 52
site-directed mutagenesis 243: 511; 244: 128; 244: 646; 246: 243; 246: 539; 247: 1029; 247: 1056; 247: 483; 247: 74; 248: 63; 248: 72; 249: 748; 250: 364; 250: 451
site-specific recombinase 248: 903
skeletal muscle 243: 460
Sky receptor 246: 147
slow oxidative muscle 247: 870
slow-binding inhibition 245: 182
small nuclear RNA gene 248: 231
small-angle neutron scattering 243: 415
small-angle X-ray scattering 244: 913
smooth muscle 244: 931; 248: 634
smooth muscle cell 246: 745
snake venom 250: 144
snake-venom protein 248: 550
SNF1 246: 259
sodium channel 244: 494; 247: 1118
sodium dodecylsulfate 249: 878
sodium ion 250: 583
sodium ion translocation 250: 783
sodium nitroprusside 244: 876
sodium pump 245: 103; 248: 717
sodium ion gradient 249: 770
sodium ion pump 250: 590
solubilization 244: 940
solution structure 244: 501; 244: 818; 245: 581; 247: 545; 249: 270
somatostatin 248: 37
somatotropin 244: 494
sorbitol dehydrogenase 245: 760
sorting 244: 279
soybean agglutinin 249: 684
spacer 245: 656
specific DNA binding 246: 1
specific transport of intact ATP 247: 673
specificity 246: 433; 246: 548; 250: 308
spectral tuning 243: 775
spectroscopy 244: 414
sperm 246: 425
sperm receptor 248: 86
sperm-activating peptide 243: 612
spermatogenesis 244: 294
spermatozoa 247: 810
spermine 248: 459
sphinganine 250: 661
sphingolipid 249: 450
sphingolipid biosynthesis 249: 239
sphingomyelin 248: 459
sphingosine 248: 459; 250: 661
sphingosine derivative 248: 394
spin state 250: 276
spinach 243: 422
splicing 246: 401; 247: 461
sponge 243: 27; 245: 47
Sp1 249: 13; 250: 342
squalene synthase 249: 61
Src homology domain 2 245: 701
SRP1 249: 343
stability 244: 462; 246: 548; 250: 260
stabilizing agent 248: 24
Staphylococcus aureus 247: 416
Staphylococcus aureus nuclease probing 247: 160
staphylokinase 244: 946
starch fermentation 244: 128
starvation 248: 415
stathmin 248: 794
steady-state fluorescence 244: 361
steady-state kinetics 244: 203; 248: 913
stem cell factor 248: 149
stem loop 246: 750
stereospecific 247: 635
steroid hormone 248: 707
steroid metabolism 249: 365
steroid receptor 249: 846
sterol carrier protein x 245: 252
sterol carrier protein 2 245: 252
Ste12p 245: 241
stimulatory protein 1 245: 174
stimulatory protein 3 245: 174
stopped-flow kinetics 250: 447
storage lipid 248: 452
storage protein 246: 133
stratum corneum 250: 212
stratum granulosum 250: 212
Streptococcus pneumoniae 244: 913; 250: 163
Streptomyces 245: 54
Streptomyces hygroscopicus 247: 526
streptomycetes 246: 557
stress 247: 1180
stress response 244: 767
stringent control 247: 990
structural domain 243: 468
structural stability 249: 762
structure 243: 141; 243: 422; 243: 430; 244: 449; 244: 721; 246: 471; 247: 402; 247: 567; 247: 82; 248: 193; 248: 93; 249: 758; 250: 163; 250: 249; 250: 276; 250: 758
structure-based design 245: 656
structure-specific DNA binding 249: 70
structure/activity relationship 245: 457
structure/affinity relationship 247: 1019
structure/function relationship 245: 774
structure/function study 245: 423
structure/stability/folding relationship 243: 384
subcellular localization 247: 843; 247: 972
1.1 subdomain 244: 613
subfragment 1 243: 636
subsite interaction 247: 1
substrate binding 248: 63
substrate-binding site 244: 810
substrate inhibition 244: 213
substrate interaction 244: 361
substrate protection 248: 925
substrate recognition 250: 85
substrate specificity 243: 690; 244: 235; 244: 635; 247: 1; 248: 762; 249: 171; 249: 612
substrate-assisted catalysis 249: 330
substrate/inhibitor properties 243: 408
γ subunit 247: 1158
ε subunit 247: 1158
ω subunit 247: 884
subunit amino acid sequence 248: 99
subunit assembly 247: 372
subunit f 247: 1111
subunit isoform 248: 99
subunit ε 249: 134
ω-subunit-less holoenzyme 247: 884
$\beta\gamma$ subunits of heterotrimeric guanine-nucleotide-binding regulatory proteins 245: 533
succinic semialdehyde reductase 247: 274
sulfate reduction 248: 445
sulfate transporter 248: 741
sulfatide 246: 233
sulfite 248: 496
sulfotransferase 247: 1056
sulfur metabolism 243: 678
sunflower cotyledon 245: 402
sunflower oil bodies 248: 374
supercoiling 243: 247
superoxide anion 245: 541

superoxide dismutase 249: 556
supramolecular structure 250: 326
SUP45 245: 557
suramin 250: 320
surface charge 243: 174; 247: 322
surfactant protein 244: 675
Syk 245: 84; 246: 447; 249: 792
synapse 245: 64
synaptobrevin (VAMP) II 249: 540
Synechococcus 244: 869
Synechocystis sp. PCC 6803 249: 497
Synechocystis 6803 244: 258
synergistic anion 249: 149
synthesis 244: 462; 250: 670
synthetic gene 247: 890
synthetic myosin-Arg403 loop peptide 250: 484
synthetic peptide 243: 42; 243: 650; 250: 19; 250: 389
systemically induced 247: 963
S100 249: 127
S16 protein 247: 852
S18 249: 383

T lymphocyte 245: 411
T-cell 249: 223
T-cell epitope 249: 895
talin 243: 430; 250: 447
TATA box 249: 318
TATA-binding protein 247: 1166; 249: 318
temperature acclimation 246: 380
tentoxin 250: 150
terminal differentiation 249: 481
terminal oxidase 250: 332
testis 244: 294; 246: 425; 250: 440
testis galactosyltransferase 244: 706
2,3,4,6-tetra-*O*-acetyl-1-[(*N*-acetyl-*N*-phenylamino)oxy]-1-deoxy-*β*-D-glucopyranoside 248: 58
tetrapyrrole synthesis 246: 32
tetrathionate hydrolase 243: 678
tetratricopeptide repeat 245: 738
therapy 249: 662
thermal denaturation 245: 781
thermal stability 248: 433; 249: 443
thermal stress 247: 380
thermoacidophile 250: 383
Thermococcus litoralis 248: 171
thermodynamics 250: 286
thermolysin 248: 433; 248: 567
thermophile 247: 1038; 248: 466
thermophilic 247: 262
thermostability 245: 386; 247: 1046; 248: 466
thermostable homohexameric *α*-glucosidase 245: 129
thermostable protein 243: 66
Thermus 248: 466
Thermus thermophilus 243: 66
Thermus thermophilus genes 246: 291
thiamin diphosphate 244: 646
Thiobacillus acidophilus 243: 678
thiocyanate 244: 694
thioether bridge 248: 879
thiol ester 244: 694
thiol group 243: 636
thiol protease 245: 283
thionin 243: 202
thioredoxin 243: 374; 246: 127
thioredoxin peroxidase 249: 52
thioredoxin reductase 245: 790
thioxo peptide synthesis 245: 381
thioxo substrate 245: 381
three-dimensional structure 246: 780
D-threonine aldolase 248: 385
threonine 245: 289; 248: 385
threonine aldolase 245: 289
thrombin 247: 12; 248: 827
α-thrombin 249: 547
thrombin inhibitor 248: 550
thrombin like 247: 121
thrombin-receptor-activating peptide 249: 547
thylakoid 245: 340; 247: 666
thylakoid membrane 248: 724; 249: 497
thymocyte 247: 1151; 247: 129
thyroglobulin 244: 801
thyroid 248: 660
thyroid-hormone-responsive element 247: 288
thyroxine 245: 123
Tie2 244: 774
TIM barrel 247: 348
time differential perturbed angular correlation (TDPAC) spectroscopy 246: 311
time-resolved fluorescence 245: 790
TIR1 249: 343
tissue distribution 244: 1
tissue inhibitor of metalloprotease 244: 653; 244: 81; 250: 751
tissue kallikrein 247: 652; 248: 475
tissue specificity 244: 479; 246: 786; 247: 44
tissue-specific expression 247: 200
titanium(III) citrate 243: 110
titin 249: 127
titration 244: 454
tms1 248: 441
tobacco 244: 31; 248: 700
α-tocopherol 245: 64
tocopherol 246: 745
tomato 244: 310
topoisomerase 250: 794
topoisomerase II 245: 307; 249: 142
topological photoaffinity labeling 249: 456
toxin 243: 643; 245: 797; 246: 218
toxin binding 247: 754
trans-cleavage 247: 396
trans-sialidase 247: 1083
transbilayer transport 248: 104
transcription 244: 301; 245: 241; 245: 768; 246: 142; 246: 155; 246: 45; 248: 113; 249: 13; 250: 223; 250: 514
transcription activation and repression domains 247: 860
transcription factor 248: 231; 248: 615; 249: 318; 250: 342; 250: 403
transcription factor IIB 247: 1166
transcription inhibition 244: 613
transcription polymerase III 249: 107
transcription regulation 247: 148; 247: 990
transcription-initiation site 247: 288
transcriptional activation 248: 231
transcriptional regulation 248: 415
*trans*dominant negative mutant 244: 883
transfection 243: 134; 244: 596
transfer NOE 246: 705
transferred NOE 244: 242; 250: 539
transferrin 249: 149
transferrin receptor 249: 77; 250: 459; 250: 689; 250: 764
transgenic 245: 482
transgenic mouse 245: 642; 245: 97; 247: 200; 248: 644
transglutaminase 245: 25; 249: 39
transglycosylase inhibitor 246: 809
transglycosylation 247: 1083
transient kinetics 244: 203
transition-state analog 244: 619
transketolase 244: 646
translation 243: 350; 246: 45; 247: 449; 247: 59
translation iniiation 248: 10
translation-initiation factor 249: 564
translation termination 245: 557
translational activity 247: 160
translational control 246: 461; 247: 411
translational frameshifting 250: 223
translational regulation 245: 260
translocation 248: 724; 249: 156
translocation across membranes 246: 328
transmembrane segment 249: 540
transmembrane-4 superfamily 244: 168
transport 244: 39; 246: 119
transport inhibitor 249: 456
transporter associated with antigen processing 245: 266
transporter protein 249: 456
transthyretin 246: 401; 249: 662
trapping 244: 694
trehalose 248: 24
trematode 245: 373
Trichoderma 249: 584; 249: 701
Trichoderma reesei 245: 617
Trichoplusia ni 248: 535
Trichosanthes kirilowii 245: 423
trichosanthin 245: 423
trifluoroethanol 243: 400
trifunctional enzyme 246: 502
trigger factor 244: 59
triggering cysteine endopeptidase 248: 304
trihaloacetic acid 250: 789
2,4,5-trihydroxyphenylalanine 250: 377
2′-(or 3′)-*O*-(2,4,6-trinitrophenyl)-adenosine 5′-triphosphate 248: 238
trimethylamine dehydrogenase 243: 393
triosephosphate isomerase 244: 700; 247: 348
Triticum aestivum 244: 635
tRNA synthetase 243: 141; 250: 77
tropoelastin 250: 92
troponin 246: 611
troponin C 248: 329
troponin I 248: 329
truncation 245: 656
Trypanosoma 243: 739
Trypanosoma brucei 250: 698
Trypanosoma cruzi 244: 596; 244: 700
trypanosome 247: 1102
trypanothione 248: 913
trypanothione reductase 243: 690
tryparedoxin 248: 913
tryptophan 244: 658
tryptophan fluorescence 248: 238
tubulin 244: 265; 246: 420; 249: 265
tumor biology 243: 543
tumor-necrosis factor-*α* 249: 421

tuna heart 248: 99
tuna liver 248: 99
turnover number 243: 336
twitchin 249: 127
two-component flavin monooxygenase 249: 739
two-dimensional crystallization 244: 575
two-dimensional electrophoresis 244: 767; 245: 147; 246: 336; 247: 792
two-dimensional immunoblot 249: 92
two-dimensional NMR 244: 818
two-hybrid analysis 249: 85
two-hybrid system 247: 703; 250: 794
type II DNA-(cytosine *N*4) methyltransferase 247: 1009
type II membrane protein 246: 681
type-I β turn 247: 896
Tyria jacobaeae (Lepidoptera, Arctiidae) 245: 626
tyrosination 244: 265
tyrosine 244: 658
tyrosine aminotransferase 249: 675
L-tyrosine benzyl ester 247: 1127
tyrosine hydroxylase 247: 1180
tyrosine kinase 250: 411
tyrosine phosphorylation 247: 298
tyrosine-kinase receptor 246: 147
tyrosyl radical 249: 401

ubiquitin 247: 91; 249: 427
ubiquitin-conjugating enzyme 247: 1190
ubiquitin-protein ligase 247: 1190
ubiquitination 247: 1190
UDP-galactose 4-epimerase 244: 407
ultraviolet-B radiation 249: 465
ultraviolet-sensitive opsin 243: 775
unfolding 244: 251; 247: 224
unfolding pathway 248: 433
unfolding/reactivation 245: 273
unisite catalysis 249: 622
unsaturated fatty acid 248: 516
3′ untranslated region 245: 17; 245: 260; 247: 169
upstream region of the isocitrate lyase gene 243: 748
urea 244: 407
urokinase 245: 316; 247: 256
urokinase receptor 247: 256
urokinase-type plasminogen activator 243: 21; 248: 583
urokinase-type-plasminogen-activator receptor 243: 21; 245: 316
U937 cells 243: 21

vaccine 246: 320
vaccinia virus 246: 23
vaccinia virus K3L 250: 85
vacuolar processing enzyme 246: 133
vacuole 243: 202
variable stoichiometry 246: 574
vasopressin 247: 906
vasostatin 248: 692
verapamil 244: 664
very-low-density apolipoprotein II 249: 113
very-low-density-lipoprotein receptor 248: 270; 248: 583
vessel sprouting 244: 774
vestimentiferan 246: 50
Vibrio alginolyticus 249: 770
Vibrio cholerae 249: 758
Vibrio cholerae O139 247: 402
Vibrio cholerae pore-forming toxin 247: 209
Vibrio harveyi 246: 698
Vicia sativa L. 248: 304
vimentin 249: 518
vinblastine 244: 664; 250: 425
18-vinylprogesterone 248: 252
Viperidae 246: 772
viral infection 247: 91
viral maturation 249: 523
virus capsid 249: 592
virus morphogenesis 249: 592
viscoelasticity 246: 373
visual pigment 243: 775
vitamin C 246: 638
vitamin E 246: 745; 250: 600
vitamin-D receptor 248: 156
vitronectin 243: 493
VWFA domain 246: 274

water 250: 583
wheat 243: 350
Wolinella succinogenes 246: 646
wortmannin 247: 449
wound healing 250: 751
wound induced 243: 605; 247: 963
wound induction 250: 680

X-ray crystal structure 247: 356
X-ray diffraction 248: 938
X-ray structure 248: 313
X-ray structure analysis 250: 326
xanthine dehydrogenase 245: 541
xanthine oxidase 245: 541
xenobiotic 247: 190
xenobiotic metabolism 249: 365
Xenopus extracts 247: 518
xylan hydrolysis 245: 164
Xylα1-3Glcβ-Ser structure 245: 143
xylose 248: 521
xylose reductase 246: 344
β-xylosidase gene cloning 245: 164

Y box protein 249: 854
yeast 243: 268; 243: 350; 243: 442; 244: 301; 245: 449; 245: 813; 246: 181; 247: 1111; 249: 248; 249: 584; 249: 61; 250: 205
yeast artificial chromosome clone 245: 760
yeast cell wall protein 249: 343
yeast expression 248: 717
yeast hexokinase 250: 539
yeast mannan 249: 286
yeast transformation 246: 518
yolk protein 243: 732

Z-Pro-prolinal 244: 900
Zap 246: 447
Zap-70 245: 84
zinc 243: 160; 247: 491
zinc finger 250: 403
zinc ions 246: 204
zinc-binding site 247: 491
zinc-containing enzyme 249: 280
zinc-dependent metalloenzyme 244: 325
zinc-finger motif 246: 786
zona pellucida 248: 86
zygotic gene 250: 502
zymogen activation 247: 256
Zymomonas mobilis 248: 63